Content-type: text/html

Mail form to: IADR, 1619 Duke Street, Alexandria, VA 22314-3406, USA (FAX SUBMISSIONS WILL BE REFUSED.) Type perfect original of abstract here:

J Print Problem G1NVLTR 83

U Killowship U MOK Itation අද

USpecial Scheduling USymposium/180W

Office


Solvation of Dried Dentin Matrix by Water and Other Polar Solvents. D.H.

PASHLEY1, R.M. CARVALHO2, F.R. TAY3, K.A. AGEE1, W-K LEE* (Medical College of GA1, Bauru Dent Sch2, Univ of Hong Kong3, Chonbuk Nat Univ*).

The aim of this work was to evaluate the interactions of solvents used in adhesive dentistry with the dentin matrix. This study measured the pressure developed by solvents when they were added to dried, demineralized dentin matrix. Using extracted human teeth, midcoronal dentin was used to prepare 2x2x1 mm specimens that were demineralized in 0.5M EDTA (pH 7) for 7 days (25°C). After drying at 0% RH, each specimen was held between a fixed steel plate and a sensing plate connected to a 5000 g load cell. Addition of water produced a swelling force of up to 500 g/mm2 over 30 min. This same specimen was then redried and exposed to the following solvents in a repeated measures design: methanol (M), ethanol (E), propanol (P), butanol (B), N,N-dimethylformamide (N), acetone (A), hydroxyethylmethacrylate (H), formamide (F), ethylene glycol (EG) or water. The results were analyzed by one-way ANOVA and Tukey's test at α=0.05. The resulting solvation pressures (g/mm²) were ($\bar{x} \pm SD$, N=8):

olvents	M	E	P	B	N	A	H	F	EG	Water
\tilde{x}	309	13	4	0	2	3	4	72	132	445
SD	114	4	2	3	3	3	2	15	33	126
5	1 4		1		-	_		× 42		2200

Regression analysis showed that solvation pressure was inversely correlated (R2=0.86) with the cube root of the molecular weight of the solvents and positively correlated ($R^2=0.79$) with the Hansen's solubility parameters for hydrogen bonding. Conventional bonding solvents (ethanol, acetone, HEMA) did not solvate the matrix. Supported, in part, by grant DE06427.



List five descriptors by number (see reverse side). If existing descriptors do not fit your research, there

Browse the technical program

of the 79th General Session of the International Association for Dental Research (June 27-30, 2001)