
Achievements in Medicine 1985-1995



610 .95125 A17 m95

Department of Medicine
The University of Hong Kong

THE UNIVERSITY OF HONG KONG LIBRARIES



This book was a gift from

Dr. L. B. Kan



Dr Kan Lai Bing Librarian, Main Library

WITH THE COMPLIMENTS OF PROFESSOR ROSE T.T. YOUNG

5th January 1996

Achievements in Medicine 1985 - 1995

Achievements in Medicine 1985 - 1995

Department of Medicine
The University of Hong Kong

EDITORIAL BOARD

Editor Dr. Y.L. Yu

Members Professor S.K. Lam

Dr. David S.W. Ho

Dr. Kathryn C.B. Tan

Dr. Bernard M.Y. Cheung

Manager Miss Ivy S.T. Lam

Secretary Miss Anna W.C. Pun

ISBN 962-85045-1-7 (paperback) ISBN 962-85045-2-7 (hardback)

© Copyright Department of Medicine, The University of Hong Kong 1995 All rights reserved, including that of translation into other languages. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or via inclusion in any information storage and retrieval system, without permission in writing from the editor of this publication.

Editorial Content: Although great care has been taken in compiling and checking the information given in this document to ensure that it is accurate, the publisher shall not be responsible for the continued currency of the information or for any errors, omissions or inaccuracies in this document.

Printed by ColorPrint Production Co.

FOREWORD

During the past ten years, the Department of Medicine of the University of Hong Kong has made significant contributions to medical advances. It has achieved this largely through the efforts of its devoted staff.

The Department has a staff whose names have become a byword for their expertise in this part of the world, and indeed further afield, and which under the able leadership of Professor T. K. Chan have established for it a reputation which is second to none in the region.

Modern medicine requires the utmost discipline and skill from its practitioners, as technology advances man's knowledge of how the human body works and different medical specialities become ever more sophisticated. Yet at the same time it also requires the very highest standards of compassionate patient care and devotion.

This essential combination has always been a prime feature of the work of medical staff in the Department of Medicine. Both in carrying out research which is continually achieving break-throughs into illnesses which are endemic to Hong Kong, and in applying that research with ever increasing success in curing illness, the Department has set, and maintains, standards which are surely among the highest and most exacting of those required by any of the University's different disciplines.

Over the past ten years this learning and application has resulted in successful treatments of many illnesses which for centuries had taken an unchecked toll on the citizens of Hong Kong and I am therefore delighted to contribute this Foreword to the Department's publication Achievements in Medicine 1985-95 in the hope that both the wider public and the academic community can know something about these splendid achievements in the field of medical advances in Hong Kong.

Wang Gungwu Vice-Chancellor The University of Hong Kong

THE UNIVERSITY OF HONG KONG



The University's Mission

Since its foundation in 1911, the University of Hong Kong has given unparalleled service to Hong Kong and the region, drawing on the great cultural traditions of China and the West. We shall strive to continue to offer the highest standards of teaching, research, and scholarship as practised in the wider, international academic community, in an environment conducive to creativity, to learning, and to freedom of thought, enquiry and expression.

We shall continue to produce graduates who are equipped to contribute to the intellectual, social, political, moral and material development of the societies in which they are to live; and who recognize that the development of contemporary societies reflects diversity alongside consensus and acknowledgement of the past as well as concern for innovation.

We shall continue to undertake research, consultancy and other forms of service to the local and regional communities which will enrich our teaching and advance our quest for wisdom and truth.

We shall make known our mission in Hong Kong and internationally.

MISSION AND OBJECTIVES OF THE DEPARTMENT OF MEDICINE

Mission

To produce doctors equipped to practise medicine of the highest standard and in the best interests of their patients and the community, and to inspire them to strive for and achieve academic excellence.

Objectives

- 1. To maintain and enhance undergraduate education to coincide with current and future development in medical education and medical sciences so that undergraduates attain the highest standards, comparable to the best medical schools in the world.
- 2. To nurture and augment excellence in research in clinical medicine and pertinent basic sciences.
- 3. To integrate with relevant disciplines in the Medical Faculty and the University with a view to facilitating appropriately balanced and relevant teaching and research programmes.
- 4. To maintain and further develop clinical services by providing superior patient care, by always striving to remain a leading referral centre for patients, by promoting the development and implementation of innovative advances in clinical management, and by contributing to the improvement of primary health care in the community.
- 5. To encourage and improve upon postgraduate and continuing medical education and training as well as to promote leadership in subspecialty training and development.
- 6. To serve the community by contributing to health education of the public and by playing a prominent role in public organizations advocating community health.
- 7. To foster and consolidate academic links and collaboration with tertiary institutions and professional bodies locally and outside of Hong Kong.

PREFACE

The Department of Medicine was established with the appointment of John Anderson as founding professor in 1923. In the seven decades since its inception, it has evolved from a humble beginning into the leading light in Medicine in Hong Kong. Moreover, its influence has spread further afield. Its acronym UMU, as generations of students and practitioners like to call it, has become synonymous with excellence. However, without clear documentation, this valuable history will inevitably turn hazy with the passage of time. Professor Rosie Young's lively account "Vision and mission – a history of the Department of Medicine" is therefore timely and encapsulates its most memorable events and achievements. Of equal and perhaps greater significance are the present and the future. Professor S.K. Lam articulates the aspirations of all staff in his thoughtful article "The Department of Medicine: today and tomorrow". A remarkable development in the past decade is the blossoming of the medical subspecialties; the established ones have become more sophisticated and the young ones have matured. Their various endeavours are faithfully recounted by staff of the respective subspecialties.

Throughout the years, the Department has been fortunate to have talented and dedicated heads. The Department is greatly indebted to Professor T.K. Chan, Head of Department from July 1989 to July 1995, for his inspiring leadership. The personal tribute by Professor Sir David Todd attests to our recognition of Professor Chan's many contributions and accomplishments.

The idea of publishing this book was conceived in May 1995 and the book was completed three months later in August. This was made possible with the enthusiastic help of all the medical and secretarial staff, to whom the Editorial Board is deeply grateful.

Y. L. Yu Editor

August 1995

VISION AND MISSION A HISTORY OF THE DEPARTMENT OF MEDICINE

As a major discipline in a medical school the history of the Department of Medicine is inseparable from that of the Medical Faculty and the University of Hong Kong. Before the appointment of a full time professor in 1923 the teaching of medicine in the Hong Kong College of Medicine (1887-1911), and later within the ambit of the University of Hong Kong, was undertaken by part-time staff who were medical officers in government service or experienced doctors in private practice. Needless to say, such piecemeal arrangements for teaching were far from satisfactory. A donation from the Rockefeller Foundation led to the appointment of John Anderson as Founding Professor and enabled the Department of Medicine to be formally established in 1923. For a brief period leading up to the Second World War, Professor W J Gerrard became the head. The early years of the Department, like that of the Faculty of Medicine and the University, were plagued by uncertainties, as funding depended largely on fees and private donations. From time to time the Faculty was under threat of having to close down due to lack of funds.

The number of medical students was small, about 16 graduates a year at around the outbreak of the Second World War. The department was also extremely small, consisting of a full time professor and one or two assistants. Much of the clinical teaching was delegated to part-time staff. Only the top students had the honour of being appointed as assistants, all of whom were excellent and dedicated teachers. Regrettably, the professor had no control over the use of beds in any hospital where teaching took place (the Nethersole Hospital or the Government Civil Hospital). Access to patients had to be negotiated and depended on the goodwill of Government medical officers. It was not until 1936 that beds in the Government Civil Hospital were formally allocated to the Department in exchange for the provision of clinical service. This was the beginning of the inseparable link between teaching and clinical service as the main functions of the clinical departments. When Queen Mary

Hospital opened its doors in the following year and the Department of Medicine was allocated more beds in the new hospital, the staff were jubilant thinking that they would have a firm base to teach and to engage in meaningful research. However, their jubilance was short-lived because of the onslaught of the Second World War. The entire University including the Department closed down from Christmas 1941 to mid 1945 when Hong Kong was occupied by the Japanese.

When peace came and the University resumed operation in late 1945, a Government consultant at Queen Mary Hospital, P B Wilkinson, doubled up as acting Professor of Medicine, a post he held for two years before the war. In 1948, the University appointed a Glasgow University graduate, A J S McFadzean to the Chair and headship of the Department.

1948-1974 (Head: Professor A J S McFadzean)

What ensued was a most productive era. Professor McFadzean's vision, clinical and administrative ability, commitment to research and strong personality were the main factors which enabled the Department to take off to new heights, despite inadequate financial support. The period saw a rapid expansion of the University, the Faculty of Medicine and the Department. It was also a period when Hong Kong witnessed a phenomenal growth in its population. The University was the only tertiary institution in the territory until the establishment of the Chinese University of Hong Kong in 1963 and had the only medical faculty until the Chinese University established its faculty in 1980. Funding from the Government was secured through the University and Polytechnics Grants Committee. To meet the demand for doctors, the intake of students rose from 60 or so to around 150 a year in 1970. The Department of Medicine was responsible for the teaching of medicine in all three clinical years, but only 244 beds in Queen Mary Hospital were directly under the control of university clinical departments. It therefore had to spread its wings to other hospitals. Consultants in the government medical units of Queen Mary Hospital and other

Government hospitals, such as Queen Elizabeth Hospital, Sai Ying Pun Infectious Disease Hospital and High Street Mental Hospital, as well as consultants in government subvented hospitals such as the Ruttonjee Sanatorium and Grantham Hospital were appointed as Honorary Clinical Lecturers to share the teaching. The Department was grateful to all these eminent Hong Kong doctors who provided not only their time and expertise but also their facilities, and for allowing their patients to be accessed for the teaching of medical students. This was the beginning of the Department's close collaboration with the medical profession outside the University. Other benefits from this arrangement became obvious as the years went by. It laid the foundation for the development of postgraduate professional training, both basic and in the medical subspecialties, and the Department was in a position to play a leading role in the process.

In 1948 the Department's full time staff consisted of the professor, a senior lecturer, a lecturer and 2 clinical assistants. As was the fashion of the day, the curriculum was entirely confined to general medicine with no specialisation. However, infectious diseases (especially tuberculosis) which were very prevalent in Hong Kong, were given special attention and were taught in the Ruttonjee Sanatorium and in the Sai Ying Pun Infectious Disease Hospital. The teaching of paediatrics and psychiatry was also the responsibility of the Department, but was delegated to government consultants in Queen Mary Hospital and the High Street Mental Hospital. Paediatrics became a separate department in 1962 with the appointment of Professor C E Field as the head and psychiatry followed in 1971 with the appointment of Professor P M Yap.

Whilst a senior lecturer at Glasgow University, A J S McFadzean became interested in haematology, on which subject he published a number of original and important papers. After his arrival in Hong Kong, he continued to pursue this interest. He also directed his attention to chronic liver diseases: cirrhosis and carcinoma of the liver both being very prevalent in Hong Kong. His intellectual curiosity was contagious. Before long, all members in the department were engaged

in research and some registered for the MD degree. Professor McFadzean realised that in clinical departments, teaching, research and clinical service must go hand in hand, and that in the pursuit of excellence all three must receive adequate attention. As leader of the only academic Department of Medicine in the territory, he also realised that the time had come to develop the medical subspecialties. This would provide appropriate teaching and clinical services, to train future leaders in the profession, and to put Hong Kong on the world map of medicine through its research achievements. To accomplish this, it was first necessary to train junior staff in specific subspecialties at renowned overseas centres. Naturally, in the early years most were sent to Scotland and England and later many were sent to the USA and Australia. In addition to haematology and gastroenterology, junior staff were trained in cardiology, endocrinology, immunology, nephrology, and respiratory medicine. Having spent a year or two abroad, these young lecturers returned to Hong Kong full of enthusiasm and equipped with the knowledge and expertise to engage in the development of their respective subspecialties. While working in their respective centres of excellence, they had also been exposed to the principles and techniques of both basic and clinical research. Needless to say, they had experienced a different culture and established many international contacts, which proved extremely useful for future academic and professional exchange.

A few months before he retired Professor McFadzean made an important decision which had a lasting effect on the direction of research. He appreciated that clinical staff working in busy, service-orientated departments would find it difficult to engage in basic research requiring new and sophisticated technology. Besides, there is enormous advantage in having a well-trained scientist in the department to advise and inspire students on matters concerning relevant research methodology and science. Dr Vivian Chan, PhD (London) was interviewed by Professor McFadzean and became the first non-clinical lecturer in the Medical Faculty. She joined the Department a few months after Professor McFadzean's retirement in 1974 and for her scientific contributions over the years, she now holds a personal chair.

Accommodation has always been a problem for the clinical departments, especially in the early period when the Faculty was rapidly expanding. The Lewis Laboratory, responsible for cardiorespiratory service and research, was the first of its kind established at Queen Mary Hospital. In 1963, a Professorial Block was built next to the main hospital to accommodate lecture theatres, staff offices, research laboratories and departmental libraries. The Department of Medicine was allocated a total floor area of 1,510 square metres on two floors. Additional space in the main hospital itself also permitted the Department to allocate beds for dedicated subspecialty services.

1974-1989 (Head: Professor David Todd)

Over this period the headship of the Department of Medicine was taken on by Professor David Todd. When he retired from the headship, the Department honoured him with a one-day scientific symposium (Festschrift) in the Rayson Huang Theatre of the main University campus and published a book "Achievements in Medicine 1974-1989" to commemorate the occasion. Much of the Department's history of that era was recorded with eloquence in that book, but certain achievements warrant highlighting. Under his able leadership the Department experienced another period of growth and consolidation. New subspecialties, such as clinical pharmacology and neurology emerged and pre-existing ones went from strength to strength with increase in staff numbers and improvement in facilities. Research flourished in every field. Research funding to the Department which had previously been abysmal, was greatly enhanced through competitive grants from the Research Grants Council of the University and Polytechnic Grants Committee and the Croucher Foundation. Generous donations from the Wu Chung family and Dr Lee Wing Tat were also very helpful in facilitating the Department's academic endeavours. Employing the technology of modern molecular biology, the Department engaged in pioneering work on the genetics of haematological disorders, such as haemophilia and thalassemia. Collaborative research with other departments inside and outside the Medical Faculty was encouraged. The idea of a University-wide centre for molecular biology research, culminating

establishment of an Institute of Molecular Biology was initiated and nurtured to fruition. In response to the changing requirements of healthcare in Hong Kong, a small General Practice Unit (headed by a senior lecturer recruited from Australia) was established in the Violet Peel Health Centre. The centre has since moved to Ap Lei Chau and its academic staff has increased to 3. a professor, senior lecturer and lecturer. The Department also took on the additional responsibility of teaching dental students and mounting the licentiate program. Besides the achievements recorded in the aforementioned book, it should be appreciated that during this period, professional training in both general medicine and all the subspecialties became firmly established. This occurred not only within the Department but extended to other hospitals in Hong Kong. It was both encouraging and flattering to the staff of the Department, that doctors came from other hospitals in order to undertake periods of subspecialty training under their supervision. Such an arrangement benefited both parties.

The Department has always enjoyed strong links with the Royal Colleges of Physicians in the United Kingdom and Australia. Holding of the entire MRCP (UK) examination in Hong Kong in 1985 was a milestone in the history of the Royal Colleges. It was the first time that they had mounted the entire examination outside Great Britain. It illustrated the trust the Colleges had in Professor Todd as the chief organiser and examiner, and their confidence in the training provided to the prospective candidates. All these events were but the preparation for greater things to come. Regarding the development of medicine in the territory, Professor Todd became the Founding President of the Hong Kong College of Physicians in 1987. The Hong Kong Academy of Medicine which was inaugurated in December 1993, was the brainchild of Professor Todd and a few eminent members in the medical profession. He also became the Founding President of the Academy.

1989-1995 (Head: Professor T K Chan)

The achievements of Professor McFadzean and Professor Todd were hard acts to follow. Having been taught and groomed by both men, Professor

T K Chan's research interests, clinical competence and administrative abilities found him equal to the task. He was therefore able to leave his mark and succeed under circumstances which might have overcome less able or less dedicated individuals. The establishment in 1991 of the Hospital Authority with its management reform and the devolution of budget management to the Department by the University, imposed heavy and more complex responsibilities. After his appointment as Chief of Service for Medicine in Queen Mary Hospital, he had to spend many long hours to acquaint himself with the basics of management skills in order to 'manage' the University department's own units and what was previously termed the Government Medical Unit. He also had to balance the one-line budget allocated to the Department by the University. In this respect, the acquisition of computers and the recruitment of a senior administrator must have saved the day.

It needed a firm but understanding personality to manage what had become a huge department. It needed unique skills to give so many subspecialties maximum autonomy in order to develop their own individual characteristics and at the same time exercise just enough supervision and control to preserve a corporate spirit. It was a difficult and challenging task, but the necessary fine balance was achieved. By now, the Department comprised not only the facilities and staff at Queen Mary Hospital but also some in the Grantham, Tung Wah and Fung Yiu King hospitals as well as those in the General Practice Unit. In addition to academic staff appointed by the University, there was an equal complement of consultants, senior medical officers and medical officers from the Hospital Authority working under the same umbrella, as well as a host of technical, administrative and clerical staff. With the appointment of a consultant and medical officer, the geriatric unit was established a year ago. The first bone marrow transplant unit in Hong Kong was established in Queen Mary Hospital in 1990. A Diabetes Centre (funded by private donation in the early stage) opened in 1994 and has since become the prototype of the shared care concept advocated by the Hospital Authority. When David Todd became President of the Academy of Medicine, T K Chan succeeded him

as the President of the College of Physicians, thus providing continuity for the further development of physician training in Hong Kong.

Having been taught by Professor McFadzean and worked in the Department since 1954, I think I am well placed to write its history. Like many of my colleagues, I have watched the growth of the Department with admiration, and I am glad that I have been given the opportunity to play a role, albeit a modest one. From the beginning, the Department was fortunate in having had able, dedicated and visionary heads, and in attracting the best graduates from Hong Kong and elsewhere to its staff. Naturally, over the years many have left and made room for new blood. Some have gone abroad to take up Chairs in the best universities in North America and Australia. Others have become leaders in the medical profession or senior administrators in the public service. Of the many who have distinguished themselves in their professional career, I would like to mention Professor Gerald H Choa and Professor Y W Kan who are household names in Hong Kong and abroad. Both were lecturers in the McFadzean era. After leaving the Department in the mid fifties. Professor Choa became a Government consultant and later entered into an illustrious administrative career as Director of Medical and Health Services and the Founding Dean of the Medical Faculty of our sister University. He is currently enjoying his well deserved retirement in Hong Kong. In the early sixties Professor Y W Kan left the Department to pursue his research interest in haematology in the United States. He has carried out landmark studies on the molecular genetics and diagnosis of hereditary anaemias (thalassemia and sickle cell disorders) and has recently embarked on research involving gene therapy. Professor Kan now occupies a prestigious chair at the University of California at San Francisco. He continues to maintain close links with the University and the Department through his appointment as Honorary Director of the Institute of Molecular Biology.

Over the years, several former members of the Department have died. Dr C P Fong, hailed as a role model for young doctors by Professor McFadzean, died tragically from drowning in 1950. The C P Fong medals in Pathology and

Medicine were established in his memory. Dr Stephen K P Chang, a graduate of the Peking Union Medical College who joined the Department in the immediate postwar years and left to become a consultant at Nethersole Hospital in the sixties, was recognised as a brilliant teacher and astute clinician. His memory is perpetuated through several worthy causes, including grants to help needy students, travelling grants for students to undertake electives, travelling fellowship to support young doctors undertaking overseas training and the Stephen Chang Visiting Professorship. Dr C C Wong who also joined the Department in its early days left the Department for Canada in the late 60s and died there about 20 years later. Last but not least, Professor McFadzean died after a short illness in his home town, Troon, only a few months after he left Hong Kong on retirement. The Department's McFadzean Library and the A J S McFadzean lectureship were established in his memory from donations from his students, colleagues, friends and patients. In counting its blessings and reflecting on the ingredients leading to the Department's success, their legacy and valuable contributions should not be forgotten.

A clinical department in a University has many functions and roles in teaching, research, clinical service and administration. It also has the obligation to lead and guide the profession, to march with time and to strive for excellence. In the pursuit of these goals, it has to strike a balance in the utilisation of manpower, facilities and other resources. It would be naive to claim that in the last four decades the Department succeeded in all its goals and achieved perfection in all that had to be accomplished. Nevertheless, it is apparent that the Department has passed all its tests with flying colours.

Later this year, Professor S K Lam will take over the headship from Professor T K Chan, only two years before Hong Kong returns to China. The Department will face new hurdles. The vision of the Department's forefathers was recently transcribed into a mission statement. With these ideals, the fine tradition of the Department and the talented staff who remain and those who will join in future - there is every reason to be confident that the Department of Medicine will be more than adequate to meet its challenges and fulfil its noble mission.

Rosie T. T. Young

Founding Members of Subspecialties



Dr. Joseph Y. C. Pan Cardiology



Prof. Cyrus R. Kumana Clinical Pharmacology



Prof. Rosie T. T. Young Endocrinology



Dr. K. S. Lai Gastroenterology & Hepatology



Dr. J. G. C. Munro General Practice



Dr. L. W. Chu Geriatric Medicine



Prof. Sir David Todd Haematology & Oncology



Prof. Vivian N.Y. Chan Molecular Medicine



Dr. Richard Y.H. Yu Nephrology



Dr. C.Y. Huang Neurology



Dr. Donald Y. C. Yu Respiratory Medicine



Dr. Anthony K. Y. Lee Rheumatology

2



Prof. A. J. S. McFadzean and Dr. Stephen Chang



Ragging the Professor and Mrs. McFadzean in 1962



A. J. S. McFadzean and Francis Stock drawn by Donald Yu



Department of Medicine, 1974



Prof. A. J. S. McFadzean hosting a cocktail at the Hong Kong Country Club for staff of the Department and Faculty, 1974







The Department honoured Prof. A. J. S. McFadzean in the Farewell Banquet, 1974



The old guard in their youthful days



Medical staff of the Department in 1985



Medical staff of the Department in 1989



MRCP celebration dinner in the 1980s



A departmental function held in the McFadzean Library, 1988

Symposium on "Achievements in Medicine 1974-1989" on 25 November 1989 at the Rayson Huang Lecture Theatre



SYMPOSIUM ON

ACHIEVEMENTS IN MEDICINE, 1974-1989

DEPARTMENT OF MEDICINE UNIVERSITY OF HONG KONG

Honours

PROFESSOR DAVID TODD

DATE & TIME: 25 NOVEMBER, 1989, 2-6 p.m.

VENUE: RAYSON HUANG LECTURE THEATRE

University Main Campus University of Hong Kong

PROGRAMME

2 — 4 p.m.		4 - 4.30 INTERMISSION (TEA)	
Tribute & Biography	T.K. Chan		
Achievements in Cardiology	C.H. Cheng	4.30 — 6 p.m.	
Relevance of Clinical Pharmacology	C.R. Kumana	Achievements in Endocrinology I	Christina Wang
Molecular Genetics in Haematology	Vivian Chan	Achievements in Endocrinology II	Karen Lam
Better Treatment for Lymphoma	R.H.S. Liang	Neurological disorders in Hong Kong Chinese	Ý.L. Yu
Achievements in Immunology	K.L. Wong	Achievements in Renal Medicine	I.K.P. Cheng
Achievements in Gastroenterology	S.K. Lam	Respiratory Diseases — the	W.K. Lam
The Birth & Development of a New Specialty: Hepatology	Anna Lok	Wheeze and the Woe	
HCC & Hepatitis Vaccine	C.L. Lai	Epilogue	Rosie Young

ALL ARE WELCOME



THE DEPARTMENT OF MEDICINE: TODAY AND TOMORROW

Prof. Rosie Young, in her usual modest self, wrote the department's history without mentioning that she made history herself by becoming the first lady Dean of the Faculty of Medicine in 1983, Pro-Vice Chancellor in 1985, and subsequently Senior Pro-Vice Chancellor in 1988. She was undoubtedly inspired by Prof. A.J.S. McFadzean, who was Vice Chancellor in 1964 and Dean in 1967. These University positions have important bearings on the objectives and operations of the Department, which has always put the University before itself

The University formally laid down its Mission Statement in 1992 (see page i), and in line with the mission, the Department has formulated its Mission and Objectives recently (see page ii). Perhaps the best piece of evidence that the Department has fulfilled its goals and objectives is the knighthood conferred recently on Prof. David Todd for his contributions to medicine in Hong Kong. Sir David took the helm of the Department in 1974-1989.

The subsequent headship by Prof. T.K. Chan has launched the Department to new heights. In fact, to what it is today: 7 professors, 10 readers/senior lecturers and 15 lecturers in leading roles of a General Practice Unit and 12 medical subspecialties (cardiology, clinical pharmacology, critical care, endocrinology, gastroenterology, geriatrics, haematology & oncology, immunology & rheumatology, molecular medicine, nephrology, neurology, and respiratory medicine), 12 research and clinical laboratories and 60 research assistants/ technicians; and with the formation of the Hospital Authority in 1990 and the integration of the medical units at the Queen Mary Hospital and including the Department's extensions at the Grantham Hospital, Tung Wah Hospital and Fung Yiu King Hospital - 10 consultants, 1,034 beds, 75 outpatient clinics, 577 full-time and 120 honorary staffs.

These clinical services, subspecialty practices and research facilities provide a conducive

environment and ample opportunities for undergraduates and postgraduate trainees to learn medicine. Our mission in teaching is clear: to produce doctors equipped to practice medicine of the highest standard and in the best interests of their patients and the community, and to inspire them to strive for and achieve academic excellence. Our teachers won the two Best Teacher Awards of the Medical Faculty on the two occasions when such an award was open to contest. Each year our trainers and their training programmes attract about 20 postgraduate trainees locally and overseas. Our academics have assumed leading roles in local and professional organizations international advocating postgraduate and continuing medical education, such as the presidency of the Hong Kong Academy of Medicine and the Hong Kong College of Physicians and the chair of the Hong Kong Medical Council, as well as in local and international academic bodies and institutions such as membership of the University (& Polytechnics) Grants Committee, Research Grants Council, the Council of the Royal Australian College of Physicians and visiting professorships in reputable universities outside of Hong Kong.

The Department's involvement in community service is extensive. Its members have helped to found and have sat on the council or advisory board of many voluntary organizations that promote community health, such as Hong Kong AIDS Trust Fund, Anti-TB Association, The Hong Kong Brain Foundation, The Hong Kong Kidney Foundation, The Hong Kong Liver Foundation, The Hong Kong Lung Foundation, The Charitable Renal Concern Organization, and the health exhibitions held annually by the Medical Society of the Hong Kong University Students Union.

The zest and quest for research by the academics has kept up a research output of the highest standard. An average of 150 papers are published each year in general and subspecialty international journals of high repute and impact. Our

investigators have attracted university and outside grants of close to \$6 million in 1994/1995. They are in heavy demand by international conferences as chief organizers and keynote speakers, and they are well represented in editorial boards of international journals and authors lists of worldwide textbooks. Their authority is needed in the council, advisory boards and examination committees of many international academic bodies, and their laboratories have captivated the world's top investigators who visit the Department by the dozens each year.

What are our weaknesses? Where lies our future?

Undergraduate teaching and postgraduate education.

This is the most fundamental duty of the teaching staff. Three defects need to be rectified. (i) The University has appeared to give more weight to research achievements than to teaching in assessing candidates for promotions and appointments. (ii) The teachers' teaching skill is mainly derived from their past experience as students and from witnessing the way their seniors teach; there has been no formal training on teaching skills. (iii) The clinical load remains heavy and consumes 55% of the teachers' working hours, and this is translated into a pressure on the teachers to rush through their undergraduate teaching, as well as a compromised programme of postgraduate training (including internship), and a less than satisfactory devotion to research.

Happily, the first two defects have been recognized by the University, which has set up the Centre for the Advancement of University Teaching and the Teaching Quality Committee. The Department will strongly support these activities. Our own Working Group in Teaching Assessment has indeed proposed better coordination, better evaluation and better recognition. While strengthening the academic manpower is the answer for the third deficiency, this can be compensated to a certain extent by administrative arrangements and improvement of healthcare support to release time for teaching, and for that matter, learning and peer assessment. The solution necessarily has to be at the University and Hospital levels, but the

Department will be proactive in its procurement. Postgraduate training will be in line with the direction laid down by the Academy of Medicine, with three years of basic physician training and three years of subspecialty training. Postgraduate education should and will be more structured and formalized.

Research

Like all other professionals, a doctor has an obligation to upkeep the standard and standing of his or her profession. This can be achieved by (i) continuously improving his or her professional skill, (ii) participating in the learning and teaching processes of continuing medical education, and (iii) engaging in medical research, at least at certain stage of his or her career such as while undergoing postgraduate training. Research runs in the blood of the academics and forms the backbone of the medical profession.

A major path for the Department has been clinical or applied research. Recent years has seen it moving into basic science research, and rightly so. A major defect and the greatest limitation that the Department faces is the profound shortage of laboratory space, both for clinical and basic science research, particularly the latter. To rectify, this needs intense lobbying at the University and hospital levels.

There is a general feeling that recognition by the Department of an individual's research output should be done regularly and not only at the time of assessment of the individual's promotion. In principle, research work needs to be discussed frequently at the research team's level, regularly at the subspecialty level, and formally at the departmental level.

Clinical service

The Department has always recognized a physician as one who practises general medicine solely or with a special interest in a subspecialty, and will continue to do so since we believe that such a physician will be able to manage his or her patients in their best interest. Emergency and general medicine and subspecialty development will be continued in response to the needs of the

patients and the community, and in line with the Hospital Authority's general policies. Dermatology needs to be installed as a subspecialty, not only to meet the growing demand for the service but also to provide the environment for teaching and research.

As the Hong Kong population ages and becomes more affluent, the development in geriatrics, neurology, critical care/ respiratory medicine, cardiology and medical oncology will need special attention. In diseases such as diabetes, chronic renal failure, oncology and various gastroenterological diseases, the trend is to reduce hospitalization. Thus, outpatient and ambulatory care in these areas will need particular support. Moreover, many surgical operations have been replaced by less invasive procedures and even to simple pharmacological treatment, as in cardiology and gastroenterology; such developments will also need assessment and support. Medical advances have made many of the impossible possible, notably in haematology. medical oncology and immunology. Department takes pride in the development and implementation of innovative advances such as molecular medicine and bone marrow transplantation, and will continue to play a leading role in these and other new areas. Medical advances make demand on all the three forms of resources: human, space and money. The use of resources must by necessity be judicial and balanced at all levels of health care.

Organization and administration

The undergraduate teaching and postgraduate educational programmes, the research activities and conferences, the complex integration of medical services and the consequent size of the Department, and the move to better defined subspecialty divisions call for a more structured organization and a stronger administration.

There is a good Chinese saying that you should review the old to understand the new, and in the words of Winston Churchill, the longer you look back, the farther you can look forward. The last 10 years have witnessed proliferative growth in the Department; the next decade will see fruitful maturity.

S. K. Lam

The Department in 1995



The academic staff



Staff of the University and Hospital Authority (HA) in the same department



Senior University and HA staff



The academic and research staff



The professors, unit head and senior nursing staff of the Department



The professors with the administrative, secretarial and technical staff



A lecture to undergraduates in progress



A lecture in "Protected Time" (Friday afternoon) for Basic Physician Trainees

MRCP celebration dinner, 1995



Many happy faces















Light-hearted speeches and jokes are a regular feature

PROFESSOR CHAN TAI-KWONG - A PERSONAL TRIBUTE

The late Professor AJS McFadzean, head of the Department of Medicine from 1948 to 1974, was a strict task-master. Arriving late for ward rounds was unheard of. However, there was one exception. House Officer T K Chan could arrive bleary-eyed 10 minutes late, say good morning with a sheepish grin, and evoke no rebuke!

I have known TK since his III year student days and must confess he has fulfilled all

expectations as a physician, teacher, clinical scientist, haematologist and medical leader. His undergraduate record is distinguished, and the late Professor of Anatomy, Francis Chang, said that TK was his best student ever! It is fortunate this praise did not point him towards surgery, which would have been Medicine's loss. His curriculum vitae speaks for itself. He is foremost a clinician, and an excellent one at that, but has always been keenly interested, able and versatile in research. While at University College Hospital, London and later at the University of Rochester Medical School, he carried out studies on red cell physiology and osmotic changes which were so profound that only a select few could fully understand the papers which appeared in leading physiology journals. In Hong Kong, he did classic work on erythrocyte glucose-6phosphate dehydrogenase deficiency and these papers are still being quoted. This was followed by research into hypersplenism, molecular genetics of thalassaemia, haemophilia, Christmas disease and the haematological malignancies and his publications in international journals and books number over 150. He rapidly became recognised as a leading haematologist and has been Counsellor for Hong Kong, International Society of Haematology since 1980, and Vice-President of that Society's Asian-Pacific Division since 1991. He has trained many haematologists and his most recent contribution in this area was the establishment of the bone marrow transplant



unit at Queen Mary Hospital, the first in Hong Kong.

Life in the early days was not a bed of roses. Dr CC Wong, Senior Lecturer in Medicine in the 1960's, would assign him the task of looking for the scolex of taenia solium in the faeces of treated patients - this involved collection of several entire stools and filtering them through a fine sieve! He was also asked to look for microfilaria on several occasions in the blood of patients

hourly from 10:00 pm to 3:00 am - no wonder he was late for the 8:30 am ward rounds.

He is a gifted and dedicated teacher and leader in the profession. When I became head of department in 1974, SC Tso and TK and later TK alone organized the teaching, research and patient care of the haematology section of the Department and helped make it a centre of international repute. When he became head of the Department, his talent as an astute and effective administrator fully blossomed and I retired from the chair with the realization that it was in good, and perhaps better, hands. He has also made enormous contributions to postgraduate medical education; as President of the Hong Kong College of Physicians, member of the Hong Kong Academy of Medicine from its preparative days, and as the organizer for the MRCP(UK) examinations in Hong Kong. Links with the UK, Australasia, Singapore and Malaysian sister Colleges/ Academies have been further strengthened through his efforts.

This Department, the University and hospital will be the poorer for his departure and we wish him every success and happiness in his new endeavours.

David Todd

Farewell banquet for Professor T. K. Chan at the Hong Kong Country Club on 15 July 1995







Friends and staff at the banquet



A smooth transition



Prof. R. Young before her lively introduction of Prof. T. K. Chan



Speech by the new Head Prof. S. K. Lam



A serious speech



Entertaining speeches well received



A substantial souvenir



A thoughtful souvenir: Prof. T. K. Chan's student photo nearly 40 years ago, retrieved from the Faculty Office

CURRICULUM VITAE OF PROFESSOR CHAN TAI-KWONG

Date of Birth	h:	25th April, 1938	Sir Patrick Mans 1983	son Gold Medal - for MD thesis,
Marital Stati	us:	Married	Non-official Just	tice of Peace, 1993
Degrees & Professional Qualifications		William J Gies Distinguished Scientist Lecturer, International Association Dental Research 73rd General Session, 1995		
M.B.,B.S.	Distin	Honours) H.K.U., 1961 ctions in Anatomy, acology and Medicine	Current Appoin	tments
M.R.C.P.	(Edinb	ourgh), 1966	July 1991-now	Chair of Medicine, Professor of Medicine, The University of Hong Kong.
M.R.C.P.	(Lond	on), 1966		
F.R.C.P.	(Edinb	ourgh), 1975	July 1989-now	Head, Department of Medicine, The University of Hong Kong.
F.R.C.P.	(Lond	on), 1977		
M.D.	The U 1983	niversity of Hong Kong,	Oct 1992-now	Chief of Service (Medicine), Queen Mary Hospital.
F.R.C.P.	(Glasg	gow), 1990	July 1989-now	Chief of Division of Hae matology/Oncology, Department of Medicine, Queen
F.R.A.C.P.	1990		July 1969-110W	
F.R.C. Path.	(Londo	on), 1992		
F.H.K.C.P.	1986		3.6 1000	Mary Hospital. Director, Bone Marrow Transplant Centre, Department of Medicine, Queen Mary
F.H.K.A.M. (Medicine)	_	Kong Academy of ine, 1993	Mar 1990-now	
F.A.M.S.	M.S. Academy of Medicine, Singapo 1994			Hospital.
			Other Appointm	ents

Prizes. Awards & Honor

Government Scholarship to Faculty of Medicine,	July 1989-now	Head, University Department of Medicine, Grantham Hospital.	
University of Hong Kong, 1956-1961	July 1989-now	Head, University Department of	
Ng Li Hing Prize in Anatomy, 1958	•	Medicine, Tung Wah Hospital.	
C.P. Fong Gold Medal in Medicine, 1961	April 1990-now	Deputy Director (Acting),	
Ho Fook & Chan Kai Ming Prize in Final Examination, 1961		Institute of Molecular Biology, The University of Hong Kong.	
Anderson Gold Medal for highest aggregate of marks in all MB examinations, 1961	July 1989-now	Director, Board of Directors, Hong Kong Tuberculosis, Heart and Chest Diseases Association.	
Commonwealth Scholarship, 1966-1968	Oct 1991-now	Consultant to Hospital	
China Medical Board Fellowship, 1972-1973		Authority.	

July 1990-now	Overseas Advisor (Hong Kong), Royal College of Physicians, London.	Nov 1980- June 1991	Professor (Titular), Department of Medicine, The University of Hong Kong.
Oct 1989-now	Local Organiser, MRCP (U.K.) Examination.	July 1989- June 1991	Head. Department of Medicine, The University of Hong Kong.
Oct 1988-now	Examiner, MRCP (U.K.) Examination.	University Com	mittees (Current)
Previous Appointments and Training		1980-now	Member of Senate, The University of Hong Kong.
1962-1964 1964-1965	Clinical Assistant, Department of Medicine, Queen Mary Hospital, The University of Hong Kong. Assistant Lecturer, Department of Medicine, Queen Mary Hospital, The University of	1965-now	Member of Medical Faculty Board.
		1989-now	Member, Clinical Curriculum Committee.
		1989-now	Member, Medical Faculty Research Grants Committee.
1965-1967	Hong Kong. Commonwealth Scholar.	1989-now	Member, Dean and Heads Committee, Faculty of Medicine.
1965-1966	Honorary Registrar, Department of Medicine, Royal Infirmary, Glasgow.	1991-now	Member, Faculty Resource Allocation Committee.
1966-1967	Research Assistant, Department of Haematology, University College Hospital Medical School, London.	1988-1994	Member, University Research Committee. Chairman, Specialist Panel in Medicine and Dentistry.
1965-1973	Lecturer, Department of Medicine, Queen Mary Hospital, The University of Hong Kong.	1992-now	Member, Academic Deve- lopment Committee, The University of Hong Kong.
July 1973 i	China Medical Board Fellow and Visiting Assistant Professor in Medicine, Department of Medicine, University of Rochester School of Medicine and Dentistry, Rochester, New York, U.S.A.	University and Polytechnic Grants Committee & Hong Kong Government (Current)	
		1991-now	Member, Specialist Panel in Medicine and Biology, Research Grants Committee.
August 1973- March 1978	Senior Lecturer, Department of Medicine, Queen Mary Hospital, The University of Hong Kong.	1993-	Member, Medical Subcomittee, UPGC.
		1994-now	Honorary Medical Advisor, Office of the Commissioner for
April 1978- Oct 1980	Reader, Department of Medicine, Queen Mary Hospital, The University of Hong Kong.	1993-	Administrative Complaints. Member, Council for the AIDS Trust Fund, Ex-gratia Payment Subcommittee.

Professional	Organisation	Committees -	(Current)

1992-now President, Hong Kong College of Physicians. Council Member, Interim Council, Hong Kong Academy of Medicine.

1984-now Member, Exemption Committee, Licentiate Committee,

Medical Council of Hong Kong.

1985-now Member, Standing Committee on Quotable Qualification, Medical Council of Hong Kong.

1992-now Vice-President, Asian Pacific Division, International Society

of Haematology.

1982-now Independent Assessor, NH &

MRC Grants, Australia.

1991-now Council Member and Subscriber, Hong Kong Marrow

Match Foundation.

Hospital Authority Committees (Current)

1991-now Member. Co-ordinating Committee on Internal

Medicine.

Chairman, Training Sub-

committee.

Chairman, Joint Committee on Internal Medicine Training,

HKCP-HA (JCIMT)

1991-now Member, Hospital Governing

Committee, Grantham Hospital.

1991-now Member, Hospital Medical Committee,

Management Queen Mary Hospital.

1990-now Member, Ethics Committee,

Hospital Authority, Hong

Kong.

Membership of Professional Organisations

Foundation Fellow, Hong Kong College of Physicians.

Foundation Fellow, Hong Kong Society of Haematology.

Full Member, Hong Kong Society of Medical Genetics.

Fellow, Hong Kong Institute of Science.

Full Member, Hong Kong Medical Association. Council Member 1985-1988.

Fellow, International Society of Haematology Counsellor for Hong Kong, 1980-1988.

Counsellor-at large, Asian Pacific Division, 1988-1992.

Vice-President, 1992-now.

Chairman, Organizing Committee, VII Congress Asian-Pacific Division ISH, November 1991.

Examiner for the Following:

A Local

Examiner, Final MB & BDS Examination for many years.

Chief Examiner, MBBS Final Examination in Medicine since 1990 -

Chief Examiner, BDS Examination in Medicine since 1989 -

Chief Examiner in Medicine, 1989, 1990, Licentiate Committee, Medical Council, Hong Kong

B Overseas

Observer, MRCP (UK) Examination, 1986 - 1987

Examiner, MRCP (UK) Examination, 1988 - now.

Local Organizer for MRCP (UK) Examination, 1990-now

External Examiner in Medicine, National University of Singapore, March 1990

C Higher Degrees

M.Med.	1984	Gibbons S.S.
		(University of Melbourne)
	1985	Brooks A.M.V.
		(University of Melbourne)
M.Phil.	1986	Liu W.S.
		(H.K.U., Biochemistry)
	1988	Lee S.K.
		(C.U.H.K., Clinical &
		Pathological Sciences)

	1988	Walsh P.
		(C.U.H.K., Clinical &
		Pathological Sciences)
	1990	Au K.C.
		(H.K.U., Biochemistry)
Ph.D.	1976	Au K.S.
		(H.K.U., Biochemistry)
		- Additional Examiner
	1985	Cheung W.K.
		(H.K.U., Biochemistry)
	1987	Tan-Un K.C.
		(H.K.U., Biochemistry)
M.D. (H.K.U.)	1990	Liang, H.S. Raymond
	1990	Ho, P.C.
	1990	Lam, S.L. Karen
	1990	Luk, S.L.
	1991	Lok, S.F. Anna
	1991	Wun, Y.T.
	1991	Hui, W.M.
	1992	Wong, K.L.
	1992	Lee, S.H.
	1992	Leung, P. Maurice
	1993	Leung, W.H.
	1993	Sham, S.T. Jonathan
	1994	Lai, C.L.
	1994	Lee, S.S.
	1994	Mak, K.Y.
	1994	Ng, O.L. Irene

Publications

A Chapters in Books/Proceedings

- 1. Chan TK. Glucose-6-phosphate dehydrogenase deficiency: a review. In: Reynolds DC, Chongsuphajaisiddhi T and Tuchinda P, eds. Proceedings of XV Seameo-Tropmed seminar: tropical pediatric problems in Southeast Asia. Bangkok, 1976:110-113.
- Chan TK, Chan V, Teng CS, and Yeung RTT. Die progredienz der diabetischen retinopathie die wirkung von Gliclazid im Vergleich zu Glibenclamid. in Gliclazid. Ein neuer aspekt in der oralen diabetestherapie, Herausgegeben von K. Schoffling. Dr C Wolf und Sohn, Munchen 1985:67-73.
- 3. Chan V, Chan TK, Todd D, Wong LC.

- Ghosh A, Tang M, Chan FY, Wan CW and Ma HK. Prenatal diagnosis of alpha and beta thalassaemias and haemophilia A. In: Lin HJ, Swaminathan R, Robertshaw AM, eds. Proceedings of Fourth Asian-Pacific Congress of Clinical Biochemistry. Hong Kong, 1988:57-60.
- Chan V, Chan TK and Todd D. Prenatal diagnosis of homozygous α thalassaemia 1 (haemoglobin Barts hydrops fetalis). In: Loukopoulos D, ed. Prenatal diagnosis of thalassemia and haemoglobinopathies, Florida: CRC Press Inc, 1989: 209-220.
- Chan TK. Chapters on: Tribute and biography of Professor David Todd, and Achievements in haematology/oncology. In: Achievements in Medicine 1974-1989. Hong Kong University Press, 1989.
- Todd D and Chan TK. Abnormalities of blood volume in disorders of the spleen. In: AJ Bowdler, ed. The spleen structure, function and clinical significance. London: Chapman and Hall Medical 1990: 191-205.

B Original Articles

- 1. Chan TK, Todd D and Wong CC. Erythrocyte glucose-6-phosphate dehydrogenase (G6PD) deficiency in Chinese. BMJ 1964; 2:102.
- Chan TK, Todd D and Wong CC. Tissue enzyme levels in erythrocyte G6PD deficiency. J Lab Clin Med 1965; 66: 937-942.
- 3. **Chan TK**, Todd D and Wong CC. Erythrocyte G6PD activity in hemoglobin H disease. Nature 1965; 209: 1147-1148.
- 4. **Chan TK**. G6PD in West Scotland: Lancet 1966; 2:752.
- Chan TK. Erythrocyte G6PD deficiency. Bull Hong Kong Chin Med Assoc 1968; 20:37.
- 6. Bowdler AJ and Chan TK. The time course of red cell lysis in hypotonic electrolyte solutions. J Physiol 1969; 201: 437-452.

- 7. Chan TK, Chesterman CJ, McFadzean AJS and Todd D. The survival of G6PD deficient erythrocytes in patients with typhoid fever on chloramphenicol therapy. J Lab Clin Med 1971; 77: 177-184.
- 8. **Chan TK** and Lai MCS. Double heterozygosity for G6PD deficiency. J Med Genet 1971; 8: 149-152.
- 9. Chan CS, Chan TK and Lee SK. Direct Coombs test and methyldopa. Lancet 1971; 2: 881.
- Chan TK, Mak LW and Ng RP. Methemoglobinemia, Heinz bodies and acute massive intravascular hemolysis in lysol poisoning. Blood 1971; 38: 739-744.
- 11. Ng RP, Chan TK and Todd D. NBT test: false negative and false positive results. Lancet 1972; 1: 1341-1342.
- 12. Chan TK, Todd D and Lai MCS. G6PD: identity of erythrocyte and leukocyte enzyme with report of a new variant in Chinese. Biochem Genet 1972; 6: 119-124.
- Chan TK and Todd D. Characteristics and distribution of G6PD deficient variants in South China. Am J Hum Genet 1972; 24:475-484.
- 14. **Chan TK**. G6PD deficiency, typhoid and co-trimoxazole. Lancet 1972; 2: 1258.
- 15. So PL, Chan TK, Lam SK, Teng CS, Yeung RTT and Todd D. Cortisol metabolism in G6PD deficiency. Metabolism 1973; 22: 1443-1448.
- Tso SC and Chan TK. Paroxysmal nocturnal haemoglobinuria and chronic myeloid leukaemia in the same patient. Scand J Haematol 1973; 10: 384-389.
- 17. Chan TK, and McFadzean AJS. Haemolytic effect of trimethoprim: sulphamethoxazole in G6PD deficiency. Trans Roy Soc Trop Med Hyg 1974; 68: 61-62.
- 18. **Chan TK**, Todd D and Tso SC. Red cell survival studies in G6PD deficiency. Bull Hong Kong Med Assoc 1974; 26: 41-48.
- 19. Chan TK, La Celle PL, and Weed RI. Slow

- phase hemolysis in hypotonic electrolyte solutions. J Cell Physiol 1975; 85: 47-58.
- Chan TK and Todd D. Haemolysis complicating viral hepatitis in patients with G6PD deficiency. BMJ 1975; 1: 131-133.
- 21. Chan TK, Todd D and Tso SC. Drug-induced haemolysis in glucose-6-phosphate dehydrogenase deficiency. BMJ 1976; 2: 1227-1229.
- 22. Tso SC, Chan TK and Todd D. Aplastic anaemia: a study of prognosis and the effect of androgen therapy. Q J Med 1977; 46: 513-529.
- 23. Todd D, Chan TK. Hemoglobin Bart's levels in umbilical cord blood: failure as a method for distinguishing mild from severe α-thalassemia trait in the Chinese. Hemoglobin 1978; 2: 389-392.
- 24. Chan V, Chan TK, Wong V, Tso SC and Todd D. The determination of antithrombin III by radioimmunoassay and its clinical application. Br J Haematol 1979; 41: 563-572.
- 25. Lee AKY, Chan V and Chan TK. The identification and localization of antithrombin III in human tissues. Thromb Res 1979; 14: 209-217.
- 26. Chan TK and Chan V. The effect of venous occlusion on antithrombin III, plasminogen activator and fibrinogen degradation product (fragment E) levels. Thromb Res 1979; 14: 525-534.
- 27. Chan V and **Chan TK**. Heparinantithrombin III binding: in vitro and in vivo studies. Haemostasis 1979; 8/6: 373-389.
- 28. Chan V and Chan TK. Antithrombin III in fresh and cultured human endothelial cells: a natural anticoagulant from the vascular endothelium. Thromb Res 1979; 15: 209-213.
- 29. Ng RP, Tse TF and Chan TK. Platelet survival in patients with artificial heart valves and the effect of antiplatelet agents. Singapore Med J 1979; 20(1 Suppl):30-37.
- 30. **Chan TK**. The anaemias. H K Pract 1979; 1: 4-11.

- 31. Wang C, Ng RP, Chan TK and Todd D. Effect of combination chemotherapy on pituitary-gonadal function in patients with lymphoma and leukaemia. Cancer 1980; 45: 2030-2037.
- 32. Todd D, Chan V, Schneider RG, Dozy AM, Kan YW and **Chan TK**. Globin chain synthesis in Haemoglobin New York. Br J Haematol 1980; 46: 557-564.
- 33. Tso SC, Wong V, Chan V, Chan TK, Ma HK and Todd D. Deep vein thrombosis and changes in coagulation and fibrinolysis after gynaecological operations in Chinese the effect of oral contraceptives and malignant disease. Br J Haematol 1980; 46: 603-612.
- 34. Wang CCL, Lin HJ, Chan TK, Salen G, Chan WC and Tse TF. A unique patient with coexisting cerebrotendinous xanthomatosis and \(\beta\)-sitosterolemia. Am J Med 1981; 71: 313-319.
- 35. Wang C, Chan TK, Yeung RTT, Coglan JP, Scoggins BA and Stockigt JR. The effect of triamterene and sodium intake on renin, aldosterone and erythrocyte sodium transport in Liddle's syndrome. J Clin Endocrinol Metab 1981; 52: 1027-1032.
- Chan V, Lai CL and Chan TK. Metabolism of antithrombin III in cirrhosis and carcinoma of the liver. Clin Sci 1981; 60: 681-688.
- 37. **Chan TK** and Chan V. Antithrombin III, the major modulator of thrombosis, is synthesized by human endothelial cells. Thromb Haemost 1981; 46: 504-506.
- 38. Chan TK, Chan WC and Weed RI. Erythrocyte hemighosts: a hallmark of severe oxidative injury in vivo. Br J Haematol 1982; 50: 575-582.
- Chan V, Yeung CK and Chan TK. Antithrombin III and fibrinogen degradation product (fragment E) in diabetic nephropathy. J Clin Pathol 1982; 35: 661-666.
- 40. Chan TK, Chan V, Teng CS and Yeung RTT. Effets du gliclazide et du glibenclamide sur les fonctions

- plaquettaires, la fibrinolyse et l'equilibre glycemique chez des diabetiques presentant une retinopathie. Sem Hop Paris 1982; 58: 1197-1200.
- 41. Chan V and **Chan TK**. Characterization of Factor VIII related protein synthesized by human endothelial cells: a study of structure and function. Thromb Haemost 1982; 48: 177-181.
- 42. Wong V, Chan TK, Chan V, Tso SC, Todd D and Ma HK. The effect of oral contraceptives on coagulation and fibrinolytic parameters in the Chinese A prospective study. Thromb Haemost 1982; 48: 263-265.
- 43. Tso SC, Chan TK and Todd D. Venous thrombosis in haemoglobin H disease after splenectomy. Aust NZJ Med 1981; 12: 635-638.
- 44. Lin HJ, Wang C, Salen G, Lam KC and Chan TK. Sitosterol and cholesterol metabolism in a patient with coexisting phytosterolemia and cholestanolemia. Metabolism 1983; 32: 126-133.
- 45. Wong PHC, Nandi PL, Ho FCS and **Chan TK**. Acute intravascular hemolysis indicating thrombosis of Bjork-Shiley aortic prosthesis. Arch Intern Med 1983: 143: 1471-1472.
- 46. Pan HYM, Wang RYC and Chan TK. Efficacy of two proprietary preparations of frusemide in patients with congestive heart failure. Med J Aust 1983; 140: 221-222.
- 47. Chan V and Chan TK. Cell-free synthesis of factor VIII related protein. Thromb Haemost 1983; 50: 835-837.
- 48. Pun KK, Yeung CK and Chan TK. Acute intravascular haemolysis due to accidental formalin intoxication during haemodialysis. Clin Nephrol 1984; 21: 188-190.
- Chan TK, Chan GTC and Chan V. Hypofibrinogenaemia due to increased fibrinolysis in two patients with acute promyelocytic leukaemia. Aust NZ J Med 1984; 14: 245-249.
- 50. Chan V, Ghosh A, Chan TK, Wong V and

- Todd D. Prenatal diagnosis of homozygous α thalassaemia by direct DNA analysis of uncultured amniotic fluid cells a preliminary experience. BMJ 1984; 288: 1327-1329.
- 51. Chan V, Leung NK, Chan TK, Ghosh A, Kan YW and Todd D. BamH I polymorphism in the Chinese: its potential usefulness in prenatal diagnosis of ß thalassaemia. BMJ 1984; 289: 947-948.
- 52. Ghosh A, Woo JSK, Wan CW, MacHenry C, Wong V, Ma HK, Chan V and Chan TK. Evaluation of a prenatal screening procedure for thalassaemia carriers in a Chinese population based on the mean corpuscular volume (MCV). Prenat diagn 1985; 5: 59-65.
- 53. Chan V, Chan TK, Liang ST, Ghosh A, Kan YW and Todd D. Hydrops foetalis due to an unusual form of Hb H disease. Blood 1985; 66: 224-228.
- 54. Mok CK, Boey J, Wang R, Chan TK, Cheung KL, Lee PK, Chow J, Ng RP and Tse TF. Warfarin versus dipyridamole-aspirin and pentoxifylline-aspirin in the prevention of prosthetic heart valve thromboembolism: a prospective randomized clinical trial. Circulation 1985; 72: 1059-1063.
- 55. Lee PK, Wang RYC, Chow JSF, Cheung KL, Wong VCW and Chan TK. Combined use of warfarin and adjusted subcutaneous heparin during pregnancy in patients with artificial heart valve. J. Amer Coll Cardiol 1986: 8: 221-224.
- Ghosh A, Tang MHY, Liang ST, Ma HK, Chan V, Chan TK. Ultrasound evaluation of pregnancies affected by homozygous α-thalassaemia-1. Prenat Diagn 1987; 7: 307-313.
- 57. Chan V, Chan TK, Cheng MY, Kan YW, Todd D. Organisation of the ζ-α genes in Chinese. Br J Haemat 1985; 64: 97-105.
- Chan V, Chan TK, Cheng MY, Leung NK, Kan YW and Todd D. Characteristics and distribution of β thalassaemia haplotypes in

- South China. Hum Genet 1986; 73: 23-26.
- 59. Mok CK, Lee PK, Boey J, Wang R and Chan TK. Prevention of prosthetic heart valve thromboembolism. Cardiol Board Rev 1986; 3:87-95.
- Woo E, Yu CP, Mann K S, Cheung FMF, Chan TK and Todd D. Intracerebral chloromas. Report of a case and review of the literature. Clin Neurol Neurosurg 1986; 88: 135-139.
- 61. Chan V, Chan TK, Tso·SC and Todd D. Combination of three alpha-globin gene loci deletions and Hemoglobin New York results in a severe Hemoglobin H syndrome. Am J Hemat 1987; 24: 301-306.
- 62. Chan V, Chan TK, Ghosh A, Wong LC, Ma HK, Kan YW and Todd D. Application of DNA polymorphisms for prenatal diagnosis of β thalassemia in Chinese. Am J Hemat 1987; 25: 409-415.
- 63. Chan V, Chan TK, Chebab FF and Todd D. Distribution of β thalassemia mutations in South China and their association with haplotypes. Am J Hum Genet 1987; 41: 678-685.
- 64. Liang R, Todd D, Chan TK, Ng RP, Ho FCS. Gastrointestinal lymphoma in Chinese: a retrospective analysis. Hematol Oncol 1987; 5: 115-126.
- 65. Liang R, Todd D, **Chan TK**, Wong KL, Ho F, Loke SL. Peripheral T-cell lymphoma. J Clin Oncol 1987; 5: 750-755.
- 66. Liang R, Todd D, Chan TK, Ng RP, Choy D, Loke SL and Ho FCS. Follicular non-Hodgkin's lymphoma in Hong Kong Chinese: a retrospective analysis. Hematol Oncol 1988; 6: 29-37.
- 67. Liang R, Chan TK and Todd D. Chemotherapy for relapsed and resistant acute nonlymphoblastic leukemia. Cancer Chemother Pharmacol 1988; 21: 68-70.
- 68. Liang R, Todd D and Chan TK. HOAP-Bleo as salvage therapy for diffuse aggressive non-Hodgkin's lymphoma. Cancer Chemother Pharmacol 1988; 22: 169-171.

- 69. Chan TK, Chan V, Todd D, Ghosh A, Wong LC and Ma HK. Prenatal diagnosis of α- and β-thalassemias: experience in Hong Kong, Hemoglobin 1988; 12: 787-794.
- 70. Chan V, Chan TK and Todd D. Different forms of Hb H disease in the Chinese. Hemoglobin 1988; 12: 499-507.
- 71. Chan V, Chan TK, Wong ACK, Chan TPT, Ghosh A and Todd D. Restriction fragment length polymorphism in the interzeta hypervariable region for prenatal diagnosis of nondeletion α thalassemia. Am J Haematol 1988; 27: 242-246.
- 72. Chan V, Chan TK, Liu VWS and Wong ACK. Restriction fragment length polymorphisms associated with Factor VIII:C gene in Chinese. Hum Genet 1988; 79: 128-131.
- 73. Woo E, Huang CY, Chan V, Chan YW, Yu YL and **Chan TK**. Beta-thromboglobulin (BTG) in Cerebral Infarction. J Neurol Neurosurg Psychiatry 1988; 51: 557-562.
- Chan V, Chan TK, Kan YW and Todd D. A novel β-thalassemia frameshift mutation (Codon 14/15), detectable by direct visualization of abnormal restriction fragments in amplified genomic DNA. Blood 1988; 72: 1420-1423.
- 75. Kwong YL and Chan TK. Current concepts in haematology: I. Normal haemopoiesis, II. Haemopoietic growth factors and lymphokines. III. Abnormal haemopoiesis. IV. The scientific basis of allogeneic bone marrow transplantation. J Hong Kong Med Assoc 1988; 40: 171-184.
- Cheng PNM, Tso SC, Chan TK, Todd D, Lawton JWM and Ho FCS. Acute lymphoblastic leukemia in Chinese adults in Hong Kong. Aust NZ J Med 1989; 19: 37-43.
- 77. Liang R, Chan TK, Chan GTC and Todd D. Treatment of adult acute lymphoblastic leukemia using an intensive chemotherapy protocol. Cancer Chemother Pharmacol 1989; 23: 384-388.
- 78. Wong KF, Yuen RWS, Lok ASF and Chan

- **TK**. Granulocytic sarcoma presenting as bleeding gastric polyp. Pathology 1989; 21: 63-64.
- 79. Liang RHS, Woo EKW, Yu YL, Todd D, Chan TK, Ho FCS, Tso SC and Shum J S T. Central nervous system involvement in non-Hodgkin's lymphoma. Eur J Cancer Clin Oncol 1989; 25: 703-710.
- 80. Chan KH, Mann KS and Chan TK. The significance of thrombocytopenia in the development of postoperative intracranial hematoma. J Neurosurg 1989; 71: 38-41.
- 81. Chan V, Chan TK, Tong TMF and Todd D. A novel misense mutation in exon 4 of the factor VIII:C gene resulting in moderately severe hemophilia A. Blood 1989; 74: 2680-2691.
- Chan V, Tong TMF, Chan TPT, Tang M, Wan CW, Chan FY, Chu YC and Chan TK. Multiple Xba I polymorphisms for carrier detection and prenatal diagnosis of haemophilia A. Br J Haematol 1989; 73: 497-500.
- 83. Chan V, Tong TM and Chan TK. Multiple Xba I polymorphism in haemophilia A. Br J Haematol 1989; 73: 293-294.
- 84. Leung WH, Lau JYN, Chan TK and Kumana CR. Fulminant hyperpyrexia induced by bleomycin. Postgrad Med J 1989: 65: 417-419.
- 85. Chan V, Chan TK and Todd D. A new coden 71 (+T) mutant resulting in β° thalassemia. Blood 1989; 74: 2304.
- 86. **Chan TK** and Chan V. Prenatal diagnosis of haemophilia. In Proceedings of Seminar on first trimester prenatal diagnosis, 1989.
- 87. Liang R, Choi P, Todd D, Chan TK, Choy D and Ho F. Hodgkin's disease in Hong Kong Chinese. Hematol Oncol 1989; 7: 395-403.
- 88. Lau JYN, Lai CL, Lin HJ, Lok ASF, Liang RHS, Wu PC, Chan TK and Todd. D Fatal reactivation of chronic hepatitis B virus infection following withdrawal of chemotherapy in lymphoma patients. Q J Med 1989; New Series 73, 270: 911-917.

- 89. Liang R, Chan V, Chan TK, Todd D and Ho F. Immunoglobulin gene rearrangement in the peripheral blood and bone marrow of patients with lymphomas of the mucosa-associated lymphoid tissues. Acta Haematol 1990; 84: 19-23.
- Liang R, Todd D, Chan TK, Chiu E, Choy D, Loke SL and Ho FCS. Nasal lymphoma. A restrospective analysis of 60 cases. Cancer 1990; 66: 2205-2209.
- 91. Liang RHS, Chiu EKW, Chan TK, Todd D, Ng RP, Ho FCS and Loke SL. Long-term follow-up of patients receiving salvage chemotherapy for intermediate and high grade non-Hodgkin's lymphoma. Hematol Oncol 1990; 8: 133-140.
- 92. Liang RHS, Chiu EKW, Chan TK, Todd D and Loke SL. Management of advanced stage intermediate grade non-Hodgkin's lymphomas. Hematol Oncol 1990; 8: 147-154.
- 93. Liang RHS, Yung RWH, Chan TK, Chau PY, Lam WK, So SY and Todd D. Ofloxacin versus co-trimoxazole for prevention of infection in neutropenic patients following cytotoxic chemotherapy. Antimicrob Agents Chemother 1990; 34: 215-218.
- 94. Wong V, Yu YL, Liang RHS, Tso WK, Li AMC and **Chan TK**. Cerebral thrombosis in β-thalassemia/hemoglobin E disease. Stroke 1990; 21: 812-816.
- 95. Liang R, Chan V, Chan TK, Chiu E and Todd D. Rearrangement of immunoglobulin, T cell receptor and bcl-2 genes in malignant lymphomas in Hong Kong. Cancer 1990; 66: 1743-1747.
- 96. Liang R, Chan V, Chan TK, Chiu E and Todd D. Rearrangement of immunoglobulin and T-cell receptor genes in acute and chronic leukaemias. Acta Haematol 1991; 85: 71-75.
- 97. Liang R, Yung R, Chiu E, Chau PY, Chan T K, Lam WK and Todd D. Ceftazidime versus imipenem-cilastatin as initial monotherapy for fibrile neutropenic patients. Antimicrob Agents Chemother 1990; 34: 1336-1341.

- 98. Liang R, Chiu E, Chan TK and Todd D. Induction chemotherapy for newly diagnosed acute myeloid leukaemia using a regime continaing cytosine arabinoside, daunorubicin and etoposide. Cancer Chemother Pharmacol 1990; 26: 380-382.
- 99. Liang RHS, Lok ASF, Lai CL, Chan TK, Todd D and Chiu EKW. Hepatitis B infection in patients with lymphomas. Hematol Oncol 1990; 8: 261-270.
- 100. Liang R, Loke SL, Ho FCS, Chiu E, Chan TK and Todd D. Histologic subtypes and survival of Chinese patients with non-Hodgkin's lymphoma. Cancer 1990; 66: 1850-1855.
- 101. Liang R, Chiu E, Loke SL, Chan TK, Todd D and Ho F. Primary and secondary cutaneous lymphomas in Hong Kong Chinese. Hematol Oncol 1990; 8: 333-338.
- 102. Lok ASF, Liang RHS, Chiu EKW, Wong KL, Chan TK and Todd D. Reactivation of hepatitis B virus replication in patients receiving cytotoxic therapy. Gastroenterology 1991; 100: 182-188.
- 103. Chan V, Yip B, Tong TMF, Chan TPT, Lau K, Yam I and Chan TK. Molecular defects in hemophilia B: detection by direct restriction enzyme analysis. Br J Haematol 1991; 79: 63-69.
- 104. Liang R, Chiu E, Chan TK, Todd D, Loke SL, Ho F. A direct comparison of peripheral T-cell lymphomas with their B-cell counterparts. Acta Haematol 1991; 85: 179-183.
- 105. Liang R, Chiu E, Todd D, Chan TK, Choy D, Loke SL. Chemotherapy and radiotherapy for lymphomas of the Waldeyer's ring. Oncology 1991; 48: 362-364.
- 106. Liang R, Chiu E, Chan TK, Todd D. Salvage chemotherapy containing moderate dose cytosine arabinoside and mitoxantrone for relapsed and resistant acute myeloid leukaemia. Cancer Chemother Pharmacol 1991; 28: 74-76.
- 107. Liang R, Chiu E, Chan TK, Todd D, Ho F.

- m-BACOD chemotherapy for intermediateand high-grade non-Hodgkin's lymphoma. Cancer Chemother Pharmacol 1991; 28: 135-138.
- 108. Liang R, Chan TK, Chiu E, Todd D. Non-aggressive therapy for chronic myeloid leukaemia in blastic transformation. Cancer Chemother Pharmacol 1992; 29: 323-325.
- 109. **Chan TK**, Chan V. Molecular genetics and prenatal diagnosis of common inherited disease. CME Review, National University Hospital, Singapore 1991; 1: 67-77.
- 110. Liang R, Chan V, Chan TK, Wong T, Chiu E, Todd D. Detection of immunoglobulin gene rearrangement in acute and chronic lymphoid leukemias of B-cell lineage by polymerase chain reaction gene amplification. Am J Hematol 1991; 38: 189-193.
- 111. Liang R, Choy D, Chan TK, Todd D, Loke SL. Chemotherapy versus radiotherapy for stage I-II intermediate grade non-Hodgkin's lymphomas. Clin Oncol 1991; 3: 335-339.
- 112. Chan V, Chan TK. Prenatal diagnosis and carrier testing of Duchenne muscular dystrophy by DNA analysis. J Hong Kong Med Assoc 1992; 43: 83-87.
- 113. Liang R, Chiu E, Todd D, Chan TK, Choy D, Loke SL. Chemotherapy for early-stage gastrointestinal lymphoma. Cancer Chemother Pharmacol 1991; 27: 385-388.
- 114. Liang R, Todd D, Chan TK, Chiu E, Lie A, Ho FCS, Loke SL. Intensive chemotherapy for adult lymphoblastic lymphomas. Cancer Chemother Pharmacol 1991; 29: 80-82.
- 115. Wang C, Wong KL, Cheng CH, Chan TK, Liu W T, Lin H J. Long-term plasmapheresis in the treatment of homozygous familial hypercholesterolemia in two Chinese patients. Transfusion Sci 1991; 12: 189-192.
- 116. Kwong YL, Chan TK, Chan LC. Interstitial deletion of the long arm of chromosome 9 as the sole anomaly in acute myeloid leukaemia in association with dyserythropoeisis. Leukemia 1992; 6: 64-65.

- 117. Chan LC, Kwong KL, Liu HW, Chan TK, Todd D, Ching M. Cytogenetic analysis of haematological malignancies in Hong Kong - a study of 98 cases. Cancer Genet Cytogenet 1992; 62: 154-159.
- 118. Chiu EKW, Chan TK. Acute leukaemias in adults. J Hong Kong Med Assoc 1992;44: 223-234.
- 119. Chiu EKW, Liang R, Lie A, Todd D, Chan TK. Bone marrow transplantation in Hong Kong: the Queen Mary Hospital experience. J Hong Kong Med Assoc 1993; 45: 96-104.
- 120. Liang R, Chiu E, Chan TK, Hawkins BR, Lie A, Todd D. Bone marrow transplantation using unrelated donors. J Hong Kong Med Assoc 1993; 45: 115-119.
- 121. Lee ACW, Lau YL, Chan CF, Chiu E, Liang R, Chan TK, Yeung CY. Bone marrow transplantation for thalassaemia major in Hong Kong. J Hong Kong Med Assoc 1993; 45: 105-109.
- 122. **Chan TK**, Chiu EKW. Bone marrow transplantation in Hong Kong. Proc Roy Coll Phy 1993; Edinburgh 23: 170-177.
- 123. Chan V, Chan TPT, Lau K, Todd D, Chan T K. False non-paternity in a family for prenatal diagnosis of β thalassaemia. Prenat Diagn 1993; 13: 977-982.
- 124. Liang R, Todd D, Chan TK, Chiu E, Lie A, Ho F, Lok SL. Intensive chemotherapy for peripheral T-cell lymphoma. Hematol Oncol 1992; 10: 155-162.
- 125. Liang R, Todd D, Chan TK, Chiu E, Lie A, Ho F. COPP chemotherapy for elderly patients with intermediate and high grade non-Hodgkin's lymphoma. Hematol Oncol 1993; 11: 43-50.
- 126. Liang R, Chan V, Chan TK, Wong T, Todd D. Detection of immunoglobulin gene rearrangement in B-cell lymphomas by polymerase chain reaction gene amplification. Hematolog Oncol 1992; 10: 149-154.
- 127. Liang R, Chan V, Chan TK, Wong T, Chiu E, Lie A, Todd D. Detection of immunoglobulin gene rearrangement in

- lymphoid malignancies of B-cell lineage by semi-nested polymerase chain reaction gene amplification. Am J Hematol 1993; 43: 24-28.
- 128. Lee ACW, Lau YL, Chan CF, Chiu E, Liang R, Chan TK, Yeung CY. Bone Marrow Transplantation for thalassaemia in Hong Kong: The early experience. Bone Marrow Transplant 1993; 12(Suppl 1):49-50.
- 129. Lau YL, Lee ACW, Chan CF, Chiu EKW, Jones BM, Liang R, Chan TK, Yeung CY. HLA-non-identical T-cell depleted BMT for severe combined immunodeficiency. J Hong Kong Med Assoc 1993; 45: 57-61.
- 130. Liang R, Chow WS, Chiu E, Chan TK, Lie A, Kwong YL, Chan LC. Effective salvage therapy using all-trans retinoic acid for relapsed and resistent acute promyelocytic leukaemia. Anti-Cancer Drugs 1993; 4: 339-340.
- 131. Chan V, Au P, Lau P, Chan TK. A novel haemophilia B defect due to partial duplication of the factor IX gene. Br J Haematol 1994; 86: 601-609.
- 132. Kwong YL, Chan Vivian, Wong KF, Chan TK. The use of the polymerase chain reaction in the detection of AML1/ETO fusion transcript in t(8;21). Cancer 1995; 75: 821-824.
- 133. Kwong YL, Chan TK. Translocation (7;11)(p15;p15) in acute myeloid leukemia M2: association with trilineage myelodysplasia and giant dysplastic myeloid cells. Am J Hematol 1994; 47: 12-64.
- 134. Kwong YL, Lee CP, Chan TK, Chan LC. Flow cytometric measurement of glycosylphosphatidyl-inositol-linked surface proteins on blood cells of patients with paroxysmal nocturnal hemoglobinuria. Am J Clin Path 1994; 102: 30-35.
- 135. Kwong YL, Wong KF, Chan LC, Liang RHS, Chan JKC, Wei D, Chiu EKW, Chu YC, Todd D, Chan TK. The spectrum of chronic lymphoproliferative disorders in the Chinese an analysis of 64 cases. Cancer 1994; 74: 174-181.

- 136. Kwong YL, Chan TK. Toxic occupational exposures and paroxysmal nocturnal haemoglobinuria. Lancet 1993; 341: 443.
- 137. Kwong YL, Wong KF, Chan TK. Toxic exposures and haematological disorders. Br J Haematol 1994; 87: 442-443.
- 138. Ngan HY, Liang RHS, Lam WK, Chan TK. Pulmonary toxicity in patients with non-Hodgkin's lymphoma treated with bleomycin-containing combination chemotherapy. Cancer Chemother Pharmacol 1993; 32: 407-409.
- 139. Chan FY, Chan V, Chan TK. Prenatal quantitation of number of X-chromosomes by slot blot hybridization and autoradiography. Int J Gynaecol Obstet 1993; 40: 123-129.
- 140. Liang R, Chan TK, Todd D. Childhood acute lymphoblastic leukaemia and aplastic anaemia. Leuk-Lymphoma 1994; 13:411-415.
- 141. Chiu E K W, Liang R, Lie A, Todd D, Chan TK. Comparison of ondansetron with metoclopramide in the control of emesis induced by moderately emetogenic chemotherapy used for lymphoma and leukaemia patients. Drug Invest 1994; 8:104-109.
- 142. Chiu EKW, Chan LC, Liang R, Lie A, Kwong YL, Todd D, Chan TK. Poor outcome of intensive chemotherapy for adult acute lymphoblastic leukemia: a possible dose effect. Leukemia 1994; 8:1469-1473.
- 143. Chiu EKW, Yuen P, Chan TK. Bone marrow transplantation in Hong Kong. Bone Marrow Transplant 1994; 13:713-715.
- 144. Liang R, Chiu E, Chan TK, Hawkins B. An unrelated marrow donor registry in Hong Kong. Bone Marrow Transplant 1994; 13:697-698.
- 145. Chiu EKW, Yuen KY, Lie AKW, Liang R, Lau YL, Lee ACW, Kwong YL, Wong S, Ng MH, Chan TK. A prospective study of symptomatic bacteremia following platelet transfusion and of its management. Transfusion 1994; 34:950-954.

- 146. Yip B, Chan V, Chan TK. Intragenic dinucleotide repeats in factor VIII gene for the diagnosis of haemophilia A. Br J Haemat 1994: 88:889-891.
- 147. Chiu EKW, Hawkins BR, Liang RHS, Lie A KW, Kwong YL, Chan TK. Incidence of graft-vs-host disease in Hong Kong Chinese and its influence on survival after bone marrow transplantation from HLA-identical siblings. Bone Marrow Transplant 1995; 15:543-547.
- 148. Chan V, Yu YL, Chan TPT, Yip B, Chang C M, Wong MTH, Chan YW, Chan TK. DNA analysis of Huntington's disease in Southern Chinese. J Med Genet 1995; 32:120-124.
- 149. Lau YL, Kwong YL, Lee ACW, Chiu EK W, Ha SY, Chan CF, Chan V, Chan TK. Mixed chimerism following bone marrow transplantation for severe combined immunodeficiency: a study by DNA fingerprinting and simultaneous immunophenotyping and fluorescence insitu hybridization. Bone Marrow Transplant (in press).
- 150. Liang R, Chan TK, Chan YC, Chan J, Chan CH, Chiu E, Lie A, Kwong YL, Yeung YM, Chan LC, Wong KF, Au KL. Intensive consolidation chemotherapy for newly diagnosed acute myeloid leukaemia using a regime containing moderate dose cytosine arabinoside and mitoxantrone. Anti-Cancer Drugs 1995; 6: 224-228.

- 151. Kwong YL, Wong KF, Chan LC, Liang R, Chan JKC, Lin CK, Chan TK. Large granular lymphocyte leukaemia - a study of nine cases in a Chinese population. Am J Clin Path 1995: 103: 76-81.
- 152. Kwong YL, Wong KF, Chiu E, Chan DW, Chan TK. Hairy cell leukaemia: treatment results and association with secondary malignancy. Am J Hematol (in press).
- 153. Kwong YL, Pang J, Lee CP, Liang R, Chan LC, Chan TK. The use of simultaneous immunophenotyping and fluorescence in situ hybridisation in the investigation of lineage involvement in myelodysplasia. Leukaemia (in press).
- 154. Hawkins BR, Dunbar MM, Liang R, Chiu E, Lie A, Chan TK. Probability of finding a matched donor for bone marrow transplantation in a Chinese population: two year experience of an ALL-Chinese marrow donor registry. Transplantation Proceedings (in press).
- 155. Kwong YL, Liang R, Chiu E, Lie A, Todd D, Chan TK. Essential thrombocythaemia a retrospective analysis of 39 cases. Am J Hematol (in press).
- 156. Kwong YL, Chiu E, Liang R, Chan V, Chan TK. Essential thrombocythaemia with BCR/ABL rearrangement. Cancer Genet Cytogenet (in press).
- C Abstracts of Papers Presented at International Conferences: 56

DIVISION OF CARDIOLOGY AT QUEEN MARY HOSPITAL/TUNG WAH HOSPITAL AND AT GRANTHAM HOSPITAL

The Division of Cardiology has a long tradition and is one of the most innovative cardiac centres in Hong Kong, providing a comprehensive clinical, teaching and research programme. It comprises branches operating at Queen Mary Hospital (QMH), Tung Wah Hospital (TWH) and The Grantham Hospital (TGH).

At QMH and TWH, the current staff are:

Dr. C.P. Lau, MD, FHKAM (Medicine), FHKCP, FRCP, FRCP (E)

Reader and Chief of Division

Dr. Stephen W.L. Lee, MBBS, MRCP(UK),

FKHAM (Medicine), FHKCP

Consultant

Dr. David S.W. Ho, MBBS(Hons)(Sydney) PhD(Sydney),
FRACP, FHKAM (Medicine), FHKCP

Lecturer

Dr. H.W. Chan, MBBS, MRCP(UK), FKHAM(Medicine), FHKCP

Senior Medical Officer

Dr. C.K. Wong, MBBS, MRCP(UK), FKHAM (Medicine), FHKCP

Senior Medical Officer

Dr. Y.K. Lau, MBBS, DABIM, FHKAM (Medicine), FHKCP Senior Medical Officer

Dr. Linda Lam, MBBS MRCP(UK) FHKAM (Medicine),
FHKCP

Senior Medical Officer

Dr. William Ng, MBBS, MRCP (UK), FHKCP Medical Officer

Dr. Kathy Lee, MBBS MRCP (UK)
Medical Officer

Trainees

Dr. K.K. Chan, MBBS, MRCP (UK)
Medical Officer

Dr. W.H. Chen, MBBS, MRCP (UK)
Medical Officer

Dr. H.F. Tse, MBBS, MRCP (UK)
Medical Officer

Dr. N.S. Lok, MBBS M Phil student

Past staff in the 1985-95 period

Dr. C.H. Cheng, MBBS, FRCP(E), FRCP(G), FHKAM(Medicine), FHKCP

Dr. Joseph S.F. Chow, MBBS, FRCP(E), FHKAM(Medicine)
FHKCP

Dr. P.C. Fong, MBBS, MRCP(UK) FHKAM(Medicine), FHKCP

Dr. P.K. Lee, MBBS FRCP

Dr. W.H. Leung, MD, MRCP(UK), FHKAM(Medicine), FHKCP

Dr. John P.S. Li, MBBS MRCP(UK), FHKAM(Medicine), FHKCP

Dr. Y.T. Tai, MBBS, MRCP(UK), FHKAM(Medicine) FHKCP

Dr. Rebecca Y.C. Wang, MD, FRCP(E)

At Grantham Hospital, the Division is staffed by:

Dr. K.L. Cheung, MBChB (Leeds), FRCP, FHKAM (Medicine), FHKCP

Consultant Cardiologist

Dr. W.H. Chow, MBBS, FRCP(E), FHKAM (Medicine), FHKCP

Consultant Cardiologist

Dr. Alex S.B. Yip, MBBS(London), FRCP(E)

FHKAM (Medicine), FHKCC FHKCP

Senior Medical Officer

Dr. Simon L. Chow, MBBS, MRCP(UK), FRACP,
FHKAM (Medicine), FHKCP
Senior Medical Officer

Dr. T.C. Law, MBBS, MRCP(UK), FHKAM (Medicine) FHKCP Senior Medical Officer

Trainees

Dr. Elaine M.C. Chau, MA(Oxon), MBBS(London), MRCP(UK)

Medical Officer

Dr. Katherine Y.Y. Fan, MBBS(Dundee), MRCP(UK)
Medical Officer

Dr. Patricia H.T. Hon, MA, MBBChn (Cantab), MRCP (UK)
Medical Officer

Past staff in the 1985-95 period

Dr TM Tse, MBBS, MRCP(UK), FHKAM(Medicine), FHKCP

CLINICAL SERVICE

Oueen Mary Hospital

In-patient and out-patient care are based at Queen Mary Hospital (QMH). About 5000 acute cardiac cases are admitted to QMH annually, 5% with acute myocardial infarction (AMI), 40% with cardiac failure, 20% with unstable angina, 20% with arrhythmias, and the rest with other cardiovascular disorders. The facilities at QMH include a 6-bed Coronary Care Unit (CCU), 8 male, and 9 female cardiology beds. The CCU was established in 1992. It has state-of-the-art haemodynamic and electrocardiographic monitoring as well as 4 respirators. Because of the load of cardiac patients, many of them are nursed in various medical wards in the hospital.

Non-invasive cardiac assessment facilities include exercise electrocardiography ECG and thallium testing, cardiopulmonary assessment, echocardiography (transthoracic and transoesophageal with colour flow mapping), dobutamine stress echocardiography, Holter monitoring, late potential assessment, ambulatory blood pressure monitoring and tilt table testing.

Invasive cardiac facilities include a bi-plane cardiac catheterisation laboratory which was upgraded in 1992 with support equipment including an intravascular ultrasound imaging machine, an intra-aortic balloon pump, and a percutaneous cardiopulmonary bypass machine. For many years this cardiac catheterisation laboratory at QMH has been one of the busiest laboratories in the territory, providing by far the largest volume of invasive services. For the year 1994, 1143 cardiac catheterisation procedures were performed. The Division has a solid reputation in interventional procedures. 314 percutaneous transluminal coronary angioplasty (PTCA) were performed over this period. including 102 intracoronary stenting, 11

directional atherectomy, 26 rotational atherectomy with a significant number of these patients having multiple vessel disease and poor ventricular function.

The Cardiac Clinic and Hypertension Clinic take place at Sai Ying Pun and Tang Chi Ngon Outpatient departments, while the Arrhythmia, Pacemaker and PTCA Clinics take place at QMH. Sai Ying Pun alone has a volume of 719 new and 10418 old cases annually.

The Division is also the leading centre for cardiac pacing and arrhythmia management. In the year 1994, 83 permanent pacemakers were implanted. In addition, 189 electrophysiology studies including 125 radiofrequency ablation procedures were performed. In addition, 5 implantable cardioverter defibrillator and 40 cases of transvenous atrial defibrillation were performed.

TWH Cardiac Rehabilitation and Prevention Centre

The Cardiac Rehabilitation Unit, established since 1992, is located at TWH. It has 6 male and 6 female beds, and 5 day care beds for cardiac rehabilitation. There is also an active out-patient programme for ambulatory cardiac rehabilitation. This programme involves patients who have had myocardial infarction and heart failure and over 200 patients have been recruited for intensive exercise training and secondary prevention. In addition, it organises primary risk factor prevention service for cardiac diseases, involving regular public lectures, risk factor screening, lipid lowering, relaxation and weight reduction classes.

Services introduced to Hong Kong.

Through concerted efforts of cardiologists in the Division working in all three hospitals, the following services were introduced to Hong Kong by the Division:

Procedure/Service	<u>Year</u>
Echocardiography and exercise testing	1976
Electrophysiology study	1980
Dual chamber pacing	1982
PTCA	1984
Balloon valvuloplasty	1988
DC catheter ablation	1988

Radiofrequency catheter ablation	1990
Antitachycardia pacing	1990
Single lead VDD/R pacing	1991
Automatic implantable cardioverter	
defibrillator	1992
Comprehensive cardiac rehabilitation	
programme	1992-1993
Laser angioplasty	1993
Transvenous atrial defibrillation	1993

The Grantham Hospital

Over the past 13 years, TGH has established a solid reputation in cardiac patient care and has served as the major referral cardiac centre for the management of heart diseases in Hong Kong, providing 24 hours service for emergency cardiac catheterization, cardiac intervention and cardiac surgery. It has worked in close collaboration with the cardiac surgical unit whose patients are under the combined care of the cardiac surgical and medical teams, and heart transplantation in Hong Kong is one of the achievements of the combined efforts of the cardiac teams at TGH and the various supporting medical units of The University of Hong Kong headed by Prof. T.K. Chan. Referral from all over Hong Kong and Macau are made by telephone, fax or letter for both emergency transfers and elective outpatient appointments for cardiovascular disease.

The current clinical service of the cardiac medical unit at TGH is summarized as follows:

- 1. A total of 120 beds including 47 cardiac medical (with telemetry facilities), 8 coronary care unit, 9 day cardiac, and 8 cardiac convalescence, 40 combined cardiac and 8 intensive care unit beds. The total admission of the unit in recent years is in the region of 2,500 cases annually.
- 2. A total of 9 outpatient clinics including 2 general cardiac, 2 valvular/anticoagulant, 1 percutaneous transluminal coronary angioplasty, 1 pacemaker, 1 arrthythmia, 1 heart failure and 1 risk factor modification clinic. The total no. of outpatients is currently around 35,000 per year of which approximately 1,000 are new cases.

- 3. Non-invasive laboratory services including 24-hour Holter monitoring, exercise treadmill test, 24-hour ambulatory BP monitoring, late potential analysis and echocardiography service including transoesophageal echocardiography for both in- and out-patients.
- 4. Cardiac catheterization and therapeutic interventions:

The adult cardiac medical unit has been sharing I cardiac cath, laboratory with the paediatric unit over the past 15 years. With increasing experience of the medical & paramedical staffs working in the cath. lab., the number of cardiac catheterization procedures for the adult unit alone has increased from 400 cases in 1985 to approximately 700 cases in 1990 and saturated at around 1,100 cases per year over the past 3 years. In keeping with the rapid advances in cardiology and cardiac technology in recent years, the unit has achieved a high standard in the field of therapeutic cardiac cath. interventions in our cardiac cath. laboratory; keeping up with the most updated modalities in the treatment of various heart disease such as radiofrequency ablation for arrhythmias, percutaneous balloon pericardiotomy, non-thoracotomy automatic implantable cardiac defibrillator insertion, device occlusion for patent ductus arteriosus and atrial septal defect, percutaneous balloon valvuloplasties for pulmonary, aortic, tricuspid and mitral valvular stenosis and in particular a varieties of devices for treatment of ischaemic heart disease such as PTCA, stenting (PTCS), rotablation, artherectomy (DCA) and laser angioplasty (ELCA). The introduction of intravascular ultrasound into our cath. lab. in recent years has also helped to improve the results of coronary interventions. The proportion of therapeutic cardiac cath. intervention out of the total number of cardiac cath, procedures has rapidly increased from 10% in 1988 to 45% in 1994.

5. Cardiac Rehabilitation

Postoperative patients in Gratham Hospital have received cardiac rehabilitation since the beginning of cardiac surgery in the 70s.

Proper program planning for Phase I Cardiac Rehab. was initiated in February 1993 for post-surgical, post-PTCA and post-myocardial intarction patients, and patients with chronic stable angina, cardiomyopathy or congestive heart failure. A Cardiac Rehabilitation Centre was officially established in September 1994, followed by Phase 2 and 3 programmes.

EDUCATION

Queen Mary Hospital

Undergraduate teaching is largely undertaken by our staff with the assistance of honorary lecturers. The core curriculum is in place and most of the teaching involves lectures, clinics and bedside sessions.

The Division participates in the basic physician training programme and the cardiology training programme of the Hong Kong College of Physicians. Postgraduate training is given in ward rounds, weekly conferences and hands on procedural sessions. A regular core curriculum programme takes postgraduate physicians through basic cardiology management. Education of the patients and the community is carried out by information leaflets on major cardiovascular diseases such as coronary artery disease and arrhythmia. Staff members of Division are advisers in various public health exhibitions, health education bodies and the Hong Kong College of Cardiology.

The Division runs a structured 3-year fellowship training programme for cardiology trainees after their 3 years basic internal medicine training. Trainees must cover clinical cardiology, noninvasive cardiology and a minimum number of invasive cardiac procedures and research activities. A fourth year fellowship in angioplasty or electrophysiology is in place. In addition, postgraduates from China and overseas regularly join the Division for clinical training, research and other academic exchange.

Grantham Hospital

1. Undergraduate teaching in cardiology for HKU medical students is assisted by our staff

at the Grantham Hospital with particular emphasis on common cardiac diseases seen in Hong Kong. Regular lectures in cardiology are given to both medical and paramedical staff. In addition, through networking with other hospitals, postgraduate staff dedicated to cardiology are rotated to our hospital for better exposure to care of pre- and postoperative cardiac patients and interventional cardiac skills. Renowned cardiologists from overseas were impressed after their visits to the hospital and have established friendly links for exchanges in cardiology training.

Community activities. Our unit is actively
participating in organizing activities for the
purpose of promoting cardiac health in the
community. An exhibition entitled "fighting
against coronary artery disease" was
successfully held in the Hong Kong
Convention Center in early 1995.

RESEARCH

Research is the only way for advancement in medicine, and as the list of publication testifies, the Division of Cardiology has been active in quality research in many cardiovascular disciplines.

Heart failure

Systematic study of various drugs in the treatment of heart failure began in the early 1980's, and the department has experimented with early vasodilators then available. After the use of angiotension converting enzyme inhibitors has been established, there is worldwide interest in the use of beta blockers in heart failure, especially those with vasodilating properties. The use of a combined a- and \(\beta\)- blocking agent labetalol in dilated cardiomyopathy was studied, and the favourable result was subsequently confirmed in other studies. The level of G-protein in dilated cardiomyopathy was also reported.

Coronary artery disease

The epidemiology of AMI is well recognised in Caucasian population but it is controversial

whether this could be applied to the predominantly Chinese population in Hong Kong. The epidemiology and in-hospital course of AMI admitted to our Division at OMH before the thrombolytic era were prospectively studied for the in-hospital course and coronary risk factors. Coronary anatomy was studied in Chinese patients with ischaemic heart disease. The role of residual artery stenosis on infarct remodelling has been reported. This shows that a "patent" infarct related artery prevents infarct expansion. The Division has investigated the use of different lipid lowering therapy and the effect of this treatment in coronary vasomotion in patients without angiographically abnormal arteries, suggesting the role of aggressive lowering of lipid level in these individuals. The local cholesterol level has been defined by an epidemiological survey, which showed that the local lipid level was similar to the age-matched levels in the States. epidemiological survey of ischaemic heart disease in the elderly has been completed. Newer forms of laser angioplasty and transmyocardial laser revascularisation were also experimented. Alternative anti-thrombotic regimen for coronary stenting was also investigated.

Valvular heart disease

This was the most prevalent disease in the early 1980's and technique in performing cardiac catheterisation in patients with aortic valve stenosisand the justification of cardiac catheterisation before valvular replacement were investigated. Non-invasive echocardiographic assessment of patient with different kinds of artificial valves, were also discussed. The prevalence of mitral valve prolapse in Chinese and its associated skeletal abnormalities were reviewed. Management of pregnancy in patients with prosthetic heart valve is an important issue. The incidence and the type of anticoagulant used during pregnancy were studied, and the optimal regiments for anticoagulation were published. In addition, the inadequate vole of antiplatelet agents alone on patients with prosthetic valves was reported. A guideline for antibiotic prophylaxis and treatment of infective endocarditis was published. Balloon mitral valvuloplasty was extensively practised and its long term efficacy evaluated. Its role in pregnant patient with acute

cardiac decompensation was documented.

Cyanotic congenital heart disease

Patients with Eisenmenger complex have a poor prognosis. A study was carried out to assess the effect of oral nifedipine in relieving the reversible component of pulmonary hypertension. The value of cross sectional echocardiography in this disorder was discussed. Congenital diseases of the aorta and their management were reported.

Cardiac arrhythmias

The Division has engaged in arrhythmia research since 1980's, when evaluation of antiarrhythmic drug therapy especially the newly available class 1c agents was carried out. Chinese herbs containing aconitine were found to be cardiotoxic (arrhythmogenic and cardio-depressive). In conjunction with the Chinese Herbs Research Centre of the Chinese University of Hong Kong, this risk was pointed out, leading to public awareness and preventive measures. interesting bidirectional ventricular tachycardia due to herb ingestion was likely due to enhanced automaticity. Transcatheter radiofrequency treatment predominates arrhythmia research in the 1990's. Radiofrequency ablation produces wellcircumscribed lesions and was used to characterise the anatomical-pathological disposition of accessory pathway. "Complex" left-sided pathways were identified. It was also found that radiofrequency ablation is not only effective, but also enhances exercise capacity and improves quality of life. Trans-septal technique was also evaluated as an alternative approach for left sided accessory pathways.

Fascicular tachycardia is an idiopathic ventricular tachycardia in patients without structural heart disease. The electrophysiological mechanism and pharmacological response have been studied as well as the usefulness of radiofrequency ablation treatment. Thanks to a grant from the Royal Hong Kong Jockey Club and administered by the Hong Kong Heart Foundation, the implantable ventricular cardioverter defibrillator was introduced for life-threatening ventricular arrhythmias. This work was achieved with the joint

efforts of Queen Elizabeth Hospital and the Cardiothoracic Unit of TGH.

Atrial fibrillation is the most prevalent sustained arrhythmia in the population, and a recent survey in the Division in 1500 active elderly subjects (in conjunction with the Society of the Aged and the Rotary Club) showed a prevalence of 1.3% in the Reviewing the in-hospital population. presentation and management of 291 cases showed that atrial fibrillation occurred predominantly in elderly female, and use of antithrombotic treatment was suboptimal. The class 1c agent flecainide was shown to be more effective in maintaining sinus rhythm and in reducing the ventricular rate during a recurrence than quinidine. A beta-blocker with additional alpha-blocking action was shown not to adversely affect the resting and exercise cardiac output in patients with atrial fibrillation. haemodynamics of induced atrial fibrillation has been published, which unlike the situation in cardioverted chronic atrial fibrillation, was associated with mild haemodynamic changes.

A novel "intercalated pacing" method for rapid rate control in atrial fibrillation has been published, as well as the use of sensors to control the pacemaker response during atrial fibrillation (automatic rate and mode switching). Restoration of sinus rhythm is the ideal goal in the treatment of atrial fibrillation, although it is not possible to do this with drug alone in every patient. The feasibility of using temporary intravenous electrodes in converting atrial fibrillation to sinus rhythm, using biphasic shocks in the atria, have been tested, paving the way for an implantable atrial defibrillator.

Cardiac Pacing

Rate adaptive pacemakers vary the heart rate by an implantable sensor to detect physiological changes, and the relative merits of sensors have been extensively studied. These studies show that a "fast" responding sensor is not proportional in rate response, whereas a "proportional" sensor may react slowly. To optimise the performance of rate adaptive sensors, it is possible to combine two or more sensors in a single system. The clinical benefits of one dual sensor system was assessed

using oxygen uptake kinetics study, and the possibility of using one sensor to avoid false reactions of another sensor was addressed.

Since 1990, a new pacing mode, known as dual chamber rate adaptive mode (DDDR), becomes available. This mode combines the advantage of having both an implantable sensor and atrioventricular synchrony. The clinical role and performance of three types of DDDR pacemakers, and the haemodynamic advantage of additional atrioventricular synchrony has been reported. Methods for optimising the management of patients with bradycardias have been investigated. The clinical role of the new single lead VDD/R mode has been studied, and the ways for optimising atrial sensing compared. An oxygen saturation sensor implanted for monitoring cardiopulmonary function has been tested.

Systemic diseases and the heart

A unique advantage of the Division is its good clinical and research associations with other medical divisions in the department. Extensive collaborative research in various areas in haematology, rheumatology and endocrinology have been published. For example, the subclinical diastolic cardiac dysfunction in various rheumatoid diseases have been documented, as well as the role of echocardiography in patients with haematological diseases.

FUTURE DIRECTIONS

Increased interventional services

The Division aims to introduce 24-hour emergency interventional services during 1995 to cater for primary PTCA for patients with AMI who are not eligible for thrombolytic therapy. This service will also cater for patients with unstable ischaemic syndromes, and patients with cardiogenic shock associated with AMI. The present volume of arrhythmia and pacing management services will be expanded. In recent years, coronary artery disease has become the leading cause of mortality in Hong Kong. The Division has, and continue to organise both local and international meetings in promoting

knowledge of heart disease amongst the medical professions. Members also give regular public lectures in cardiac disease to doctors and allied professionals. Additional Cardiac Catheterisation Laboratories in QMH and TGH are under planning.

Cardiothoracic surgery

There is currently no cardiothoracic services available at QMH, despite its attachment to an Accident & Emergency Department. Although our elective cases are handled expertly by colleagues at TGH, there is a need for emergency cardiothoroaic support for cases of chest trauma, aortic dissectionand complications from cardiac interventional procedures. Together with the Department of Surgery, the Division of Cardiology has formed a working group aiming to establish an emergency cardiothoracic surgical service at QMH.

Apart from development in clinical service, the Division will further its links with major cardiac centres in China and the rest of the world, and to be one of the major leading forces in academic cardiology development. Included in this development are pioneering research in pacing, arrhythmia, coronary intervention, as well as population-based cardiac monitoring and treatment programmes. Cooperative research in molecular cardiology and cardiovascular pharmacology is underway. Newer revascularisation technique using transmyocardial laser will be investigated at TGH in conjunction with Cardiothoracic Unit.

Day care and cardiac rehabilitation services

Day care for cardiac patients undergoing procedure is under planning in TGH. The cardiac rehabilitation services will be extended to include preventive cardiology care in TGH and TWH.

Acknowledgements

The achievements in the Cardiology Division are the conjoint efforts of cardiologists working in the department. Apart from those listed here, the following cardiologists have served the department: Drs J Pan, TC Yu, V Yan, TF Tse, W Chen, and P Wong. The continued support and excellent work by our research associates and allied professionals in the Lewis Laboratory and the hospitals are also gratefully acknowledged.

PUBLICATIONS (from 1985)

Heart failure

Leung WH, Lau CP, Wong CK, Cheng CH, Tai YT. Improvement in exercise performance and hemodynamics by labetalol in patients with idiopathic dilated cardiomyopathy. Am Heart J 1990; 119: 884-890.

Lau CP, Pun KK, Leung WH. Reduced stimulatory guanine nucleotide regulatory protein in idiopathic dilated cardiomyopathy. Am Heart J 1991: 122: 1787-1788.

Coronary artery disease

†Leung WH, Demopulos PA, Alderman EL, Sanders W, Stadius ML. Evaluation of cathetersand metallic catheter markers as calibration standard for measurement of coronary dimension. Cathet Cardiovasc Diagn 1990; 21: 148-153.

†Leung WH, Sanders W, Alderman EL. Coronary artery quantitation and data management system for paired cine angiograms. Cathet Cardiovasc Diagn 1991; 24: 121-134.

†Leung WH, Stadius ML, Alderman EL. Determinants of normal coronary artery dimensions in humans. Circulation 1991; 84: 2294-2306.

*Leung WH. Comparative evaluation of coronary stenosis measurements by calipers and quantitative coronary arteriography. J Hong Kong Med Assoc 1993; 45: 40-45.

*Wong SP, Cockram CS, Janus ED, Lee WTK, Leung WH, Masari JRL, Tai YT, Tomlinson B. Coronary heart disease and dyslipidaemia in Hong Kong: a survey of the knowledge and opinions of medical practitioners. J Hong Kong Med Assoc 1994; 46: 310-320.

†Leung WH, Alderman EL, Lee TC, Stadius ML. Quantitiative arteriography of apparently normal

coronary segments with nearby or distant disease suggests presence of occult, nonvisualized atherosclerosis. J Am Coll Cardiol 1995; 25: 311-317.

Leung WH, Lau CP. Effects of severity of the residual stenosis of the infarct-related coronary artery on left ventricular remodelling and function after acute myocardial infarction. J Am Coll Cardiol 1992; 20: 307-313.

†Leung WH. Quantitative coronary arteriography. [MD thesis]. Hong Kong: The University of Hong Kong, 1993.

Fong PC, Tam S, Tai YT, Lau CP, Lee J, Sha YY. Epidemiologic studies of the serum lipids and apolipoproteins in Hong Kong Chinese: demographic characteristics and serium lipid and apolipoprotein distributions. J Epidemiol Community Health 1994; 48: 356-361.

Leung WH, Lau CP, Wong CK. Beneficial effect of cholesterol lowering therapy on coronary endothelium-dependent relaxation in hypercholesterolaemia patients. Lancet 1993; 341: 1496-1500.

†Hunt AC, Chow SL, Escaned J Escaned, Perry RA, Seth A, Shiu MF. Changes in doppler indices of cardiac function during and after percutaneous transluminal coronary angioplasty. Br Heart J 1991; 66:5 346-350.

†Hunt AC, Chow SL, Shiu MF, Chilton DC, Cummins B, Cummins P. Release of creatinine kinase-MB and cardiac specific troponin-I following percutaneous transluminal coronary angioplasty. Eur Heart J 1991; 12: 690-693.

*Law TC, Choi YC. An overview of acute myocardial infarction patients in a regional hospital. J H K Coll Cardiol, 1993; 1: 33-35.

*Chau EMC, Yip ASB, Chow WH. Excimer laser coronary angioplasty of saphenous vein grafts. J H K Coll Cardiol 1994; 2: 122-124.

Valvular heart disease

Chow JSF, Wong PC, Lee PK, Wong RYC, Chen WWC. Percutaneous transfermoral catheterisation in aortic stenosis with a USCI Sones catheter curve A type one (7540). Cathet Cardiovasc Diagn 1985; 11: 201-206.

Mok CK, Boey JS, Wang RYC, Chan TK, Cheung KL, Lee PK, Chow J, Ng RP. Tse TF. Warfarin versus dipyridamole - aspirin and pentoxifylline-aspirin in the prevention of prosthetic heart valve thromboembolism: a prospective randomised clinical trial. Circulation 1985; 72: 1059-1063.

Lee PK, So SY, Chow J. An unusual cause of central cyanosis in a patient with rheumatic heart disease. Thorax 1986; 41: 333-335.

Lee PK, Wang RYC, Chow J, Cheung KL, Wong VCC, Chan TK. The combined use of warfarin and adjusted subcutaneous heparin during pregnancy in patient with artificial heart valves. J Am Coll Cardiol 1986; 8: 221-224.

Mok CK, Lee PK, Boey J, Wang R, Chan TK. Preventing thromboembolism in prosthetic heart valves. Cardiology Board Review 1986; 3: 87-95.

Tai YT, Chow WH, Cheung KL. False detection of left atrial thrombus by the angiographic sign of 'neovascularity'. Cathet Cardiovasc Diagn 1989; 18: 165-167.

Chow WH, Cheung KL, Tai YT, Cheng CH. Successful percutaneous dilatation of a stenotic tricuspid bioprosthesis. Am Heart J 1990, 119: 666-668.

Chow WH, Tai YT, Lee WT, Cheung KL. Free-floating thrombus in left atrium after mitral valve replacement: spontaneous cure following embolization to the aorta. Am Heart J 1990, 120: 1463-1465.

Tai YT, Chow WH, Lee WT. An arterial duct associated with a congenital anomaly of the coronary arteries: persistence of heart murmur after ligation of the duct. Int J Cardiol 1990, 29: 371-372.

Lau CP, Cheng CM, Lau GKK, Wong CK, Fong PC, Yu YL. Cerebral haemorrhage in anticoagulated patients with non-septic mechanical valvular prosthesis. Int J Cardiol 1991; 30:289-296.

Leung WH, Lau CP, Wong CK, Cheng CH. Fatal massive pulmonary haemorrhage complicating mitral stenosis. Clin Cardiol 1990; 13: 136-138.

Lau CP, Leung WH, Wong CK, Cheng CH. Venous gangrene complicating severe mitral stenosis. Angiology 1991; 42: 654-658.

Cheng CH, Tai YT, Lau CP and Kumana CR. Antibiotic prophylaxis and treatment of infective endocarditis. In: Kumana CR, Chau PY, French G eds. Antibiotic guidelines Hong Kong: Adis Science Press, 1991: 113-122.

*Fong PC, Lau CP, Tai YT, Chow WH, Cheung KL. Therapeutic quality control of oral anticoagulations in patients with prosthetic heart valves. J HK Coll Cardiol 1993; 1: 13-18.

Chow WH, Chow LTC, Cheung KL. Resolution of spontaneous echocardiographic contrast after percutaneous balloon mitral commissurotomy. Int J Cardiol 1992; 34: 209-210.

Chan PCK, Chow WH, Tam SCF, Cheng IKP, Chan MK. Amino-aciduria and enzymuria in patients with artificial heart valves. Nephron 1992; 62: 18-21.

Chow WH, Chow TC, Wat MS, Cheung KL. Percutaneous balloon mitral valvotomy in pregnancy using the Inoue balloon catheter. Cardiology 1992; 81: 182-185.

Chow WH, Chow TC, Cheung KL. New formation of spontaneous echocardiographic contrast after surgical correction of mitral regurgitation. J Clin Ultrasound 1993; 21: 209-210.

Chow WH, Chow TC, Yip ASB. Complete heart block after percutaneous balloon mitral valvotomy using the Inoue balloon catheter. Am Heart J 1993; 125: 1182-1185.

Chow WH, Chow TC, Wat MS, Cheung KL. Percutaneous mitral balloon valvotomy in a patient with coexistent mitral stenosis and hypertrophic cardiomyopathy. Clin Cardiol 1993; 16: 257-259.

Chow WH, Chow TC, Cheung KL. Angiographic recognition of a proximal balloon tear during Inoue mitral valvotomy. Cathet Cardiovasc Diag 1993; 28: 235-237.

Chow WH, Chow TC, Yip ASB, Cheung KL. Percutaneous balloon mitral valvotomy in patients with history of embolism. Am J Cardiol 1993; 71: 1243-1244.

Chow LTC, Chow WH, Ma KF. Pulmonary arteriovenous malformation: progressive enlargement with replacement of the entire

middle lobe in a patient with concomitant mitral stenosis. Med J Aust 1993; 158; 632-634.

Yip ASB, Chow WH, Fu KH, Cheung KL, Li JSP, Lee JSK. Effect of percutaneous balloon mitral valvuloplasty on serum creatinine phosphokinase MB-isoenzyme levels. Cathet Cardiovasc Diag 1993: 29: 179-182.

Chow WH, Yip ASB, Chow TC: Concurrent balloon dilatation in a patient with mitral stenosis and coronary artery disease. Angiology 1994; 45: 489-492.

*Yip ASB, Chow WH, Mok CK, Cheung KL. Haemodynamic evaluation and exercise tolerance comparison before and after closed vs open mitral valvotomy in pure mitral stenosis. Asia Cardiovasc Thorac Ann (in press).

Congenital heart disease

Wong CK, Lau CP, Leung WH, Cheng CH. Therapeutic trial of nifedipine in patients with Eisenmenger syndrome complicating patent ductus arteriosus. Int J Cardiol 1989; 25: 173-178.

Wong CK, Lau CP, Cheng CH, Leung WH, Chan TYK, Pun KK. Elevated atrial naturetic factor in giant right atrium complicating Marfan's syndrome. Eur Heart J 1989; 10: 863-864.

Wong CK, Cheng CH, Lau CP, Leung WH. Asymptomatic congenital coronary artery aneurysm in adulthood. Eur Heart J 1989; 10: 947-949.

Wong CK, Lau CP, Leung WH. An arteriovenous fistula from an aberrant right subclavian artery to the superior caval vein in a congenitally myxoedematous adult. Int J Cardiol 1989; 25: 126-129.

Wong CK, Cheng CH, Lau CP, Leung WH. Congenital coronary artery anomalies in Noonan's syndrome. Am Heart J 1990; 119: 396-400.

Wong CK, Lau CP, Cheng CH. Coronary artery-left ventricular fistula with apical hypertrophic cardiomyopathy. Eur Heart J 1991; 12: 283-285.

Wong CK, Leung WH, Cheng CH, Lau CP. Myxomatous mitral valve degeneration

complicating asymptomatic cor triatriatum. Clin Cardiol 1989; 12: 48-50.

Wong CK, Cheng CH, Lau CP, Leung WH, Chan FL. Interrupted aortic arch in an asymptomatic adult. Chest 1989; 96: 678-679.

Wong CK, Lau CP, Cheng CH, Leung WH. Aneurysmal coronary sinus associated with severe valvular heart disease. Clin Cardiol 1990; 13: 582-584.

Wong CK, Yeung DWC, Lau CP, Cheng CH, Leung WH. Improvement of exercise capacity after nifedipine in patients with Eisenmenger syndrome complicating ventricular septal defect. Clin Cardiol 1991; 14: 957-961.

Tai YT, Fong PC, Chow WH. Bilateral coronary artery-to-pulmonary artery fistula coexistent with apical hypertophic cardiomyopathy. Angiology 1992, 43: 72-75.

Cardiac arrhythmias

†Tai YT, Campbell RWF, McComb JM: Latent functional duality in an accessary pathway. Eur Heart J 1989: 10: 380-384.

*Lau CP, Leung WH, Wong CK, Cheng CH, So SY. Electrical ablation of the atrioventricular node for the control of junctional tachycardia in a patient with amiodarone induced pulmonary fibrosis. J Hong Kong Med Assoc 1989; 41: 181-184.

†Tai YT, D'Onofrio A, Bourke JP, Campbell RWF. Left posterior fascicular tachycardia due to localized microreentry. Eur Heart J 1990, 11: 949-953.

†Tai YT, Campbell RWF and McComb JM. Electrophysiologic effects and antiarrhythmic efficacy of recainam in patients with supraventricular tachycardia. J Cardiovasc Pharmacol 1991; 17: 310-315.

†Lau CP, Davies W, Mehta D, Ward DE, Camm AJ. Flecainide acetate in the treatment of tachycardias associated with Mahaim fibres. Eur Heart J 1987; 8: 832-839.

†Lau CP, Mehta D, Ward DE, Camm AJ. Catheter ablation in the management of cardiac arrhythmias. Indian Heart J 1986; 38: 429-434.

†Lau CP, Griffith M, Camm AJ. Ventricular Wenckebach after intravenous Class I antiarrhythmic agents. Int J Cardiol 1988; 20: 141-144.

*Tai YT, Lau CP. Percutaneous catheter ablation with radiofrequency energy: non-surgical cure for patients with supraventricular tachyarrhythmias. J Hong Kong Med Assoc 1992; 43: 119-129.

*Tai YT, Lau CP, Chow WH, Li JPS, Leung WH, Wong CK, Lee K, Ng K. Clinical and electrophysiological characterisation of nonischaemic ventricular tachycardia in Chinese. J HK Coll Cardiol 1993; 1: 24-32.

*Leung SK, Lau CP. Coexistent sinoatrial disease and atrioventricular reciprocating tachycardia in Ebstein's anomaly. J HK Coll Cardiol 1993; 44-49.

*Lau CP, Tai YT, Leung WH, Wong CK and LiJPS. Management of recurrent syncope. J HK Coll Cardiol 1993; 1: 50-64.

*Lau CP. Predicting drug efficacy for malignant ventricular tachyarrhythmias: stimulator or recorder? J HK Coll Cardiol 1993; 2:1.

*Lok NS, Lau CP. Atrial fibrillation: knowns and unknowns. J HK Coll Cardiol 1993; 2: 32-46.

*Lau CP for The Hong Kong Pacing Registry Investigators. Cardiac pacing in Hong Kong: first report of the Hong Kong Pacing Registry. J HK Coll Cardiol 1993; 1: 97-101.

*Chau EMC, Lau CP. The long Q-T syndrome. J HK Coll Cardiol 1995; 3: No.1 p.5.

Tai YT, Fong PC, Lau CP, Chow WH, Cheng CH. Reentrant fascicular tachycardia with cycle length alternans: insight into tachycardia mechanism and origin. Pacing Clin Electrophysiol 1990; 13: 900-907.

Tai YT, Lau CP, Chow WH, Leung WH. Electromechanical concordance in alternans during sustained tachycardia. Clin Cardiol 1991; 14: 1003 -1006.

Tai YT, Chow WH, Lau CP, Yau CH. Verapamil and ventricular tachycardias. Chin Med J 1991; 104: 567-573.

Tai YT, Lau CP, and Li JPS. Successful sequential radiofrequency catheter ablation of

anatomically discrete antegrade and retrograde accessory pathway conduction in Wolff-Parkinson-White syndrome. Clin Cardiol 1992, 15: 211-216.

Tai YT, Lau CP, But PPH, Fong PC, Li JPS. Bidirectional tachycardia induced by herbal aconite poisoning. Pacing Clin Electrophysiol 1992; 15: 831-839.

Tai YT, But PPH, Young K, Lau CP. Life-threatening intoxication and cardiac arrhythmias following accidental herb-induced aconite poisoning. Lancet 1992; 340: 1254-1256.

Tai YT, Lau CP, Fong PC, Li JPS, Lee KLF. Incessant automatic ventricular tachycardia complicating Coxsackie B myocarditis. Cardiology 1992; 80: 339-344.

Tai YT, Lee KLF, Lau CP. Catheter induced mechanical stunning of accessory pathways. Pacing Clin Electrophysiol 1994; 17: 31-36.

Tai YT, Lau CP. Patterns of radiofrequency catheter ablation of left free-wall accessory pathways: implications for accessory pathway anatomy. Clin Cardiol 1993; 16: 644-652.

Tse HF, Lau CP. Exercise associated cardiac asystole in persons without structural heart disease. Chest (in press).

Lau CP, Leung WH, Wong CK, Cheng CH. Haemodynamics of induced atrial fibrillation: a comparative assessment with sinus rhythm, atrial and ventricular pacing. Eur Heart J 1990; 11: 219-224.

Lau CP, Leung WH, Wong CK, Tai YT, Cheng CH. A new pacing method for rapid regularization and rate control in atrial fibrillation. Am J Cardiol 1990; 65: 1198-1203.

Lau CP, Leung WH, Wong CK, Cheng CH. Anterograde conduction block in Wolff-Parkinson-White syndrome after ionic radioopaque contrast injection. J Electrophysiol 1989; 6: 521-524.

Wong CK, Lau CP, Cheng CH. Usefulness of labetalol in chronic atrial fibrillation. Am J Cardiol 1990; 66: 1212-1215.

Lau CP, Tai YT. Transvenous radiofrequency catheter ablation of atrioventricular accessory

pathways. Singapore Med J 1991: 32: 52-57.

Lau CP, Leung WH, Wong CK. A randomized double blind study comparing the efficacy and tolerability of flecainide versus quinidine in the control of paroxysmal atrial fibrillation. Am Heart J 1992; 124: 645-650.

Lau CP. Radiofrequency ablation of fascicular tachycardia: efficacy of pace-mapping and implication on tachycardia origin. Int J Cardiol 1994; 46: 255-265.

Lau CP, Tai YT, Lee P. Radiofrequency ablation of accessory pathway mediated tachycardia: effects on quality of life and exercise capacity. Pacing Clin Electrophysiol 1995; 18: 424-432.

Lok NS, Lau CP. Presentation and management of atrial fibrillation: a review of 291 cases. Int J Cardiol 1995: 18: 271-278.

Wang JA, Lau CP, Tai YT, Wu BZ. Effects of flecainide on exercise hemodynamics and electrocardiography in patients without structural heart disease. Clin Cardiol 1994; 18: 140-144.

*NS Lok, Lau CP. Electrical therapy for atrial fibrillation (editorial). JAMA (SEA)(in press).

‡Ho DSW, Zecchin RP, Richards DAB, Uther JB, Ross DL. Comparison of lidocaine with sotalol for acute termination of spontaneous sustained ventricular tachycardia: A double blind randomised study. Lancet, 1994; 344: 18-23.

‡Ho DSW, Denniss AR, Uther JB, Ross DL, Richards DAB. Signal averaged electrocardiogram: Improved identification of patients with ventricular tachycardia using a 28-lead optimal array. Circulation, 1993; 87: 857-865.

‡Ho DSW, Cooper MJ, Richards DAB, Uther JB, Yip ASB, Ross DL. Comparison of adequate numbers of extrastimuli versus change in basic cycle length for induction of ventricular tachycardia by programmed ventricular stimulation. J Am Coll Cardiol 1993; 22: 1711-1717.

‡Ho DSW. Ventricular tachycardia late after myocardial infarction: Programmed ventricular stimulation, signal-averaged ECG and acute drug treatment [PhD thesis]. Sydney: The University of Sydney, 1993.

- ‡Ho DSW, Zecchin RP, Cooper MJ, Richards DAB, Uther JB, Ross DL. Rapid intravenous infusion of d-l sotalol: Time to onset of effects on ventricular refractoriness, and safety. Eur Heart J 1995; 16: 81-86.
- ‡Denniss AR, Ho DSW, Ross DL. The effect of myocardial resection on the signal averaged electrocardiogram. In: Gomes JA ed. Signal averaged electrocardiography. Dordrecht: Kluwer Publishers, 1993: 365-379.
- ‡Yip ASB, McGuire MA, Davis L, Ho DSW, Richards DAB, Uther JB, Ross DL. Electrophysiologic effect of midazolam in man-Lack of effect on inducibility of arrhythmias at electrophysiologic study. Am J Cardiol 1992; 70: 593-597.
- ‡Ho DSW, Cooper MJ, Richards DAB, Uther JB, Yip ASB, Ross DL. Comparison of adequate numbers of extrastimuli versus change in basic cycle length for induction of ventricular tachycardia by programmed ventricular stimulation. J Am Coll Cardiol 1993; 22: 1711-1717.
- Chow WH, Chow TC, Yip ASB. Complete heart block after percutaneous balloon mitral valvuloplasty. Am Heart J 1993; 125: 1182-1185.
- ‡McGuire MA, Yip ASB, Lau KC, Lo CW, Richards DA, Uther JB, Ross DL. Posterior (atypical) a trioventricular juntional reentrant tachycardia. Am J Cardiol 1994; 73: 469-477.
- ‡McGuire MA, Robottin M, Yip ASB, Bourke JP, Johnson DC, Dewsnap BI, Grant P, Uther LB, Ross DL. Electrophysiologic and histologic effects of dissection of the connections between the atrium and posterior part of the atrioventricular node. J Am Coll Cardiol 1994; 23: 693-671.
- ‡McGuire MA, Yip ASB, Robotin M, Bouke JP, Johnson DC, Uther JB, Ross DL. Surgical procedure for the cure of atrioventricular junctional reentrant tachycardia: anatomic and electrophysiologic effects of dissection of the anterior atrionodal connections in a cannine model. J Am Coll Cardiol 1994: 24: 784-794.
- Yip ASB, Chow WH, Cheung KL. Dextrocardia with single coronary ostium in a patient with aortic regurgitation and supraventricular tachycardia. Angiology 1994; 45: 907-910.

- Tai YT, Lee KLF. Usefulness and limitation of electrophysiologic study in management of ventricular tachycardia. In: A new era of therapeutic arrhythmology; Proceedings of the Vth Asian Pacific Symposium on Cardiac Pacing and Electrophysiology, 1993: 306-308 (Simul International, Inc., Tokyo)
- Lee KLF, Tai YT. Adenosine in wide complex tachycardia: potential pitfalls in diagnostic value. Ann Emerg Med 1994; 24: 741-747.
- Tai YT, Lee KLF. Pleomorphic ventricular tachycardia with antegrade His-bundle activation: elucidation by multiple His-bundle recordings. J Cardiovasc Electrophysiol 1994; 5: 350-355.

Cardiac pacing

- †Lau CP, Camm AJ, Ward DE. A severe case of myopotential interference in a patient with a respiratory dependent rate responsive pacemaker. Int J Cardiol 1987; 17: 98-101.
- †Lau CP, Mehta D, Toff W, Stott RJ, Ward DE, Camm AJ. Limitations of rate response of activity sensing rate responsive pacing to different forms of activity. Pacing Clin Electrophysiol 1988; 11: 141-150.
- †Lau CP, Stott JRR, Toff WD, Zetlein MB, Ward DE, Camm AJ. Selective vibration sensing: a new concept for activity sensing rate responsive pacing. Pacing Clin Electrophysiol 1988; 11: 1299-1309.
- †Lau CP, Tse WS, Camm AJ. Clinical experience with Sensolog 703: a new activity sensing rate responsive pacemaker. Pacing Clin Electrophysiol 1988; 11: 1444-1455.
- †Mehta D, Lau CP, Ward DE, Camm AJ. Comparative evaluation of chronotropic response of activity sensing and QT sensing rate responsive pacemakers to different activities. Pacing Clin Electrophysiol 1988; 11: 1405-1414.
- †Lau CP, Ward DE, Camm AJ. Rate responsive pacing with a pacemaker that detects the respiratory rate: clinical advantages and complications. Clin Cardiol 1988; 11: 318-324.
- †Lau CP, Camm AJ. Role of left ventricular function and Doppler derived variables in predicting the hemodynamic benefits of rate

- responsive pacing. Am J Cardiol 1988; 62: 906-911.
- †Lau CP, Ritchie D, Butrous GS, Ward DE, Camm AJ. Rate modulation by arm movements of the respiratory dependent rate responsive pacemaker. Pacing Clin Electrophysiol 1988; 11: 744-752.
- †Lau CP, Antoniou A, Ward DE, Camm AJ. Initial clinical experience with a minute ventilation sensing rate modulated pacemaker: improvements in exercise capacity and symptomatology. Pacing Clin Electrophysiol 1988; 11: 1815-1822.
- †Lau CP, Antoniou A, Ward DE, Camm AJ. Reliability of minute ventilation as a parameter for rate responsive pacing. Pacing Clin Electrophysiol 1989; 12: 321-330.
- *Lau CP. Pacemakers that give more energy. H K Pract 1989; 11: 30-36.
- †Lau CP, Ward DE, Camm AJ. Single chamber cardiac pacing with two forms of respiration controlled rate responsive pacemakers. Chest 1989; 95: 352-359.
- †Lau CP, Wong CK, Leung WH, Cheng CH. Ultrasonic assisted permanent pacing in a patient with destroyed lung complicating pulmonary tuberculosis. Pacing Clin Electrophysiol 1989; 12: 1131-1136.
- †Lau CP, Linker NJ, Butrous GS, Ward DE, Camm AJ. Myopotential interference in rate responsive pacemakers. Pacing Clin Electrophysiol 1989; 12: 1324-1330.
- †Lau CP, Butrous GS, Ward DE, Camm AJ. Comparative assessment of exercise performance of six different rate adaptive right ventricular cardiac pacemakers. Am J Cardiol 1989; 63: 833-839.
- †Lau CP, Rushby J, Leigh-Jones M, Tam CYF, Poloniecki J, Ingram A, Sutton R, Camm AJ. Symptomatology and quality of life in patients with rate responsive pacemakers: a double-blind corssover study. Clin Cardiol 1989; 12: 505-512.
- *Lau CP, Cheng CH, Munro C. Cardiac Pacing update: common problems encountered by general practitioners. H K Pract 1990; 12: 1073-1078.

- †Lau CP. Rate responsive pacing and haemodynamic effects of dual chamber pacing (review). Curr Opin Cardiol 1987; 2: 94-98.
- Lau CP, Wong CK, Leung WH, Cheng CH. A comparative evaluation of minute ventilation sensing and activity sensing adaptive-rate pacemakers during daily activities. Pacing Clin Electrophysiol 1989; 12: 1514-1521.
- Lau CP, Cheung KL, Mok CK. Biventricular perforation by a temporary pacing electrode: the role of lateral chest radiograph. Int J Cardiol 1989; 24: 368-371.
- Lau CP, Leung WH, Wong CK, Cheng CH, Tai YT. Adaptive rate pacing at submaximal exercise: the importance of the programmed upper rate. J Electrophysiol 1989; 3: 283-288.
- Lau CP, Lee CP, Wong CK, Leung WH, Cheng CH. Rate responsive pacing with a minute ventilation sensing pacemaker during pregnancy and delivery. Pacing Clin Electrophysiol 1990; 13: 158-163.
- Wong CK, Lau CP, Cheng CH, Leung WH, Pun KK, Nicholls MG. Delayed decline in plasma atrial natriuretic peptide level after an abrupt reduction in atrial pressure: observation in patients with dual chamber pacemakers. Am Heart J 1991; 120: 882-885.
- Wong CK, Lau CP, Cheng CH, Leung WH, Pun KK, Nicholls MG. Effects of ventricular pacing on atrial natriuretic peptide levels during submaximal exercise in patients with complete atrioventricular block. Am J Cardiol 1990; 65: 1400-1401.
- Lau CP, Tai YT, Fong PC, Cheng CH, Chung FLW. Pacemaker mediated tachycardias in single chamber rate responsive pacemakers. Pacing Clin Electrophysiol 1990; 13: 1575-1579.
- Lau CP, Wong CK, Cheng CH, Leung WH. Importance of heart rate modulation on cardiac hemodynamics during post-exercise recovery. Pacing Clin Electrophysiol 1990; 13: 1277-1285.
- Lau CP, Wong CK, Leung WH, Liu WX. Superior cardiac hemodynamics of atrioventricular synchrony over rate responsive pacing at submaximal exercise: observation in patients with DDDR pacemakers. Pacing Clin Electrophysiol 1990; 13: 1832-1837.

Lau CP, Li JPS, Wong CK, Cheng CH, Chung FLW. Sensor initiated termination of pacemaker mediated tachycardia in a DDDR pacemaker. Am Heart J 1991; 121: 595-597.

Lau CP, Cheng CH, Munro C, Tse M, Wong CK, Leung WH. Cardiac pacing in Hong Kong: report of a survey on general practitioners and internists. Angiology 1991; 42: 365-371.

Chow WH, Yip ASB, Tai YT, Cheung KL. Venous thrombosis after long term cardiac pacing in Chinese. Angiology 1991; 42: 552-556.

Lau CP, Tai YT, Fong PC, Li JPS, Chung FLW, Song S. The use of implantable sensors for the control of pacemaker mediated tachycaridas: A comparative evaluation between minute ventilation sensing and acceleration sensing dual chamber rate adaptive pacemakers. Pacing Clin Electrophysiol 1992; 15: 34-44.

Lau CP, Fong PC, Tai YT, Li JPS, Chui CCY. Postpericardiotomy syndrome complicating transvenous dual chamber rate adaptive pacing: diagnosis aided by transesophageal echocardiography. Am Heart J 1992; 123: 1388-1390.

Lau CP, Tai Y T, Fong PC, John PS Li, LeungSK, Chung FLW, Song S. Clinical experience with an activity sensing DDDR pacemaker using an accelerometer sensor. Pacing Clin Electrophysiol 1992; 15: 334-343.

Lau CP, Wong CK, Tai YT, Fong PC, Li JPS, Chung FLW. Ventricular rate adaptive pacing in the elderly. Eur Heart J 1992; 13: 908-913.

Lau CP, Tai YT, Fong PC, Li JPS, Chung FLW. Atrial arrhythmia management with sensor controlled atrial refractory period and automatic mode switching in patients with minute ventilation sensing dual chamber rate adaptive pacemakers. Pacing Clin Electrophysiol 1992; 15: 1894-1900.

Lau CP, Tai YT, Li JPS, Chung FLW, Sung S, Yamamoto A. Initial clinical experience with a single-pass VDDR pacing system. Pacing Clin Electrophysiol 1992; 15: 1504-1514.

Gao DW, Lau CP, Tai YT, Leung WH, Tang MO. Usefulness of the Valsalva manoeuvre to predict atrial sensitivity in unipolar and bipolar

pacemakers. Eur J Cardiac Pacing Electrophysiol 1993; 3: 134-139.

Lau CP, Tai YT, Leung WH, Leung SK, Li JPS, Wong CK, Lee ISF, Yerich C, Erickson M. Rate adaptive pacing with right ventricular oxygen saturation sensor: quantification of chronotropic behavior during daily activities and maximal exercise. Pacing Clin Electrophysiol 1994; 17: 2236-2248.

Lau CP, Tai YT, Lee PWH, Cheung B, Tang MO and Lam WK. Quality-of-life DDDR pacing: atrioventricular synchrony or rate adaption? Pacing Clin Electrophysiol 1994; 17: 1838-1843.

Lau CP, Tai YT, Leung SK, Leung WH, Chung FLW and Lee ISF. Long-term stability of P wave sensing in single lead VDDR pacing: clinical versus subclinical atrial undersensing. Pacing Clin Electrophysiol 1994; 17: 1849-1853.

Chan CC, Lau CP, Leung SK, Tai YT, Leung WH, Lee ISF and Tang MO. Comparative evaluation of bipolar atrial electrogram amplitude during everyday activities: atrial active fixation versus two types of single pass VDD/R leads. Pacing Clin Electrophysiol 1994; 17: 1873-1877.

Leung SK, Lau CP, Wu CW, Leung WH, Tai YT, Lee ISF and Chow YH. Quantitative comparison of rate response and oxygen uptake kinetics between different sensor modes in multisensor rate adaptive pacing. Pacing Clin Electrophysiol 1994; 17: 1920-1927.

Lau CP, Tai YT, Lee ISF, Erickson M, Yerich C. Utility of an implantable right ventricular oxygen saturation sensing pacemaker for ambulatory cardiopulmonary monitoring. Chest 1995; 107: 1089-1094.

Lau CP, Leung SK, Lee ISF. Delayed exercise rate response kinetics due to sensor cross checking in a dual sensor rate adaptive pacing system: the importance of optimal sensor programming. Pacing Clin Electrophysiol (in press).

Lau CP, Tai YT, Leung WH, Wong CK, Lee P, Chung FLW. Rate adaptive pacing in sick sinus syndrome: effects of pacing modes and intrinsic conduction on physiological responses, arrhythmias, symptomatology and quality of life. Eur Heart J 1994; 15: 1445-1455.

Leung SK, Lau CP, Leung WH, Tai YT, Chung F, Chow YH. Apparent extension of the atrioventricular interval due to dual chamber rate adaptive pacing in patients with paroxysmal supraventricular tachyarrhythmias. Pacing Clin Electrophysiol 1994; 17: 321-330.

Lau CP. The use of activity sensing in rate adaptive pacing. In: Alt E, Barold SS, Stangl K, eds. Rate adaptive cardiac pacing: hemodynamic, clinical and technical aspects. Berlin: Springer-Verlag, 1993: 83-97.

Lau CP. Follow up of rate adaptive pacemakers. In Alt E, Barold SS, Stangl K, eds. Rate adaptive cardiac pacing: hemodynamic, clinical and technical aspects. Berlin: Springer-Verlag 1993: 241-251.

Lau CP. Intracardiac pressure for rate-adaptive pacing. In: Alt E, Barold SS, Stangl K, eds. Rate adaptive cardiac pacing: hemodynamic, clinical and technical aspects. Berlin: Springer-Verlag, 1993: 111-119.

Lau CP. Follow up of DDDR pacemakers. In: Barold SS, Mugica J, eds. New perspectives in cardiac pacing. New York: Futura Publishing Co. Inc., 1993: 425-454.

Lau CP, Camm AJ. Overview of ideal sensor characteristics. In: Ellenbogan KA, Kay GN, Wilkoff BL. Clinical cardiac pacing. Orlando: WB Saunders Company, 1995: 141-166.

Lau CP. Sensors and pacemaker mediated tachycardias (editorial). Pacing Clin Electrophysiol 1991; 14: 495-498.

Lau CP, Leung SK. Clinical usefulness of rate adaptive pacing systems: what should we assess (editorial) Pacing Clin Electrophysiol. 1994; 17: 2233-2235.

Lau CP. The range of sensors and algorithms used in rate adaptive cardiac pacing. Pacing Clin Electrophysiol 1992; 15: 1177-1211.

*Lau CP. Pacemakers in the Elderly: selecting the most appropriate rate-adaptive pacing modality for the elderly patient. Cardiology in the Elderly 1994: 2: 176-190.

†Lau CP. Rate Adaptive Pacing [MD thesis]. Hong Kong: The University of Hong Kong, 1989. Lau CP. Rate adaptive cardiac pacing: single and dual chamber. New York: Futura Publishing Co. Inc., 1993.

Heart in systemic disease

Leung WH, Lau CP, Wong CK, Leung CY. Fatal cardiac tamponade in systemic lupus erythematosis - a hazard of anticoagulation. Am Heart J 1990; 119: 422-423.

Wong CK, Lau CP, Cheng CH, Ng WF. Occult fatal pulmonary embolism with disseminated miliary tuberculosis with disseminated intravascular coagulation: an unusual case masquerading as miliary tuberculosis. Chest 1990; 98: 1288-1290.

Leung WH, Lau CP, Tai YT, Wong CK, Cheng CH. Candida right ventricular mural endocarditis complicating indwelling right atrial catheter. Chest 1990; 97: 1492-1493.

Leung WH, Tai YT, Lau CP, Cheng CH, Wong CK, Chan TK. Cardiac tamponade complicating acute leukaemias: immediate chemotherapy versus pericardiocentesis. Postgrad Med J 1989; 65: 773-775.

Wong CK, Pun KK, Cheng CH, Lau CP, Leung WH, Chan MK, Yeung DWC. Hypocalcaemic heart failure complicating end-stage renal disease. Am J Nephrol 1990; 10: 167-170.

Wong CK, Lau CP, Cheng CH, Leung WH. Hypocalcemic myocardial dysfunction, acute and long term improvement with calcium replacement. Am Heart J 1990; 120: 381-386.

Leung WH, Lau CP. Left ventricular mural endocarditis. Am Heart J 1989; 118: 1352.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH. A doppler-echo evaluation of left ventricular diastolic filling in patients with mixed connective tissue disease. Cardiology 1990; 77: 93-100.

Lau CP, Wong KL, Wong CK, Leung WH. Acute lymphadenopathy complicating quinidine therapy. Postgrad Med J 1990; 66: 406-407.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH. Cardiac abnormalities in systemic lupus erythematosis - a prospective M-mode,

cross-sectional and doppler echocardiographic study. Int J Cardiol 1990; 27: 367-375.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH, Tai YT. Echocardiographic identification of mitral valvular abnormalities in patients with mixed connective tissue disease. J Rheumatol 1990; 17: 485-488.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH. Doppler echocardiographic evaluation of left ventricular diastolic function in patients with systemic lupus erythematosis. Am Heart J 1990; 120: 82-87.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH, So KF. Myocardial involvement in Churg-Strauss syndrome - role of endomyocardial biopsy. J Rheumatol 1989; 16: 828-831.

Leung WH, Wong CK, Lau CP, Cheng CH. Cor triatriatum masked by coexisting COPD in an adult. Chest 1989; 96: 776-778.

Leung WH, Pun KK, Lau CP, Wong CK, Wang C. Amiodarone-induced thyroiditis. Am Heart J 1989; 118: 848-849.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH. Association between antiphospholipid antibodies and cardiac abnormalities in patients with systemic lupus erythematosis. Am J Med 1990; 89: 411-419.

Leung WH, Wong KL, Lau CP, Wong CK. Purulent pericarditis and cardiac tamponade caused by Nocardia asteroides in mixed connective tissue disease. J Rheumatol 1990; 17: 1737-1739.

Wong CK, Lau CP, Cheng CH, Mok KY, Cheng I. Hypocalcemia and myocardial function in uremia. Cardiology 1992, 80: 7-10.

Dickens P, Nicholls JM and Lau CP. Acute hemorrhagic myocarditis in systemic lupus erythematosus. Heart Vessels 1992; 7: 104-106.

Tai YT, Fong PC, Ng WF, Fuk H, WH Chow, Lau CP and Wong WS. Behcet's disease with diffuse aortitis and severe aortic regurgitation. Cardiology 1991; 79: 156-160.

Tai YT, Yu YL, Lau CP, Fong PC. Myocardial infarction complicating post splenectomy thrombocytosis, with left ventricular mural

thrombosis and cerebroembolism. Angiology 1993; 44: 73-77.

Chow JSF, Wang RYC, Tang LCT, Mok CK: Right ventricular implantation of endometrial adenocarcinoma as a result of temporary pacing. BMJ 1985; 290: 1249-1250.

Tai YT, Cheung DLC, Chow WH, Suen HC and Cheung KL. Left atrial myxoma coexisting with lung carcinoma. Int J Clin Pract 1989; 5: 124-125.

Interventional Cardiology

Leung WH, Lau CP. Correlation of quantitative angiographic parameters with changes in left ventricular diastolic function after percutaneous transluminal coronary angioplasty. Am J Cardiol 1991; 67: 1061-1066.

Fong PC, Tai YT, Lau CP, Li J, Yap FHY, LiangR, Lie AKW. Percutaneous transluminal coronary angioplasty in a patient with paroxysmal nocturnal hemogloburia. Cathet Cardiovasc Diag 1992; 25: 144-147.

Leung WH. Coronary vasoconstriction after angioplasty of total occlusions: relation to change in distal coronary perfusion pressure. J Am Coll Cardiol 1993; 22: 1635-1640.

*Leung WH. Coronary angiography and revascularization in Hong Kong. JAMA (SEA) 1994; 10: 7-8.

†Leung WH. Coronary and circulatory support strategies for percutaneous transluminal coronary angioplasty in high risk patients. Am Heart J 1993; 125: 1727-1736.

*†Leung WH, Kaplan AV, Grant GW, Leung LLK, Fischell TA. Local delivery of an antithrombin agent reduces platelet deposition at the site of balloon angioplasty. Coronary Artery Dis 1991; 2: 699-706.

*Lau CP. The age of cardiac interventions: Do we need a registry (editorial)? J HK Coll Cardiol 1993; 1: 65.

*Chau EMC, Leung WH, Lau CP, Tai YT, Wong CK, Chan J and Cheng S. Pseudonaneurysms and arteriovenous fistulae complicating diagnostic and interventional cardiac catheterisation. J HK Coll Cardiol 1993; 2: 6-11.

- *Leung WH, Lau CP, Tai YT, Wong CK, Li JPS. Percutaneous support devices for complex coronary angioplasty. J HK Coll Cardiol 1993; 1: 104-114.
- *Leung WH, Lau CP, Tai YT, Wong CK, Li JPS, Lee K, Ng W. Directional coronary atherectomy-first clinical experience in Hong Kong. J HK Coll Cardiol 1993; 1: 76-85.
- *Leung WH, Lau CP, Wong CK, Li JPS. Abnormal vasomoter response after coronary angioplasty: The reset autoregulation hypothesis. J HK Coll Cardiol 1994; 2: 12-17.
- *Leung WH. Assessing the severity of coronary artery stenosis: Eyeball or trackball (Editorial)? J HK Coll Cardiol 1994; 2: 3-5.
- *Chau EMC, Leung WH, Lau CP, Tai YT, Wong CK, Chan J, Cheng S. Pseudoaneurysms and arteriovenous fistulae complicating diagnostic and interventional cardiac catheterization. J HK Coll Cardiol 1994; 2: 6-11.
- *Leung WH, Lau CP, Tai YT, Wong CK, Li JPS. Percutaneous support for complex coronary angioplasty. Saudi Heart J 1993; 4: 49-61.
- *Leung WH, Wong CK, Lau CP. Angiographic characteristics of pseudo-narrowings caused by mechanical deformation of tortuous coronaryarteries during percutaneous transluminal coronary angioplasty. J HK Coll Cardiol 1994; 2: 92-98.
- ‡Leung WH, McMillan A, Stadius ML, Alderman EL. Vascular remodeling of dilated adjacent coronary segments after angioplasty and effect of multiple risk factor reduction. Circulation (in press).
- *Ho DSW, Roubin GS: Management of vascular access site following interventional procedures. J HK Coll Cardiol, 1995; 3: 41-47.
- ‡Ho DSW, Liu MW, Iyer S, Parks JM, Roubin GS: Sizing the Gianturco-Roubin Coronary Flexible Coil Stent. Cathet Cardiovasc Diag, 1994; 32: 242-248.
- ‡Ho DSW, Roubin GS: The Gianturco-Roubin Coronary Flex Stent: present state of the art. J Interv Cardiol, 1994; 7: 303-316.
- ‡Ho DSW, Roubin GS. The Gianturco-Roubin Intracoronary Stent. In: Bertrand M, Serruys P,

- Sigwart U, eds. Handbook of cardiovascular interventions. London: Churchill Livingstone, 1995.
- ‡Ho DSW, Roubin GS: Puncture Site Management. In: Bertrand M, Serruys P, Sigwart U; Handbook of Cardiovascular Interventions. Churchill Livingstone, London, 1995.
- ‡Agrawal SK, Ho DSW, Liu MW, Iyer SS, Hearn JA, Cannon AD, Macander PJ, Dean LS, Baxley WA, Roubin GS. Predictors of thrombotic complications following placement of the flexible coil stent. Am J Cardiol 1994; 73: 1216-1219.

Miscellaneous

- †Lau CP, Davies W, Thomas K, Spurrell RAJ. Amiodarone: a new treatment for psoriasis? BMJ 1986; 293: 510.
- †Maltz MB, Davies W, Lau CP, Creamer J, Banim SO. The effects of oral nitrendipine and propranolol, alone and in combination, on hypertensive patients with special reference to atrioventricular conduction. Br J Clin Pharmacol 1986; 22: 463-467.
- Yap FHY, Lau CP. Hyponatraemic encephalopathy due to thiazide-reserpine preparation; report of a case with a review of the literature. Postgrad Med J 1992; 68: 149-150.
- Yip ASB, Chow WH, Tai YT, Cheung KL. Adverse effect of topical methylsalicylate ointment on warfarin anticoagulation: an unrecognized potential hazard. Post Med J 1990, 66: 367-369.
- Chow WH, Tai YT, Yip ASB, Cheung KL. Spontaneous dynamic echoes in aortic dissection. J Clin Ultrasound 1990, 18: 442-445.
- Chow WH, Yip ASB, Tai YT, Cheung KL. Venous thrombosis after long-term transvenous pacing in the Chinese. Angiology 1991, 42: 552-556.
- Chow WH, Chow TC, Tai YT, Yip ASB, Cheung KL. Angiographically visualization of tumour vascularity in atrial myxoma. Eur Heart J 1991, 12: 79-82.
- †Hunt AC, Chow SL, Escaned J, Perry RA, Seth A, Shiu MF. Evaluation of a theoretical Doppler

index to noninvasively estimate peak dP/dt using continuous wave Doppler ultrasound of ascending aortic flow in man. Cathet Cardiovasc Diag 1991, Jul 23(3), 219-222.

Chow WH, Chow TC, Cheung KL. Non-surgical creation of a pericardial window using the Inoue balloon catheter. Am Heart J 1992; 124: 1100-1102.

Chow LTC, Chow WH, Anderson RH. An unusual variant of common arterial trunk. Am J Cardiol 1992: 69: 827-828.

Chow WH, Chow TC, Chiu SW. Pericardial metastasis and effusion as the initial presentation of malignant thymoma: identification by cross-sectional echocardiography. Int J Cardiol 1992; 37: 258-260.

Chow LTC, Chow WH. Acute compartment syndrome - an unusual presentation of gemfibrozil induced myositis. Med J Aust 1993; 158: 48-49.

Chow WH, Chow TC, Cheung HHC, Cheung D, Cheung KL. Mediastinal liposarcoma causing left ventricular inflow tract obstruction; diagnosis by transoesophageal echocardiography. Echocardiography 1993; 10: 141-143.

Chow WH, Chow TC, Ng W. Free-floating but immobile left atrial ball thrombus: diagnosis aided by transoesophageal echocardiography. Int J Cardiol 1993; 39: 213-215.

Chow LTC, Chow WH. Mechanism of pericardial window creation by Inoue balloon catheter. Am J Cardiol 1993; 72: 1321-1322.

Chow SL. Acute aortic dissection in a patient with Marfan's Syndrome complicated by gestational hypertension. Med J Aust 1993; 159: 760-762.

Chow WH, Chow TC, Yip ASB, Cheung KL. Non-surgical creation of a pericardial window identification at echocardiography. Echocardiography (in press).

Yip ASB, Chow WH, Lee D, Cheung KL. Mitral valve prolapse causing severe mitral regurgitation in a patient with absent right pulmonary artery. Clin Cardiol (in press).

Ziskind AA, Lemmon CC, Rodriguezs, Bursteins, Johnson SA, Feldman T, Chow WH, Gimple LW. Palacios for the PBP registry investigators. Final report of the percutaneous balloon pericardotomy registered for the treatment of effusive pericardial disease. Circulation 1994: 90 Part 2: 1-12.

*Chow LTC, Chow WH. Gemfibrozil induced myositis: a case report with light microscopic and ultrastructural study. Chin Med Sci J 1994; 9: 129-131.

Chow LTC, Chow WH, Lee JCK. Conduction disturbance in typhoid fever: report of a case with histologic and immunohistochemical studies. Am J Cardiovasc Pathol 1994: 5: 117-120.

- † Publications produced by staff whilst attached to or visiting other centres
- ‡ Publications produced by staff while employed at other centres before joining the Department
- * Publications in non-indexed journals

C.P. Lau, K.L. Cheung, W.H. Chow and David S.W. Ho

DIVISION OF CLINICAL PHARMACOLOGY

Clinical Pharmacology, a discipline complementary to, yet distinct from basic pharmacology, was introduced into the medical faculty of HKU in 1982 as part of the Department of Medicine. Its staff currently consists of:

Prof. Cyrus R. Kumana, BSc, MBBS, FRCPC, FRCP,
FHKAM (Medicine)
Professor and Chief of Division

Dr. Bernard M.Y. Cheung, MA, MB, BChir, PhD (Cantab),
MRCP(UK)

Lecturer

Mrs. Maybelle Kou, SRN, SCM, HV, M Phil Senior research assistant/technician

The Division of Clinical Pharmacology's continuing achievements and longterm overall objectives include the following:-

Heightening awareness of Clinical Pharmacology and the importance of what it can offer clinicians: Drug treatment is frequently the final common pathway of medical practice, therefore it deserves at least as much forethought, effort and attention as clinical and investigational diagnostic skills. Whereas technological advances have generally made the diagnostic aspects of clinical medicine easier, modern therapeutics has become much more complex due to the wealth of ever increasing knowledge and confusion about whether or not and how individual drugs should be used. Today's prescriber is confronted with a vast array of similar and dissimilar pharmacological (and sometimes non-pharmacological) therapeutic strategies. Frequently a choice has to be made between several 'me too' drugs belonging to the same class. It therefore becomes essential to develop a sensible, practical and scientific approach towards coping with the various claims and counter claims concerning the respective benefits and adverse effects of each option.

Continuous refinement, review and updating of educational activity, whilst establishing only a relatively limited number of formal lectures: Being aware of the pressure on medical and other

allied students and the information explosion they are faced with, there has been a deliberate attempt to: a) reduce the emphasis on the assimilation of unnecessary factual details whilst promoting greater awareness of principles and b) advocate the application of such principles to individual issues (and cases) by encouraging students to seek out and refer to appropriate resources.

The efficient and harmonious development of Clinical Pharmacology within the Faculty of Medicine: The need for utmost cooperation with clinical departments (especially individual clinicians within the Department of Medicine), the Department of Pharmacology and the Clinical Biochemistry Unit has been fully recognized and actively nurtured. In order to promote close links with other disciplines, joint research projects, educational activities and other contacts have been established and continue to grow. By these means, Clinical Pharmacology can confidently win the respect and appreciation of other specialties, can become fully integrated in the work of the faculty and make a significant contribution to its achievements.

Advocacy of rational (cost-effective) drug prescribing: This is the ultimate aim of Clinical Pharmacology and must also be among the most important priorities of all health care workers, as well as society at large. Apart from appropriate education directed at various undergraduates and postgraduates, patients and the general public, there have been a number of concerted initiatives to facilitate certain patterns of prescribing by hospital doctors. With ever greater awareness of health care costs and the need for financial responsibility and accountability, this type of activity is inevitably set to increase.

EDUCATION

A comprehensive educational framework in Clinical Pharmacology and Therapeutics for both medical students and staff has been organized. There has also been input into Clinical Pharmacology teaching for dental students as well

as those studying for various other degrees and diplomas (B.Sc. in Nursing, Certificate of Medical Science, Master of Pharmacy). Ensuing from such efforts perhaps, an awareness of Clinical Pharmacology and its importance to the scientific practice of therapeutics has begun to emerge, where previously there had been very little insight. Although this trend is evident both within the Faculty of Medicine and amongst practitioners in the community, much greater awareness needs to be fostered. The most important contributions and commitments to Clinical Pharmacology education can be summarized as follows:

- A course of lectures in Clinical Pharmacology and Therapeutics (held annually) organized for 4th year M.B. students.
- Conduct of a series of small group seminars/ tutorials in Clinical Pharmacology for final year M.B. student (during each clinical clerkship in medicine).
- More advanced teaching in Clinical Pharmacology and Therapeutics as part of the newly established protected-time postgraduate physician training programme for the Queen Mary Hospital cluster.
- Organization and presentation of Therapeutic Conferences attended by junior and senior staff in the Department of Medicine (and other departments), final year M.B. students, and by other doctors practicing within and outside Queen Mary Hospital.
- Organization and supervision of an experiment in Clinical Pharmacology. (Pharmacology Practical course for 2nd year M.B. students).
- Supervision of postgraduate students; two have read and one is currently reading for an MPhil and another has applied to read for a PhD.
- Publication of book reviews and forewords, as well as educational articles in local journals and bulletins - on important aspects of Clinical Pharmacology and Therapeutics (see list of publications).
- Lecturing by invitation on various aspects of Clinical Pharmacology - to a variety of

- different organizations, viz.: general practitioners, dental practitioners, clinical chemists, pharmacists, pharmaceutical representatives, medical colleges in the Republic of China.
- Moderation or chairmanship at seminars, conferences and refresher courses for specialists and general practitioners.
- Provision of in-depth and detailed drug information. This has been achieved through books, journals and access to other resources. The Iowa Drug Information System (IDIS) involving microfiche, was introduced as a tool of Clinical Pharmacology for the faculty library. More recently the Department of Medicine has acquired direct computerized access to international drug data bases.

RESEARCH

Clinical Pharmacology in its broadest sense, is the scientific study of therapeutic and non-therapeutic drug use (and abuse) in humans. Special attention and effort have been directed towards aspects deemed to be particularly relevant or unique to the local population. Such aspects include:- interethnic differences in drug dose response relationships, difficulties and unique features of drug prescribing, drug dispensing and drug delivery to local patients, and the extent of patient cooperation and understanding about the medicines they take. Accordingly, the following special interests and research projects have evolved:

1. Search for clinically significant peculiarities of drug usage and prescribing in Hong Kong, viz.:

- a) Discovery of very widespread community use of chloramphenicol but no apparent link with aplastic anaemia.
- b) A high prevalence of dental discoloration has been linked to excessive exposure of local children to tetracyclines (liquid formulations). Since our findings were publicized, such exposure has diminished dramatically.
- c) Local hospital and non-hospital sales of parenteral and oral cephalosporins and parenteral

and topical aminoglycosides were found to be distinctly different from corresponding sales in western countries.

- d) Anti-asthmatic drug utilisation (quantitative and qualitative aspects including assessment of inhalational efficiency of various devices) has been reviewed in relation to local asthma mortality. Further studies along this line are now underway.
- e) Abuse of therapeutic digoxin level monitoring was revealed and corrective measures implemented.
- f) Targeted drug audits conducted in Hong Kong hospitals - with special reference to costeffective prescribing (expensive antibiotics, inappropriate albumin infusion, oxygen administration devices, other drugs) coupled with feedback to facilitate more cost-effective usage.
- 2. Search for possible clinically relevant inter-ethnic pharmacokinetic differences, revealed that for certain fat soluble drugs (viz. diazepam), the relatively lean Chinese had smaller distribution volumes, whilst acetylator phenotypes among local women were unrelated to the high incidence of systemic lupus erythematosus.
- 3. Provision of drug information to patients; supplying information sheets without active involvement of patients was shown to be of limited benefit.
- 4. Exposure to hepatotoxic pyrrolizidine alkaloids through the prevailing popularity of traditional folk (herbal) medicines in the community, has been thoroughly investigated following a small outbreak of such poisoning.
- 5. Involvement in controversies regarding the use in Hong Kong of drugs widely regarded as having unacceptable adverse effects (e.g. dipyrone), and the steps being taken by local drug regulatory authorities to control their use or deregister them.
- 6. Active participation in the design, organization and conduct of randomized clinical drug trials pertinent to Hong Kong, viz.:

- a) Therapeutic and prophylactic studies involving antimicrobials,
- b) IV glycerol for acute strokes.
- 7. Involvement with drug administration and dispensing procedures: This entailed introduction of a totally new Drug Order Form, which included a system for recording drug orders executed by nurses. A modified version is now used in all wards of the Queen Mary Hospital and is even being adapted for use in hospitals run by the Hong Kong Hospital Authority. Together with other parties, arguments presented to various official committees and the public has led to the territory-wide adoption of universal, computerized drug container labelling. There has also been active involvement in education and quality assurance measures to monitor and minimize medication incidents. A coding system for identifying tablets and capsules is also being advocated.
- 8. Evaluation (in local patients), of bioavailability differences between brand name medicines and generic substitutes used in Hong Kong.

FUTURE DIRECTIONS

The division of Clinical Pharmacology is poised to undergo expansion in the near future. A lecturer and a postgraduate student have recently joined and other postgraduates are applying to join. The division is also acquiring a small new laboratory dedicated to Clinical Pharmacology research. A number of important and exciting projects involving collaborative research are currently being initiated in the following areas:-Cardiovascular Disease: Investigation of genes affecting the development of cardiovascular disorders (hypertension, coronary artery disease, ventricular hypertrophy) is underway, with special reference to angiotensin converting enzyme (ACE) genotypes and involves searching for various sensitive biological markers including brain natriuretic peptide (BNP). A prospective, double-blind, randomized, placebocontrolled, cross-over trial of digoxin treatment (not withdrawal) for heart failure patients in

sinus rhythm who are already receiving conventional treatment is being planned. Vasoactive Peptides: Many of these including atrial natriuretic peptide (ANP), BNP and bradykinin play a role in the control of blood pressure and modulate the action of cardiovascular drugs. Their physiological and pathophysiological influences in hypertension, vaso-vagal syncope and heart failure are being investigated. Chloramphenicol: Despite very large scale utilisation of this drug in the local community, a high incidence of aplastic anaemia is not encountered in Hong Kong. We have postulated that there may be inter-ethnic differences in the way the drug is metabolized; certain myelotoxic metabolites being produced only in white Caucasians. This possibility is currently being studied in vitro, by comparing the metabolic products formed after chloramphenicol is incubated with bone marrow cells from healthy Chinese and Caucasians. Drug Metabolism after Hepatectomy: Since a large number of partial hepatectomies are performed at Queen Mary Hospital (due to the high incidence of hepatic carcinoma), it is planned to investigate how this affects the metabolism of drugs. The impact on the short-term and long-term pharmacokinetics of drugs known to be subject to "high" and "low" levels of hepatic extraction will be studied. Drug Utilization Research and Audits: This work will entail extension of ongoing iterative studies targeted at specific aspects of drug prescribing in the territory.

Many of the above mentioned investigations are being undertaken as joint projects with other Divisions in the Department of Medicine, the Departments of Surgery, Anaesthesia and Pathology, the Department of Pharmacy at Queen Mary Hospital, as well as the Hong Kong Hospital Authority. The work on chloramphenicol is being conducted in conjunction with the Karim Centre for Meningitis Research, Royal Postgraduate Medical School Institute of Obstetrics and Gynaecology, London and the studies entailing vasoactive peptides with the Clinical Pharmacology Unit at the University of Cambridge. It is also anticipated that research and teaching links with the Department of Pharmacology will be strengthened, particularly after the arrival of the new Professor, whose

primary interest is in basic pharmacology in relation to cardiovascular diseases.

PUBLICATIONS (from 1985)

Therapeutics

‡Kumana CR, Tanser PH, Eydt J: Life threatening ventricular arrhythmias provoked by amiodarone. Hum Toxicol 1985; 4:169-176.

Kumana CR, Chau KK, Chau PY, Kou M, Lauder I. Chemoprophylaxis with oral amoxycillin against bacterial endocarditis; when should second doses be administered after dentistry? BMJ 1986; 293:1532-1534.

‡Kumana CR. The role of selective beta adrenoceptor antagonists in the treatment of hypertension. In: Mahon WA ed. Proceedings of the Symposium on Prevention in cardiovascular disease - new concepts and developments. Canada: Ciba Geigy, 1986: 71-77.

Kumana CR. Beta adrenergic blocking drugs. In: Hamer J ed. Drugs for heart disease. London: Chapman & Hall Ltd, 2nd ed. 1987: 29-75.

Leung WHL, Lau JYN, Chan TK, Kumana CR: Fulminant hyperpyrexia induced by bleomycin. Postgrad Med J 1989; 65:417-419.

Kumana CR, Chan GTC, Yu YL. Lauder IJ, Chan TKP, Kou M. Investigation of intravascular haemolysis during treatment of acute stroke with intravenous glycerol. Br J Clin Pharmacol 1990; 29: 347-353.

Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991.

Kumana CR. Antibiotic costs. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:1-8.

Kumana CR. Antibiotic dosage and drug interactions. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:9-10.

French GL, Kumana CR. Variations in antibiotic sensitivity and utilisation. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:11-22.

Kumana CR, Chau PY. Simple penicillins. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:23-26.

Chau PY, Kumana CR. New and old cephalosporins. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:29-33.

Kumana CR, Chau PY. B-Lactam and B-Lactamase inhibitors. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991: 34-35.

Kumana CR, Yuen KY. Aminoglycosides. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:39-42.

Kumana CR, Chau PY. Sulphonamides, trimethoprim and cotrimoxazole. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:43-45.

Chau PY, Kumana CR. Tetracyclines. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:51-52.

Kumana CR, Chau PY. Chloramphenicol. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:53-54.

Yu YL, Kumana CR. Acute bacterial meningitis. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991:73-79.

Humphries MJ, Kumana CR. Tuberculosis. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press,1991:86-99.

Cheng CH, Tai YT, Lau CP, Kumana CR. Antibiotic prophylaxis and treatment of infective endocarditis. In: Kumana CR, Chau PY, French GL eds. Antibiotic guidelines. Hong Kong: Adis Int'l Science Press, 1991: 113-122.

*Lau GKK, Kumana CR, Wong KL, Yuen KY, Chau PY, Chan FL, Jones BM. Disseminated. *Penicillium marneffei* infections responding to treatment with oral

fluconazole. J Hong Kong Med Assoc 1992; 44:176-180.

Yu YL, Kumana CR, Lauder IJ, Chan FL, Cheung YK, Chang CM, Kou M, Fong KY. Treatment of acute cerebral hemorrhage with intravenous glycerol: a double-blind placebo-controlled randomised trial. Stroke 1992; 23: 967-971.

Kumana CR. Containment of drug resistant malaria. (Noticeboard) Lancet 1922;339:421.

Kumana CR, Kou M, Li KY. Do chloramphenicol blood dyscrasias occur in Hong Kong? Adv Drug Reac Toxicol Rev 1993; 12::97-106.

Yu YL, Kumana CR, Lauder IJ, Chan FL, Cheung YK, Chang CM, Kou M, Fong KY. Treatment of acute cortical infarct with intravenous glycerol: a double-blind placebo-controlled randomised trial. Stroke 1993; 24:1119-1124.

Kumana CR, Yuen KY. Parenteral aminoglycoside therapy: Selection, administration and monitoring. (Invited Review). Drugs 1994; 47:902-913.

*Kumana CR. Prophylactic versus therapeutic medical priorities (Editorial). JAMA (SEA) 1995; 11 (1):5-6.

Pharmacokinetics and pharmacodynamics

Kumana CR, Ogle CW. A class experiment in clinical pharmacology using beta adrenoceptor antagonist drugs. Br J Clin Pharmacol 1985; 19:169-175.

Kumana CR, Lauder IJ, Chan M, Ko W, Lin HJ. Differences in diazepam pharmacokinetics in Chinese and white Caucasians: relation to body lipid stores. Eur J Clin Pharmacol 1987; 32:211-215.

Kumana CR. Are blood pressure surges associated with sympathetic stimulation aggravated by beta-adrenoceptor antagonist treatment? Postgrad Med J 1986; 62:731-735.

*Kumana CR, Tse BSS, Chan YM, Kou M. Comparison of phenytoin bioavailability from dilantin (Parke-Davis) and a generic formulation from the PRC (used in HK government hospitals & clinics). J Hong Kong Med Assoc 1989;43:195-197.

Kumana CR, Chan MMY, Wong KL, Wong RWS, Kou M, Lauder IJ. Lack of association between slow acetylator status and spontaneous lupus erythematosus. Clin Pharmacol Ther 1990; 48:208-213.

Cheng IKP, Chau PY, Kumana CR, Chan CY, Kou M and Siu LK. Single-dose pharmacokinetics of intraperitoneal ofloxacin in patients on continuous ambulatory peritoneal dialysis. Periton Dialys Int 1993; 13 (Suppl 2) S383-385.

Kumana CR, Yu YL, Kou M, Fung CF, Chang CM, Mück W, Lauder IJ. Investigation of nimodipine pharmacokinetics in Chinese patients with acute subarachnoid haemorrhage. Eur J Clin Pharmacol 1993; 45:363-366.

Cheung B, Lam FM, Kumana CR. Lesson of the Week: insidiously evolving occult drug interaction involving warfarin and amiodarone. BMJ (in press).

Drug utilization studies and audits

Kumana CR, Li KY, Chau PY. Worldwide variation in chloramphenicol utilisation: should it cause concern? J Clin Pharmacol 1988: 28:1071-1075.

*Kumana CR. Antibiotic utilisation (Editorial). JAMA (SEA) 1988; 4:4-5.

Kumana CR, So SY, Li KY, Kou M and Chan SC. Pattern of anti-asthmatic drug utilization in Hong Kong compared to other parts of the world. Resp Med 1989; 83/4:343-348.

Kumana CR, Li KY, Kou M and Chan SC. Cephalosporin and aminoglycoside utilisation in different parts of the world. J Antimicrob Chemother 1989; 24:1001-1010.

Kumana CR, Chan M, Kou M. Audit exposes flawed blood sampling for digoxin levels. Ther Drug Monit 1992; 14:155-158.

Kumana CR, So SY, Lauder IJ, Lam WK, Ip SM & Kou M. An audit of anti-asthmatic drug inhalation technique and understanding. J Asthma 1993; 30: 263-269.

*Kumana CR, Kou M, Wong BCY, Lee PW, Li KY. Drug audit in Hong Kong with special reference to antibiotics. J Hong Kong Med Assoc 1993; 45:177-180.

"Cheng G, Kumana CR, Lai CL, Lo R. Audit of blood colloids & synthetic alternatives used in hospitals. J Hong Kong Med Assoc 1993;45:184-188.

*Yam LYC, Kumana CR, Lam WK, Critchely JAJH. Audit of oxygen administration in Hong Kong hospitals. J Hong Kong Med Assoc 1993; 45:181-3.

"Kou M. Quantitative and qualitative drug utilization studies in a University teaching hospital in Hong Kong [M Phil thesis]. The University of Hong Kong, 1994.

Traditional medicine

Kumana CR, Ng M, Lin HJ, Ko W, Wu DC, Todd D. Herbal tea induced hepatic veno-occlusive disease: quantification of toxic alkaloid exposure in adults. Gut 1985; 26:101-104.

Zhao X, Chan MY, Kumana CR, Ogle CW. A comparative study on the pyrrolizidine alkaloid content and the pattern of hepatic pyrrolic metabolite accumulation in mice given extracts of eupatorium plant species, crotalaria assamica and an Indian herbal mixture. Am J Chin Med 1987; 15:59-67.

Edgar JA, Lin HJ, Kumana CR and Ng MTT. Pyrrolizidine alkaloid composition of three chinese medicinal herbs. Am J Chin Med 1992; 20:281-288.

Miscellaneous

Kumana CR, Ma J, Kung A, Kou M, Lauder IJ. An assessment of drug information sheets for diabetic patients; only active involvement by patients is helpful. Diabetes Res Clin Pract 1988; 5:225-231.

*Kumana CR. Clinical Pharmacology: The gateway to rational drug usage. (Editorial). J Hong Kong Med Assoc 1993; 45:175-176.

*Kou M, Kumana CR. Iowa Drug Information Service (Drug Literature Microfilm File). J Hong Kong Med Assoc 1993; 45:206-207.

*Kumana CR. JAMA SEA: Part of an international family (Editorial). JAMA (SEA) 1994; 10(1):5.

*Kumana CR. Contempo Editorial. JAMA (SEA) 1994; 10(12):5-6.

- ‡Cheung B and Brown MJ. Plasma brain natriuretic peptide and c-type natriuretic peptide in essential hypertension. J Hypertens 1994; 12:449-454.
- ‡Cheung B, Dickerson JEC, Ashby MJ, Brown MJ and Brown J. Effects of physiological increments in human alpha-atrial natriuretic peptide and human brain natriuretic peptide in normal male subjects. Clin Sci 1994; 986:723-730.

Educational articles on Clinical Pharmacology and Therapeutics

- *Kumana CR, Lam SK. Role of H2 antagonists in the treatment and prevention of duodenal and gastric ulceration. HK Pract 1985; 7:1291-1294.
- *Kumana CR, Stroebel AB, Mok CK. Antimicrobial chemoprophylaxis against infective endocarditis. HK Pract 1985; 7:1342-1344.
- *Kumana CR, Yu YL, Richens A. Antiepileptic treatment during pregnancy. J Hong Kong Med Assoc 1985; 37:98-99.
- *Kumana CR. Genuine advances in antimicrobial therapy. J Hong Kong Med Assoc 1985; 37:148-151.
- *Kumana CR, Preston PJ, Arnold K. Drug prophylaxis of malaria. J Hong Kong Med Assoc 1985; 37:195-198.
- *Kumana CR. An introduction to clinical pharmacology. HK Pract 1986;8:1881-1882.
- *Kumana CR, King NM, Li KY. Exposure of Hong Kong children to tetracyclines: a probable cause of widespread dental discolouration. HK Pract 1986; 8:1938-1940.
- *Kumana CR, Chau PY, Todd D. How should we use cephalosporins. HK Pract 1986; 8:2183-2186.
- *Kumana CR, Humphries M, Gabriel M. Clinical problems related to anti-tuberculous drug therapy. J Hong Kong Med Assoc 1986; 38:49-51.
- *Kumana CR. Hypertension and diabetes: the choice of antihypertensive therapy. HK Pract 1988; 10:3551-3558.

- *Kumana CR. Drug administration pertinent to dentistry with special reference to Hong Kong. HK Dent Assoc Year Book 1988: 51-54.
- *Kumana CR and Chau PY. Choosing cephalosporins; which drug and when? Med Prog 1989; 16:41-52.
- *Kumana CR, Chan MK. Drugs and kidneys. J Hong Kong Med Assoc 1990; 42:50-55.
- *Kumana CR, Seto WH and Yung RWH. Antibiotics and "Abdominal Sepsis". HK Hospital Authority Drug Education Bulletin 1993:2.
- *Kumana CR, Seto WH and Yung RWH. Costeffectuve use of "Newer" antibiotics. HK Hospital Authority Drug Education Bulletin 1993:3.
- *Kumana CR. Drug error: main causes, impact and prevention. Proceedings of the Medical Audit Forum 93/94 of the HK Hospital Authority. 1994: 37-40.
- *Seto WH, Kumana CR. Strategies for costeffective antibiotic usage. HK Hospital Authority Drug Education Bulletin 1994:7.
- *Cheng G, Kumana CR, Lai CL, Cheng IKP. Use of albumin, plasma protein fraction (PPF) and synthetic alternatives in hospitals. HK Hospital Authority Drug Education Bulletin 1995:8 (Suppl).
- *Kumana CR, Yuen KY, Samaranayake LP. Chemoprophylaxis against infective endocarditis following dental surgery. HKMJ 1995; 2:145-149.
- ‡ Publications produced by staff while employed at other centres before joining the Department
- * Publications in non-indexed journals

Cyrus R. Kumana and Bernard M.Y. Cheung

DIVISION OF ENDOCRINOLOGY

Endocrinology has long been an established discipline in the Department of Medicine. Currently the team consists of 4 full-time and 3 part-time academic staff, 6 (4 full-time; 2 part-time) post-membership trainees, 3 post-graduate students, 3 technical staff and 4 research assistants.

Academic staff who have contributed to the achievements of the division during the past decade include the following:-

Current members

Prof. Rosie T.T. Young, OBE, MD. DSc(Hon), FRCP, FRCP(E), FRCP(G), FRACP, FHKCP FHKAM(Medicine), JP Professor

Dr. Karen S.L. Lam, MD, FRCP, FRCP(E), FHKCP,
FHKAM(Medicine)
Reader and Chief of Division

Dr. Annie W.C. Kung, MD, FRCP(E), FHKCP,
FHKAM(Medicine)

Senior Lecturer

Dr. Kathryn C.B. Tan, MD. MRCP(UK) Lecturer

Trainees

Dr. Nelson M.S. Wat, MBBS, MRCP(UK)
Medical Officer

Dr. T.P. Ip, MBBS, MRCP(UK)
Medical Officer

Dr. W.S. Chow, MBBS, MRCP(UK)
Medical Officer

Dr. M.H. Ho, MBBS MRCP(UK)
Medical Officer

Past members

Prof. Christina C.L. Wang, MD FRACP, FRCP(G)
FHKCP, FHKAM (Medicine)

Dr. John T.C. Ma, MA(Oxon), MBBS(Lond) FRCP(E), FHKCP, FHKAM(Medicine)

Dr. K.K. Pun, MD, PhD, FRCP(E), FHKCP, FHKAM(Medicine)

CLINICAL SERVICE

The Endocrine Division is the major referral centre for endocrine disorders in Hong Kong. An in-patient metabolic ward and a hormone laboratory, established in the early 1960's, have provided facilities for patient management, opportunities for training and stimulus for research. The availability of expertise in endocrine imaging, pituitary and endocrine surgery, and an up-dated clinical biochemistry service, also help to establish within the Queen Mary Hospital a centre of excellence in endocrinology. Ambulatory service in diabetes was started in 1989 and the K.K. Leung Diabetes Centre, first of its kind in Hong Kong, has provided comprehensive service on diabetes care since Jan. 1994. The division also offers outpatient service in 6 clinics including general endocrine, thyroid, diabetes (general, home monitoring and gestational) and male infertility clinics. The last two clinics are conducted in conjunction with the Department of Obstetrics and Gynaecology.

EDUCATION

In addition to undergraduate teaching of medical and dental students, the division also provides post-graduate education on basic and clinical endocrinology. This includes the supervision of PhD and M. Phil. students and the training of endocrine fellows from hospitals in Hong Kong, Macau, China, Korea, Philippines, Australia and the U.S.A. These fellows and students have contributed to the research of the division. The weekly Wednesday journal and research meetings are attended by endocrine teachers and trainees from the Departments of Medicine, Paediatrics, Clinical Biochemistry and Physiology. The weekly Friday endocrine seminars involve the active participation, not only of staff of this hospital (endocrine physicians, paediatricians and gynaecologists, radiologists, radiotherapists and neurosurgeons), but also endocrinologists and endocrine trainees from various hospitals as well as the private sector.

The Division initiated and founded the Society for the Study of Endocrinology, Metabolism and Reproduction together with other members of the University. Through this local endocrine society the staff participated actively in open clinical meetings held both for the general practitioners and specialists on diverse subjects such as diabetes mellitus, thyroid disorders, growth problems and reproductive dysfunction. In 1986 members of the division organised and actively participated in a Postgraduate Course in Clinical Endocrinology held under the auspices of the Society for the Study of Endocrinology, Metabolism and Reproduction. This course was participated by clinicians from Australia, China, Malaysia, Philippines, Taiwan, Singapore, United Kingdom and United States in addition to Hong Kong. Members of the division have also been regularly invited to teach at post-graduate courses in endocrinology and reproductive medicine both in China and South East Asia.

Not only does the division serve as the major training centre for endocrinologists in the region, it has also provided training for diabetes nurses from various hospitals in Hong Kong and China. Since the establishment of the K.K. Leung Diabetes Centre, up-date seminars on diabetes management for general practitioners, nurses and other health professionals have been organised at 2-monthly intervals. Health exhibitions and seminars on diabetes for the lay public have also been conducted at the Centre to promote diabetes education and awareness in Hong Kong.

RESEARCH

Endocrine research in the Department of Medicine, both clinical and basic, has undergone considerable expansion and diversification since the 1980's. Research directions include diabetes and carbohydrate metabolism, thyroid disorders, neuroendocrinology, calcium homeostasis and metabolic bone diseases, reproductive endocrinology and infertility. In the recent exercise, three RGC grants have been awarded to the division. The following is a brief description of the contributions of the Endocrine Division.

Diabetes mellitus and carbonydrate metabolism

Research on the characterization of diabetes mellitus and its complications in Hong Kong Chinese has continued, and studies on the molecular genetics of diabetes have been initiated. We were the first group to report on the association of HLA DR3 DRw9 with IDDM (insulin-dependent diabetes) in Chinese and the association of aldose reductase gene polymorphism with diabetic retinopathy, and describe a MODY family with glucose kinase gene mutation in Chinese. In addition to studies on the prevalence and incidence of vascular complications in diabetes (part of the WHO multicentre study), we have also reported on the high incidence of undiagnosed diabetes among Chinese patients with ischaemic stroke and defined the factors predicting the persistence of glucose intolerance in Chinese women with gestational diabetes. Furthermore, our recent studies on diabetic nephropathy demonstrated interesting atherogenic changes in serum lipids in microalbuminuric NIDDM patients although lipoprotein(a) [Lp(a)], a recently established atherosclerotic risk factor, remains unchanged. We have also found that CETP, cholesteryl ester transfer protein, is increased in NIDDM and further rises with development of microalbuminuria. Our recent prospective study provided the first clinical evidence for a possible beneficial effect of cholesterol lowering therapy on the progression of nephropathy in NIDDM. Active research on lipid metabolism in diabetes is continuing and includes the genotypic and phenotypic expression of Lp(a), studies on CETP genotype and lipid subfractions, and the inter-relationship between lipids and prothrombotic/ fibrinolytic factors in diabetic nephropathy.

The earlier description of hypoglycaemia associated with hepatocellular carcinoma was followed by studies on the mechanism causing the hypoglycaemia as well as abnormalities in carbohydrate metabolism in post-necrotic cirrhosis of the liver. We also reported the occurrence of hypoglycaemia in patients with insulin autoimmunity. Studies of hypoglycaemia occurring in uraemic patients examined the changes in insulin, C-peptide and cyclic

adenosine monophosphate levels as well as other metabolic substrates in these patients. These studies led to the finding of the important role of β adrenergic blockers in the generation of hypoglycaemia in haemodialysis patients.

Thyroid diseases

The department was well known for its earlier studies on the clinical features of thyrotoxic periodic paralysis. Changes in erythrocyte sodium pump activities were observed and these shed some light on the pathogenesis of this common complication of thyrotoxicosis in the The common occurrence of Orientals. hypokalaemic periodic paralysis in Chinese was also reported in association with primary hyperaldosteronism, renal tubular acidosis and chronic ingestion of gossypol for contraception. The role of immunoglobulins in the pathogenesis of autoimmune thyroid diseases has been explored. Studies on the changes of TSH receptor antibody activities in patients treated with antithyroid drugs, radioactive iodine, subtotal thyroidectomy, neonatal thyrotoxicosis and congenital hypothyroidism have been reported. We also documented the association of HLA BW46 in thyrotoxicosis and DRw9 in Hasimoto's thyroiditis in Southern Chinese. To understand the molecular basis of autoimmune thyroid disease, a human thyroid cell culture model was described and the effects of TSH receptor antibodies and various cytokines on thyroglobulin and thyroid peroxidase gene transcription were studied. Furthermore, the in vivo and in vitro effects of interferon gamma and interleukin - 1B on thyroid function and autoantibodies induction have been reported. Research on the pathogenesis of autoimmune thyroid disease is continuing, with the use of a transgenic mouse model.

Clinical studies on the efficacy of radioactive iodine in the treatment of thyrotoxicosis were conducted. We have documented the incidence and factors affecting hypothyroidism after radioactive iodine, the incidence of opthalmopathy and the adjunctive effect of antithyroid drugs on radioactive iodine therapy. In addition, we have reported on the regulation of carbohydrate and lipoprotein metabolism in hyper- and hypothyroidism, and the changes in

plasma epidermal growth factor in thyroid disorders.

In 1989, Prof. R. Yeung was awarded the Daiichi-Mallinckrodt prize at the 4th Asia and Oceania Thyroid Association Meeting in 1989 in Seoul for her contribution to the field of thyroid diseases in this region.

Neuroendocrinology

Our clinical studies reported the usefulness of dopamine agonists for the treatment of hyperprolactinaemia and acromegaly. We have also reconfirmed the value of radiotherapy in acromegaly. More recently we have showed the effectiveness of a long acting somatostatin analogue in the treatment of acromegaly. In collaboration with the Department of Paediatrics we have reported on the long-term use of pulsatile growth hormone releasing hormone therapy in children with growth hormone deficiency, and the growth-promoting and metabolic effects of recombinant growth hormone therapy in children with β-Thalassaemia major. We have also shown that circulating Lp(a) level is increased in patients with acromegaly and correlates with serum growth hormone level, suggesting a possible regulatory role of growth hormone in Lp(a) synthesis or metabolism.

Extensive studies were conducted on the effects of cranial irradiation on hypothalamic-pituitary function of patients with nasopharyngeal carcinoma, a very common malignancy among Southern Chinese with good cure rates following radiotherapy. We were the first to determine from a 5-year prospective study the high incidence of post-irradiation hypopituitarism in these patients and demonstrated from serial hormonal responses to hypothalamic releasing hormones that their hypopituitarism evolves from hypothalamic damage to secondary anterior pituitary dysfunction. Risk factors predisposing to postirradiation endocrine dysfunction were identified and formed the basis of current strategies to reduce such complications. We also reported on the high prevalence of undiagnosed growth hormone and gonadotrophin deficiencies in survivors of childhood tuberculous meningitis, a common disease in developing countries, and

defined the pathogenesis of such deficiencies using MRI and updated hypothalamic function tests.

More recently, we have been actively engaged in basic research on the neuroendocrine regulation of prolactin and growth hormone secretion. We demonstrated for the first time that the gene for vasoactive intestinal peptide (VIP), a prolactin releasing hormone, is expressed in the anterior pituitary, that this is regulated by thyroid hormone, oestrogen, glucocorticoid and sexual dimorphism, and that VIP acts as a physiological paracrine regulator of prolactin secretion. We also reported on the novel finding that the VIP gene can be expressed as two different mRNA species, as a result of the utilization of alternative initiation sites for polyadenylation. On the neuroendocrine regulation of growth hormone secretion, we have demonstrated that chronic high dose dexamethasone decreases hypothalamic somatostatin gene expression in the periventricular nucleus and that a similar reduction is seen in hypothyroidism. Our more recent studies suggest that the response of hypothalamic somatostatin gene expression to glucocorticoid therapy is biphasic and dependent on dose and duration. In addition, new findings regarding the hormonal regulation of the genes coding for the receptors of growth hormone releasing factor and somatostatin in the rat anterior pituitary have just been reported. These and on-going studies on GRF expression serve to define the pathogenetic mechanisms of altered prolactin and growth hormone secretion in various endocrine disorders.

Calcium homeostasis and metabolic bone disease

The department has played a major role in evaluating the problem of osteoporosis in Chinese in Hong Kong. We have shown that osteoporosis is common in Southern Chinese and that low intake of calcium in the Chinese diet is an important risk factor for fractures. Furthermore, vitamin D deficiency is an important contributing factor in the pathogenesis of fracture neck of femur. The usefulness of intranasal calcitonin as an analgesic and its bioavailability after intranasal administration were defined. With the availability of a dual energy X-ray bone absorptiometer,

studies on bone density neasurement have been made possible. We examined patients with primary osteoporosis as well as those with high risks such as postmenopausal women. hypogonadal men, renal failure corticosteroid therapy. We also reported decreased bone density in hyperthyroidism and with exogenous thyroxine therapy. Interventional studies to prevent primary and secondary osteoporosis are currently ongoing in the department. Furthermore, the department has participated actively to improve community education on the problem of osteoporosis. Basic science studies on the characterization of parathyroid hormone receptors in bone, kidney and skin fibroblasts in health and disease were started in 1987. The occurrence and function of insulin receptors in osteoblasts were examined. Studies on vitamin D and calcium metabolism in association with end-stage renal diseases and hypercalciuria were also reported.

Reproductive endocrinology and male infertility

The department has actively engaged in studies of the gonadal function of patients with thalassaemia and in patients on chemotherapeutic agents and other drugs. The role of bioactive versus immunoreactive follicle stimulating hormone was also examined in patients with various gonadal dysfunction.

In 1984, the male infertility clinic was established in collaboration with the Department of Obstetrics and Gynaecology. This clinic has remained the only one of its kind in Hong Kong and serves as a referral centre in the region. Together with the commitment to provide service, research on various therapeutic regimens for male infertility was reported. The results showed that in controlled studies many of the commonly used approaches (clomiphene and androgens) for infertile men with idiopathic oligospermia were of limited or no value. We also reported the low incidence of sino-pulmonary infections and immunological dysfunction in patients with idiopathic oligospermia.

Recent studies focussed on defining sperm function in normal and infertile men. The goal of these studies was to define parameters that might be of prognostic and predictive value in discriminating fertile from infertile men. In 1988, under the auspice of the World Health Organisation the department hosted an advanced workshop on sperm function which was attended by participants from eleven countries.

The regulation of steroidogenesis and plasminogen activator production was explored using rat granulosa cells. Studies demonstrated the role of trophic hormones on plasminogen activator production in granulosa cells. Using the same in vitro model, the importance of tissue and urokinase-like plasminogen activators and their inhibitors in ovulation was reported.

Other endocrine disorders

As a referral centre for endocrine disorders in Hong Kong, we have the opportunity to observe, study and treat a large variety of patients with endocrine disorders. Our retrospective studies on the presentation and management of primary hyperaldosteronism, phaeochromocytoma, primary hyperparathyroidism, glucagoma and insulinoma in Hong Kong Chinese have contributed to the characterization of endocrine diseases in the region.

Acknowledgements

These achievements of the Endocrine Division have been rendered possible through the continuous efforts of the endocrinologists, past and present; the capable and conscientious technicians and research assistants; the dedicated nurses of the Metabolic Ward and Diabetes Centre, the fellows and registrars who came and left; and, last but not the least, the encouragement of our colleagues in the Department of Medicine led by Prof. D. Todd and Prof. T.K. Chan.

PUBLICATIONS (from 1985)

Diabetes mellitus

Lam KSL, Ma JTC, Chan EYM, Yeung RTT. Sustained improvement in diabetic control in long-term self-monitoring of blood glucose. Diabetes Res Clin Pract 1986; 2:165-171.

Yeung RTT, Lam KSL, Ma JTC. Problems in the treatment of diabetes in Hong Kong. In: Krall LP, Alberti KGMM, Turtle JR, eds. World Book of Diabetes in Practice vol. 2. Amsterdam: Elsevier, 1986: 236-238.

Hawkins BR, Lam KSL, Ma JTC, Low LCK, Cheung PT, Serjeanbon SW, Yeung RTT. Strong association of HLA DR3/DRW9 heterozygosity with insulin dependent diabetes mellitus of early onset in Chinese. Diabetes 1987; 36, 1297-1300.

Kung AWC, Ma JTC, Wong V, Wang C, Lam KSL, Yeung RTT, Ma HK. Glucose and lipid metabolism with low dose sequential oral contraceptives in women with history of gestational diabetes. Contraception 1987; 35: 257-269

*Ma J, Lam KSL, Yeung RTT. Diabetes in perspective: a viewpoint from Hong Kong. Med Prog 1989; 16: 5-7.

Lam KSL, Li DF, Lauder I, Lee CP, Kung AWC, Ma JTC. Prediction of persistent carbohydrate intolerance in patients with gestational diabetes. Diabetes Res Clin Pract 1991; 12:181-186.

Lam KSL, Ma JTC, Woo E, Lam C, Yu YL. High prevalence of undiagnosed diabetes in Chinese patients with ischaemic stroke. Diabetic Res Clin Pract 1991: 14: 133-138.

*Lam KSL. An update on insulin therapy. JAMA (SEA) 1991; 7: 8-9.

*Lam KSL, Gertsch PR. Pancreatic transplantation. J Hong Kong Med Assoc 1993; 45: 161-163.

‡Cooper MB, Tan KCB, Betteridge DJ. Platelet transmembrane signalling responses to collagen in familial hypercholesterolaemia. Eur J Invest 1994; 24: 737-743.

*Young RTT, Tan KCB. Future prospects in diabetes management. Med Prog 1994; 21: 16.

*Lam KSL. Improved outlook for diabetic nephropathy. JAMA (SEA). Special Issue (Nov) 1994: 3-4.

Lam KSL, Cheng IKP, Janus ED, Pang RWC. Cholesterol-lowering therapy may retard the progression of diabetic nephropathy. Diabetologia 1995; 38: 604-609.

Ko CB, Lam KSL, Wat MS, Chung SM. Aldose reductase gene polymorphism and diabetic retinopathy in NIDDM patients. Diabetes (in press).

Lee PWH, Lam KSL, Lieh-Mak F, Chung KF, So T. Emotional maladjustment, physical malaise and diabetic control in young Chinese patients with diabetes. Psychol Health (in press).

‡Tan KCB, Cooper MB, Ling KLE, Griffin B, Freeman D, Shepherd J, Packard C, Hales CN, Betteridge DJ. Fasting and postprandial determinants for the occurrence of small dense LDL species in non-insulin-dependent diabetic patients with and without hypertriglyceridamia: the involvement of insulin, insulin precursor species and insulin resistance. Atherosclerosis 1995; 133: 273-287.

Carbohydrate metabolism

Pun KK, Yeung CK, Yeung RTT. Effects of propranolol and metoprolol on glucose cyclic AMP and insulin responses during pharmacological hyperglucagonaemia in haemodialysis patients. Nephron 1985; 39: 175-178.

Pun KK. Hypoglycaemia and insulin resistance in uraemia associated with insulin fragements. Med Hypotheses 1985; 17: 243-246.

Pun KK, Yeung CK, Chak W, Ho PWM, Chan MK, Lin HJ, Yeung RTT. Effects of selective and non-selective beta bockers on the alanine & free fatty acid responses to glucagon challenge in haemodialysis patients. Clin Nephrol 1986; 26: 222-226.

*Pun KK, Yeung CK, Yeung RTT: Propranololinduced hypoglycaemia in a haemodialysis patient. Dial Transplant 1986; 15: 195-196.

Pun KK, Ho PWM, Yeung RTT. Anomalous cyclic adenosine 3':5'-monophosphate response to glucagon in patients with hepatocellular carcinoma. Cancer Res 1986; 46: 2152-2154.

Kung AWC, Ma JTC, Wang C, Fu KH, Lam KSL, Yeung RTT. Prevention of hypoglycaemia in a patient with pancreatic microadenomatosis by a long-acting somatostatin analog SMS 201-995. Clin Endocrinol 1987; 27: 468-473.

Pun KK, Ho PWH, Yeung RTT. C-peptide in

non-alcoholic cirrhosis and hepatocellular carcinoma. J Endocrinol Invest 1988; 11: 337-343.

Pun KK, Yeung RTT, Wang C, Tam CF, Ho PWM. The use of glucagon challenge tests in the diagnostic evaluation of hypoglycaemia due to hepatoma, insulinoma and uraemia. J Clin Endocrinol Metab 1988; 67: 546-550.

Low LCK, Yu ECL, Chow OKW, Yeung CY, Yeung RTT. Hyperinsulinism in infancy. Aust Paediatr J 1989; 25: 174-177.

Kung AWC, Chan FL, Tam SCF, Lam KSL. Localisation of occult insulinoma by intra-arterial stimulation with calcium and venous sampling technique. Clin Radiol 1992; 46: 55-56.

Thyroid diseases

Hawkins BR, Ma JTC, Lam KSL, Ho AY, Choi EKK, Wang CCL, Yeung RTT. Association of HLA antigens with Graves' disease and thyrotoxic periodic paralysis in Hong Kong Chinese. Clin Endocrinol 1985; 23: 245-252.

Hawkins BR, Ma JTC, Lam KSL, Wang CCL, Yeung RTT. Analysis of linkage between HLA haplotype and susceptibility to Graves' disease in multiple-case Chinese families in Hong Kong. Acta Endocrinol 1985; 110: 66-69.

Ma JTC, Ho FCS, Wang C, Lam KSL, Yeung RTT. Primary hypothyroidism and essential hypernatraemia in a patient with histiocytosis X. Aust NZ J Med 1985; 15: 72-74.

Lam KSL, Yeung RTT, Chan MK. High-density lipoprotein cholesterol, hepatic lipase and lipoprotein lipase activities in thyroid dysfunction -effects of treatment. Q J Med 1986; 59: 513-521.

Hawkins BR, Lam KSL, Ma JTC, Wang C, Yeung RTT. Strong association between HLA-DRW9 and Hashimoto's Thyroiditis in Southern Chinese. Acta Endocrinol 1987; 114: 543-546.

Yeung RTT, Lam KSL. Thyroid disorders in the Far East. In: Weatherall DJ, Ledingham JGG, Warrell DA, eds. Oxford Textbook of Medicine, 2nd edition. Oxford: Oxford Medical Publications, 1987: 10.48-10.50.

Lam KSL, Yeung RTT, Ho PWM, Lam SK. Glucose intolerance in thyrotoxicosis - role of

insulin, glucagon and somatostatin. Acta Endocrinol 1987; 114: 228-234.

Kung AWC, Ma JTC, Yu YL, Wang C, Woo EKW, Lam KSL, Yeung RTT. Myopathy in acute hypothyroidism. Postgrad Med J 1987; 63: 661-663.

†Kung AWC, Banga JP, Collison K, McGregor AM. Activation of thyroglobulin gene by Graves' IgG in cultured human thyroid cells. In: Nagataki S, Torizuka K, eds. The Thyroid 1988: 667-670.

†Kung AWC, Collison K, Banga JP, McGregor AM. Effect of Graves' IgG on gene transcription in human thyroid cell cultures: I thyroglobulin gene activation. FEBS Letters 1988; 232: 12-16.

Leung WH, Pun KK, Lau CP, Wong CK, Wang C. Amiodarone-induced thyroditis. Am Heart J 1989; 118: 848-849.

†Collison KC, Banga JP, Barnett PS, Kung AWC, McGregor AM. Thyroid peroxidase gene activation in human thyroid cells. Effect of thyrotropin, forskolin and phorbol ester. J Mol Endocrinol 1989; 3: 1-5.

Yeung RTT. Thyrotoxic periodic paralysis -revisited. In: Lee M, Koh CS, Eastman CJ, Nagataki S, eds. Progress in Thyroidology, Korea: Korea Medical Publishing Company, 1989: 9-12.

Lam KSL, Yeung RTT, Benson E, Wang C. Erythrocyte Na pump in thyrotoxic periodic paralysis. Aust NZ J Med 1989; 19: 6-10.

Kung AWC, Lam KSL, Pun KK, Wang C and Yeung RTT. Circulating somatostatin after oral glucose in hypothyroidism. J Endocrinol Invest 1990, 13: 403-406.

Kung AWC, Lau KS. Interferon-gamma inhibits thyrotropin-induced thyroglobulin gene transcription in cultured human thyrocytes. J Clin Endocrinol Metab 1990; 70: 1512-1517.

Kung AWC, Lau KS. Interleukin-1ß modulates TSH-induced thyroglobulin mRNA transcription through 3', 5'-cyclic adenosine monophosphate. Endocrinology 1990; 127: 1369-1374.

Kung AWC, Jones BM, Lai CL. Effects of interferon-gamma therapy on thyroid function, T lymphocyte subpopulations and induction of

autoantibodies. J Clin Endocrinol Metab 1990; 71: 1230-1234.

Kung AWC, Choi P, Lam KSL, Pun KK, Wang C, Yeung RTT. Discriminant factors affecting early outcome of radioiodine treatment for Graves' disease. Clin Radiol 1990; 42: 52-54.

Kung AWC, Ma J, Wang C, Young RTT. Hyperthyroidism during pregnancy due to coexistence of Struma Ovarii and Graves' disease. Postgrad Med J 1990; 66: 132-133.

*Young RTT. Management of thyrotoxicosis. Med Prog 1990; 17: 41-50.

Fong PC, Pun KK, Tai YT, Wang C, Yeung RTT. Propylthiouracil hypersensitivity with circumstantial evidence for drug-induced reversible sensorineural deafness: A case report. Hormone Res 1991; 35: 132-136.

Kung AWC, Lorentz T, Tsui E, Wang C. Carcinomatous infiltration of the thyroid presenting as thyroiditis and stridor. Horm Metab Res 1991; 23: 509-510.

*Kung AWC, Lai SC, Yeung RTT. The effect of treatment of Graves' disease on the course of ophthalmopathy - radioactive iodine versus anti-thyroid drugs therapy. Asian Med J 1992; 35: 675-684.

Kung AWC, Hui WM, Ng ESK. Serum and plasma EGF in thyroid disorders. Acta Endocrinol 1992; 127: 52-57.

Kung AWC, Ma L, Lau KS. The role of interferon-gamma in lymphocytic thyroiditis: its functional and pathological effect on human thyrocytes in culture. Clin Exp Immunol 1992; 87: 261-265.

Kung AWC, Lai CL, Wong KL, Tam CF. Thyroid functions in patients treated with interleukin-1ß and lymphokine activated killer cells. Q J Med 1992; 297: 33-42.

Kung AWC, Yau CC, Cheng A. The incidence of ophthalmopathy after radioiodine therapy for Graves' disease - prognostic factors and the role of methimazole. J Clin Endocrinol Metab 1994; 79: 542-546.

Kung AWC, Yau CC, Cheng A. Radioprotection of carbimazole in radioiodine therapy - A

prospective study on the incidence of hypothyroidism. Thyroid 1995; 5: 7-12.

Kung AWC, Pang RWC, Janus ED. Elevated serum lipoprotein(a) in subclinical hypothyroidism. Clin Endocrinol (in press).

Kung AWC, Pang RWC, Lauder I, Lam KSL, Janus ED. Changes in serum lipoprotein(a) and lipids during treatment of hyperthyroidism. Clin Chem 1995; 41: 226-231.

Neuroendocrinology

†Lam KSL, Grossman A, Bouloux P, Drury P, Besser GM. Effect of an opiate antagonist on the responses of circulating catecholamines and the renin-aldosterone system to acute sympathetic stimulation by hand grip in man. Acta Endocrinol1986; 111: 252-257.

Lam KSL, Wang C, Ma JTC, Leung SP, Yeung RTT. Hypothalamic defects in two adult patients with septo-optic dysplasia. Acta Endocrinol 1986; 112: 305-309.

Lam KSL, Wang C, Yeung RTT, Ma JTC, Ho JHC, Tse VKC, Ling N. Hypothalamic hypopituitarism following cranial irradiation for nasopharyngeal carcinoma. Clin Endocrinol 1986; 24: 643-651.

Lam KSL, Tse VKC, Wang C, Yeung RTT, Ma JTC, Ho JHC. Early effects of cranial irradiation on hypothalamic pituitary function. J Clin Endocrinol Metab 1987; 64: 418-424.

Wang C, Lam KSL, Ma J, Chan T, Liu MY, Yeung RTT. Long term treatment of hyperprolactinaemia with bromocriptine: effect of drug withdrawal. Clin Endocrinol 1987; 27: 363-372.

Low LCK, Wang C, Cheung PT, Ho P, Lam KSL, Yeung RTT, Yeung CY, Ling N. Long term pulsatile growth hormone therapy in children with growth hormone deficiency. J Clin Endocrinol Metab 1988; 66: 611-617.

Lam KSL, Ho JHC, Lee AWM, Tse VKC, Chan PK, Wang C, Ma JTC, Yeung RTT. Symptomatic hypothalamic-pituitary dysfunction in nasopharyngeal carcinoma - a retrospective study. Int J Radiat Oncol Biol Phys 1987; 13: 1343-1350.

Woo E, Lam KSL, Yu YL, Ma J, Wang C, Yeung RTT. Temporal lobe and hypothalamic-pituitary dysfunction after radiotherapy for nasopharyngeal carcinoma - a distinct clinical syndrome. J Neurol Neurosurg Psychiatry 1988; 51: 1302-1307.

Lam KSL, Wang C, Choi P, Ma J, Yeung RTT. Long-term effect of megavoltage radio-therapy in acromegaly. Aust NZ J Med 1989; 19: 202-206.

Wang C, Lam KSL, Arceo E, Chan FL. Comparison of the effectiveness of subcutaneous injection versus infusion of somatostatin analog (SMS 201-995) in the treatment of acromegaly. J Clin Endocrinol Metab 1989; 69: 670-677.

Pun KK, Chan G, Kung A, Lam K, Chan FL, Wang C. McCure Albright Syndrome with acromegaly. Hormone Metab Res 1989; 21: 527-528.

†Lam KSL, Lechan RM, Segerson TP, Cacicedo L, Minamitani N, Reichlin S. Vasoactive intestinal peptide in the anterior pituitary is increased in hypothyroidism. Endocrinology 1989; 124: 1077-1084.

†Lam KSL, Reichlin S. Pituitary vasoactive intestinal peptide is a paracrine regulator of prolactin release in the hypothyroid rat. Neuroendocrinology 1989; 50: 524-528.

†Segerson TP, Lam KSL, Cacicedo L, Minamitani N, Fink S, Lechan RM, Reichlin S. Thyroid hormone regulates vasoactive intestinal peptide (VIP) mRNA levels in the rat anterior pituitary gland. Endocrinology 1989; 125: 2221-2223.

Lam KSL, Srivastava G, Lechan RM, Lee T, Reichlin S. Estrogen regulates the gene expression of vasoactive intestinal peptide (VIP) in the rat anterior pituitary. Neuroendocrinology 1990; 52: 417-421.

Lam KSL, Srivastava G. Sex related differences and thyroid hormone regulation of vasoactive intestinal peptide gene expression in the rat brain and pituitary. Brain Res 1990; 526: 135-137.

Lam KSL. Vasoactive intestinal peptide in the hypothalamus and pituitary. Neuroendocrinology 1991; 53(Suppl 1): 45-51.

*Lam KSL. Pituitary disorders. Med Prog 1991; 18: 31-38.

Lam KSL, Tse VKC, Wang C, Yeung RTT, Ho JHC. Effects of cranial irradiation on hypothalamic-pituitary function - a 5-year longitudinal study in patients with nasopharyngeal carcinoma. Q J Med 1991; 78: 165-176.

Kung AWC, Pun KK, Lam KSL, Yeung RTT. Rhabdomyolysis in cranial diabetes insipidus. Postgrad Med J 1991; 67: 912-913.

Lam KSL, Kung AWC, Yeung RTT. Post-irradiation hypopituitarism presenting as severe hyponatremia. Am J Med 1992; 92: 219-221.

Chan DTM, Chan P, Chan KW, Kung A, Lam KSL, Cheng KP. Acute interstitial nephritis associated with idiopathic cranial diabetes insipidus. Nephron 1992; 60: 492-493.

Luk KH, Lam KSL, Kung AWC, Fung CF, Leung SY. Suprasellar ectopic pituitary adenoma presenting as cranial diabetes insipidus. Postgrad Med J 1992; 68: 467-469.

Srivastava G, Kwong KY, Lam KSL, May BK. Effect of dexamethasone on levels of mRNA for 5-amino-levulinate synthase in different rat tissues. Eur J Biochem 1992; 203: 59-63.

Lam KSL, Srivastava G, Tam Y. Divergent effects of glucocorticoid on the gene expression of vasoactive intestinal peptide in the rat cerebral cortex and pituitary. Neuroendocrinology 1992; 56: 32-37.

Lam KSL, Srivastava G, Tam SP, Chung LP, Chan SF, Tang F, Chung SK. Dexamethasone decreases somatostatin mRNA levels in the periventricular nucleus of the rat hypothalamus. Neuroendocrinology 1993; 58: 325-331.

Lam KSL, Sham MMK, Tam SCF, Ng MMT, Ma HTG. Hypopituitarism after tuberculous meningitis in childhood. Ann Int Med 1993; 118: 701-706.

Lam KSL, Pang RWC, Janus ED, Kung AWC, Wang CCL. Serum apolipoprotein (a) correlates with growth hormone levels in Chinese patients with acromegaly. Atherosclerosis 1993; 104: 183-188.

*Lim YJ, Kwan E, Cheung PT, Lam KSL, Kung A, Wang C, Young RTT, Low LCK. Growth hormone deficiency in children: the Queen Mary

Hospital experience (1978-92). J Hong Kong Med Assoc 1993; 45:272-277.

Lam KSL. The role of octreotide in the treatment of acromegaly: tumour shrinkage. Peptide Therapy Symposium - Focus on Endocrinology. Excerpta Medica 1993: 3-4.

*Lam KSL. Recent development in the investigation and management of pituitary tumours. JAMA (SEA) (in press).

Low LCK, Kwan EYW, Lun YJ, Lee ACW, Tam CF, Lam KSL. Growth hormone treatment of short Chinese children with \(\beta \)-thalassaemia major. Clin Endocrinol 1995; 42: 359-363.

Ip TP, Chan FL, Kung AWC, Lam KSL. Giant growth-hormone secreting pituitary tumour with extracranial extension. Australas Radiol (in press).

†Ip TP, Hoffman DM, O'Sullivan AJ, Leung KC, Ho KKY. Do androgens regulate growth hormone-binding protein in adult man? J Clin Endocrinol Metab 1995; 80: 1278-82.

Calcium homeostasis and metabolic bone diseases

*Pun KK, Yeung RTT. Osteoporosis - The silent epidemic. JAMA (SEA) 1988; 10: 506.

Pun KK, Chan LWL. The analgesic effect of intranasal salmon calcitonin in the treatment of osteoporotic vertebral fractures. Clin Ther 1989; 11: 87-89.

Pun KK, Ho PWM. Functional and structural characterization of the parathyroid hormone receptors on dog kidney, human kidney, chick bone and human dermal fibroblast: a comparative study of the homologous functional and structural properties. Biochem J 1989; 259: 785-789.

Pun KK. The importance of parathyroid hormone in inhibition collagen synthesis and mitogenesis of osteoblastic cell. J Biochem Tokyo 1989; 106: 1090-1093.

Pun KK, Ho PWM, Lay P. The regulation and function of insulin receptors on an osteosarcoma cell line. J Bone Mineral Res 1989; 4: 853-862.

Pun KK, Ho PWM, Nissenson RA, Arnaud CD. Desensitization of parathyroid hormone receptors

on cultured bone cells. J Bone Mineral Res 1990; 5: 1193-1200.

Pun KK, Ho PWM, Lay P. Effects of aluminium on the parathyroid hormone receptors of bone and kidney. Kidney Int 1990; 37: 72-78.

Wong CK, Pun KK, Cheng CH, Lau CP, Leung WH, Chan MK, Yeung DW. Hypocalcaemic heart failure in end-stage renal disease. Am J Nephrol 1990; 10: 167-170.

Pun KK, Chan LWL, Lau P, Ho PWM and Wang C. Absorption of intranasal salmon calcitonin in normal subjects and hypogonadal men. Calcif Tissue Int 1990; 46: 130-132.

Pun KK, Wong FH. Importance of measurement of bone density in the management of osteoporosis. Singapore Med J 1990; 31: 390-396.

Pun KK. Vitamin D deficiency in patients with fractured neck of femur in Hong Kong. World Health Forum 1990; 11: 93.

Pun KK, Lau P, Wong FH, Cheng CL, Pun WK, Chow SP, Leong JC. 25-Hydroxychole-calciferol and insulin-like growth factor I are determinants of serum concentration of osteocalcin in elderly subjects with and without spinal fractures. Bone 1990; 11: 397-400.

Pun KK, Wong FH, Wong C, Lau P, Ho PW, Pun WK, Chow SP, Cheng CL, Leong JC, Yeung RTT. Vitamin D status among patients with fractured neck of femur in Hong Kong. Bone 1990; 11: 365-368.

Chi I, Pun KK. Dietary calcium intake and other risk factors. Study of the fractured patients in Hong Kong. J Nutr Elderly 1991; 10: 73-87.

Pun KK, Wong FH, Loh T. Rapid postmenopausal loss of total body and regional bone mass in normal southern Chinese females in Hong Kong. Osteoporosis Int 1991; 1: 87-94.

Chan PC, Ip MS, Pun KK. 1,25-Dihydro-xycholecalciferol and peritoneal macrophage chemotaxis in patients on conditions ambulatory peritoneal dialysis. Nephron 1991; 59: 434-439.

Kung AWC, Pun KK. Bone mineral density in patients on physiologic dose of thyroxine replacement therapy. JAMA 1991; 265: 2688-2691.

Wong CK, Pun KK, Tam SC, Tsui EY, Kung AW, Lam KS, Wang CC. Idiopathic hypercalciuria causing osteoporosis and hypocalcemia. Nephron 1992; 61: 224-226.

Chan TM, Pun KK, Cheng IK. Total and regional bone densities in dialysis patients. Nephrol DialTransplant 1992; 7: 835-839.

Wong FH, Pun KK, Wang C. Loss of bone mass in patients with Klinefelter's syndrome despite sufficient testosterone replacement. Osteoporosis Int 1993; 3: 3-7.

Wong FH, Pun KK. Total and regional bone mineral densities in women with Colles' fractures. a comparative study with normal matched controls. Singapore Med J 1993; 34: 229-232.

Kung AWC, Lorentz T, Tam SCF. Thyroxine suppression therapy decreases bone mineral density in postmenopausal women. Clin Endocrinol 1993: 39: 535-540.

Kung AWC, Ng F. A rat model of thyroid hormone induced bone loss: effect of antiresorptive agents on regional bone density and osteocalcin gene expression. Thyroid 1994; 4: 93-98.

*Kung AWC. The effect of thyroid hormone on bone metabolism and osteoporosis (Review). J Hong Kong Med Assoc 1994; 46: 95-99.

Ip M, Lam K, Yam L, Kung A, Ng M. Decreased bone mineral density in asthma patients on long term inhaled steroids. Chest 1994; 105: 1722-1727.

*Kung AWC. Thyroid hormone and the bone controversies and the clinician's dilemma. JAMA (SEA) (in press).

*Ip M, Lam KSL. Inhaled steroids and bone metabolism in clinical perspective. HKMJ 1995; 1: 48-52.

Reproductive endocrinology and male infertility

Wang C, Chan SYW, Tang LCH, Yeung KK. Clomiphene citrate does not improve spermatozoal fertilizing capacity in idiopathic oligospermia. Fertil Steril 1985; 44: 102-105.

Chan SYW, Wang CCL, Tang LCH. Effect of

clomiphene citrate (CC) on human spermatozoal motility and fertility capacity in vitro. Fertil Steril 1985; 43: 773-776.

Wang C, Chan SYW, Leung A, Ng RP, Ng M, Tang LCH, Ma HK, Tsoi WL, Kwan M. Cross-sectional study of semen parameters in a large group of normal Chinese men. Int J Androl 1985; 8: 257-274.

Chan SYW, Fox EJ, Tang LCH, Chan MC, Tsoi WL, Wang CCL, Tang GWK, Ho PC. The relationship between the human spermatozoa hypo-osmotic swelling test and the human spermatozoa zona-free hamster ova penetration assay. Fertil Steril 1985; 44: 668-672.

Wang C, Leung A. LHRH stimulates plasminogen activator and inhibits steroid production bygranulosa cells of adult rat Graafian follicles. Mol Cell Endocrinol 1986; 44: 61-68.

Chan SYW, Loh TT, Wang C, Tang LCH. Seminal plasma transferrin and seminiferous tubular dysfunction. Fertil Steril 1986; 46: 687-691.

Chan SYW, Wang C. Correlation between semen adenonine triphosphate (ATP) and sperm fertilizing capacity. Fertil Steril 1987; 47: 717-719.

Chan SYW, Li SQ, Wang C. Test egg yolk buffer storage increases the human sperm fertilizing capacity. Int J Androl 1987; 10: 517-524.

Wang C, So SY, Wong KK, So WWK, Chan SYW. Chronic sinopulmonary disease in Chinese patients with obstructive azoospermia. J Androl 1987; 8: 225-229.

Wang C, Leung A. Estrogens, progestogens, and androgens enhance the follicle stimulating hormone stimulated plasminogen activator production by rat granulosa cells. Endocrinology 1987; 120: 2131-2136.

Wang C, Dahl KD, Leung A, Chan SYW, Hsueh AJW. Serum bioactive follicle stimulating hormone in men with idiopathic oligospermia. J Clin Endocrinol Metab 1987; 65: 629-633.

Wang C. Bioassays of follicle-stimulating hormone. Endocrine Reviews 1988; 9: 374-377.

Chan SYW, Wang C, Ng M, So WWK, Ho PC.

Multivariate discriminant analysis on the relationship between the human sperm hypoosmotic swelling test and the human sperm in vitro fertilizing capacity. Int J Andrology 1988; 11: 369-378.

Wang C, Chan SYW, Ng M, So WWK, Tsoi WL, Lo T, Leung A. Diagnostic value of sperm function tests and routine semen analyses in fertile and infertile men. J Andrology 1988; 9: 384-389.

Chan SYW, Wang C, Ng M, Tam G, Lo T, Tsoi WL, Nie G, Leung J. Evaluation of computerized analysis of sperm movement characteristics and differential sperm tail swelling patterns in predicting human sperm in vitro fertilizing capacity. J Andrology 1989; 10: 133-138.

Chan SYW, Wang C, Chan STH, Ho PC, So WWK, Chan YF, Ma HK. Predictive value of sperm morphology and movement characteristics in the outcome of in vitro fertilization of human oocytes. J In Vitro Fertil Embryo Transf 1989; 6: 142-148.

Wang C, Tso SC, Todd D. Hypogonadotropic hypogonadism in severe \(\beta\)-thalassemia: Effect of chelation and pulsatile gonadotropin-releasing hormone therapy. J Clin Endocrinol Metab 1989; 68: 511-516.

Zhong CQ, Ho PC, Fan MC, Chan SYW, So WWK, Wang C. Immunological studies in patients with oligospermia. Fertil Steril 1989; 54: 667-669.

Wang C, Leung A. Glucocorticoids stimulate plasminogen activator production by rat granulosa cells. Endocrinology 1989; 124: 1595-1601.

Chan SYW, Wang C, Song BL, Lo T, Leung A, Tsoi WL, Leung J. Computer assisted image analysis of sperm concentration in human semen before and after swim-up separation - comparison with haemocytometer assessment. Int J Androl 1989; 12: 339-345.

Chan SYW, Wang C, Chan STH, Ho PC, So WWK, Chan YF: Differential evaluation of human sperm hypoosmotic swelling test and its effect on the outcome of in vitro fertilization of human oocytes. Human Reproduction 1990; 5: 84-88.

Chan SYW, Zhang GH, Leung A, Ng M, Wang C.

Evaluation of the semi-automated Autosperm semen analysis system II Comparison with conventional method, time exposure photomicrography and automated cellsoft system. Int J Androl 1991; 14: 149-158.

Kung AWC, Ho PC, Wang C. Seminal leukocyte subpopulations and sperm function in fertile and infertile Chinese men. Int J Andrology 1993; 16: 189-194.

Kung AWC, Zhong YY, Lam KSL, Wang C. Gonadotropin in the induction of spermatogenesis in Chinese Hypogonadotropic hypogonadal men. Int J Andrology 1994; 17: 241-247.

Other endocrine disorders

Wang C, Young RTT. Gossypol and hypokalaemia. Contraception 1985; 32: 237-253.

Chung HT, Wong KL, Liang RHS, Loke SL, Liu HW, Tso WK, Chan SCH, Lam KSL, Lai CL. Non-Hodgkin's lymphoma as a cause of hypoadrenalism. Aust NZ J Med 1987; 17: 605-607.

Ma JTC, Wang C, Lam KSL, Yeung RTT, Chan FL, Boey J, Cheung PSY, Coghlan JP, Scoggins BA, Stockigt JR. A study of 50 consecutive patients with hyperaldosteronism in Hong Kong Chinese. Q J Med 1986; 61: 1021-1037.

Cheung PSY, Boey JH, Wang CCL, Ma JTC, Lam KSL, Yeung RTT. Primary hyperparathyroidism - its clinical pattern and results of surgical treatment in Hong Kong Chinese. Surgery 1988; 103: 558-562.

Chan FL, Wang C. Imaging for adrenal tumours. In: Imaging endocrine disorders, F.L. Chan, C. Wang, eds. Bailliere's Clinical Endocrinology and Metabolism no.3. London: Balliere Tindal, 1989: 153-189.

Pun KK, Chan G, Wang C, Yeung RTT. Cranial diabetes insipidus presenting as pyrexia of undetermined origin. Am J Med 1989; 86: 732-733.

*Kung AWC, Young RTT. Autoimmunity and endocrine disease. JAMA (SEA) 1989; 5: 5-6.

Pun KK, Wong CK, Tsui E, Tam CF, Kung AWC, Wang C. Hypokalemic periodic paralysis due to Sjogren syndrome in Chinese patients. Ann Intern Med 1989; 110: 405-406.

Low LCK, Cheung PT, Wang C, Chan FL. Long term treatment of precocious puberty using an intranasal luteinizing homrone releasing hormone analog (Buserelin). Aust J Paediatr 1989; 25:274-278.

Cheung YK, Chan FL, Lam KSL. Aldosteronoma coexistent with renal artery stenosis in secondary hypertension. Urologic Radiol 1992; 13: 228-232.

Chan FL, Lam KSL. Venous sampling: its role in localization of endocrine tumours. Ann Acad Med Singapore 1993; 22: 707-713.

Lam KY, Chan ACL, Wong WM, Lam KSL. A review of clinicopathologic features of pheochromocytomas in Hong Kong Chinese. Eur J Surg Oncol 1993; 19: 421-427.

*Lam KSL. Obesity - an increasing public health problem. International Monitor on Eating Patterns and Weight Control 1995; 4: 7-8.

Tai KS, Brockwell J, Chan FL, Janus ED, Lam KSL. MR Imaging of cerebrotendinus xanthomatosis. Australas Radiol (in press).

Wat MS, Lam KY, Lam KSL. Clinicopathologic correlation of glucagon-positive pancreatic tumours: a presentation of five cases. Eur J Surg Oncol (in press).

Fung JWK, Lam KSL. Neurofibromatosis and insulinoma. Postgrad Med J (in press).

Choi KL, Wat MS, Ip TP, Kung AWC, Lam KSL. Phaeochromocytoma associated with myasthenia gravis precipitated by propranolol. Austr NZ J Med (in press).

Ip TP, Lau CP, Lam KSL. Benzodiazapine induced torsades de pointes in a patient with multiple endocrine neoplasia I. Postgrad Med J (in press).

- † Publications produced by staff whilst attached to or visiting other centres
- ‡ Publications produced by staff while employed at other centres before joining the Department
- * Publication in non-indexed journals

Karen S.L. Lam and Annie W.C. Kung

DIVISION OF GASTROENTEROLOGY AND HEPATOLOGY

Hepatology in the Department of Medicine first started in 1948 by the late Prof. AJS McFadzean. In 1963 a Combined Gastrointestinal Service was formed between the Department of Medicine and Department of Surgery. This pioneering approach, which mirrored the Combined Gastrointestinal Unit in Edinburgh, has become a model for many centres in this region, and the Service remains in full operation today. The Division of Gastroenterology and Hepatology of the Department of Medicine was established in 1973. It is currently staffed by:

Professor S.K.Lam, MD, FRCP, FRCP(E), FRCP(G), FACP, FACG, FRACP,

FHKAM(Medicine), FHKCP
Professor and Chief of Division

Dr. C.L.Lai, MD, FRCP, FRCP(E), FRACP, FHKAM(Medicine), FHKCP

Reader

Dr. C.K.Chan, MBBS, FRCP(E), FHKAM(Medicine), FHKCP Consultant in Medicine

Dr. Matthew M.T.Ng, MBBS, FRCP(E), FHKAM(Medicine), FHKCP

Consultant in Medicine

Dr. C.K.Ching, MB ChB, MD, MRCP(UK), FHKAM(Medicine), FHKCP

Lecturer

Dr. K.C. Lai, MBBS, MRCP(UK), FHKCP, FHKAM (Medicine)
Senior Medical Officer

Trainees

Dr. George K.K.Lau, MBBS. MRCP(UK) Medical Officer

Dr. Wayne H.C.Hu, MB BS, MRCP(UK)
Medical Officer

Dr. Benjamin C.Y. Wong, MBBS, MRCP(UK)
Medical Officer

Past staff

Dr. Anna S.F. Lok MD, FRCP

Dr. W.M.Hui, MD, FRCP(E), FHKAM(Medicine),
FHKCP

Dr. H.T. Chung, MBBS, MRCP(UK), FRACP

CLINICAL SERVICE

The inpatient service includes 15 subspecialty beds in the Queen Mary Hospital, and the patients are jointly managed by physicians and surgeons. Consultation services are provided to all departments of the Queen Mary Hospital. The Division is the leading referral centre for gastroenterological and hepatological problems in Hong Kong, and frequently receives consultations from overseas centres.

The outpatient service includes the Medical Gastroenterology and Hepatology Clinic, and the Hepatitis Clinic run by the Division, as well as the Combined Gastrointestinal Clinic run jointly by physicians and surgeons. These clinics are housed at the Sai Ying Pun Polyclinic, about two miles from the Queen Mary Hospital. In 1994, we saw 458 new cases and 3764 follow-up cases at the Medical Gastroenterology and Hepatology Clinics. The annual number of patients seen in the Hepatitis Clinic increased from 1145 in 1985 to 3162 in 1994. Documented peptic ulcer patients are seen at the Peptic Ulcer Clinic at the Queen Mary Hospital. The annual number of patients seen increased from 2175 in 1985 to 2879 in 1994. The Division also runs the Hepatitis Vaccination Clinic, which provides hepatitis B vaccination to the staff of the hospital, undergraduate medical and non-medical students of the University of Hong Kong. Around two to three thousand individuals are vaccinated each year. It also manages the Gastrointestinal Oncology Clinic and the Motility Clinic, the latter targetting specifically patients with various gastrointestinal motility disorders, which represent one of the commonest complaints in medicine.

The Department of Medicine has provided a gastrointestinal endoscopy service for 30 years. The Division pioneered the first Endoscopic Retrograde Cholangiopancreatography (ERCP) service in Hong Kong in 1974, the first sphincterotomy service for the removal of bile duct stones in 1976, and the first biliary stenting service for malignant jaundice in 1978. At

present, the Endoscopy Unit includes two endoscopy suites. one oesophagogastroduodenoscopy, flexible sigmoidoscopy and colonoscopy, and the other specially designed for Diagnostic and Therapeutic ERCP. It is equipped with the most up-to-date endoscopic equipment, a YAG laser machine for endoscopic laser therapy, electrohydrolic lithrotripter, multipolar electrocoagulator, heater probe, endoscopic ultrsound machine, and other accessories to deal with all aspects of endoscopic procedures known today. In 1994, we performed 4345 diagnostic and therapeutic upper endoscopy, 601 diagnostic and therapeutic colonoscopy and sigmoidoscopy, 225 diagnostic and therapeutic ERCP and 47 endoscopic laser therapy. In 1990, the Division pioneered the first installation in this region of permanent fibre-optic cables to link the Endoscopy Suites with the Department lecture room and the Faculty Underground Lecture Theatre to enable live demonstration of endoscopic procedures to a large audience. Endoscopy results are recorded on a specially designed computer programme that allows storage of information for both patient-care and research purposes.

The Division also provides abdominal ultrasonography for routine and emergency examination of the hepatobiliary system, including ultrasound-guided therapeutic procedures. About 200 such procedures are performed each year. The ultrasound service is recently enhanced by the installation of a state-of-the-art endoscopic ultrasound machine, which is now an established tool for the assessment of gastrointestinal malignancy.

The Division offers the following special investigations in the Simon KY Lee Digestive Disease Laboratory:

- Gastrointestinal Motility Studies including 24 hour esophageal pH study, 24 hour esophageal manometry study, stationary esophageal manometry study, anorectal manometry study, radio-opaque marker colonic transit study, simultaneous UES manometry and fluoroscopy study and electrogastrography study.
- · Gastric Physiological Studies including

gastric acid measurements, and serum gastrin, pepsinogens, somatostatin and EGF assays. Carbon-14 breath test and rapid urease test for detecting Helicobacter pylori was introduced in 1989. Recently, a **Carbon-13 Mass Spectrometer** has become available for ¹³C-breath test to detect Helicobacter pylori. This non-radioactive, highly accurate investigation is the first of its kind that has been established in Asia.

EDUCATION

Undergraduate teaching activities

Undergraduate teaching is an important part of the activities in gastroenterology and hepatology. A regular series of lectures, clinics and bedside teachings are given. Gastroenterology and Hepatology is also covered during the Integrated Teaching Sessions. For the Final Year students, there is an extra course on the techniques of clinical examination and on the management of emergency situations. This course has been found to be very useful and popular with the students.

The **close-circuit TV** system between the Endsocopy Suites and the lecture theatres has provided the opportunity to demonstrate not only endoscopic procedures but also simple procedures such as liver and bone marrow biopsy, and patient interviews to a large group of students. This unique teaching method is available in only a few medical schools in the world.

Elective students from abroad join the service team and other activities or take part in ongoing research projects. Since 1990 there have been 15 elective students from abroad, 7 from Australia, 3 from U.S.A., 4 from U.K. and one from Germany.

Postgraduate education

The Division undertakes postgraduate research degree trainings. Currently there are two postgraduate students, one registered for M.Phil degree and one for Ph.D degree.

The gastroenterological setup and endoscopy

service has attracted many individually and institutionally based trainees, local and abroad, to join the tightly scheduled training programmes that have been running over the past 20 years. For the past 10 years, the Division supports each year 1-3 Chinese post-graduates, and accepts each year 1-3 overseas trainee, supported by his or her own country, to undergo training in gastroenterology, diagnostic and therapeutic including gastrointestinal endoscopy and ERCP, as well as in basic and clinical research. It also accepts 1-3 local trainess from other hospitals for training in advanced endoscopy.

Continuous postgraduate medical education for all staff of the Division is provided through Medical Gastroenterology Grand Round, Combined Medical And Surgical Gastroenterology Grand Round, Gastrointestinal Conference with radiologists and surgeons, gastrointestinal histology conference with pathologists, and Research Meeting - all held on a weekly basis. A Liver Transplant Meeting is held monthly and is attended by staff and trainees in all disciplines involved in this service in the Queen Mary Hospital as well as by gastroenterologists and hepatologists from other regional hospitals.

Members of the Division have contributed to the founding of the Hong Kong Society of Gastroenterology and the Hong Kong Association for the Study of Liver Diseases. have annually served on their Councils and Committees, and have been actively involved in their activities. Since 1991, the Hong Kong Society of Gastroenterology and its sister organisations in China co-host the biennial International Conference Of Gastroenterology. and on each occasion, the Division plays a major role in the organization, and hosts a live closecircuit TV workshop on therapeutic endoscopy and interventional gastrointestinal radiology. In conjunction with the Hong Kong Association for the Study of Liver Diseases, the Division has organised a yearly 3-day symposium on Hepatology.

Regular lectures and training courses are organised with the help from gastroentrologists of other hospitals to members of the Hong Kong Society of Endoscopy Nursing, which the

Division has played a major role in its establishment. The endoscopy unit is a major training center for endoscopy nursing in Hong Kong, and is the only unit that is staffed by a Nursing Endoscopy Specialist.

RESEARCH

The Division has demonstrated a strong clinical and laboratory research output every year. Apart from close links with other disciplines at the Queen Mary Hospital and with various centres in other regional hospitals in Hong Kong, the Division has strong research links with centres in Australia, China, U.K. and U.S.A. In 1995, research projects are assisted by two higher-degree postgraduate students, two honorary research associates with one holding a PhD, 7 laboratory technicians and 1 research secretary.

Bench work is generally carried out in the three general research laboratories of the Department, which the Division shares with other disciplines in the Department. Radioimmunoassays for serum gastrin, pepsinogens, somatostain and epidermal growth factor, and serological detection of Helicobacter pylori have been developed. Bench work for hepatology research is carried out in the Wellcome Laboratory housed independently in the Queen Mary Hospital. Clinical research investigations are performed in the Simon K.Y. Lee Digestive Disease Laboratory, which is in close proximity to the Endoscopy Suites, and which is equiped with a mass spectrometer for Carbon-13 breath test for the detection of Helicobacter pylori infection, facilities for measurement of gastric acidity including the D50 test to measure gastrin sensitivity and 24-hour pH monitor, and state-of-the-art equipment for gastrointestinal motility manometry studies. Facilities for the measurement of gastric mucosal blood flow in the human are installed in the Endoscopy Suites.

Major Research Projects

Helicobacter pylori and gastroduodenal diseases

The Division has a long track record on epidemiological, pathogenetic and therapeutic

studies in peptic ulcer disease, and has in the past 10 years continued to research intensively in these areas with special emphasis on Helicobacter pylori infection. Two large scale surveys have been conducted to evaluate the Helicobacter pylori infection rates in Hong Kong and Changle of Fujian, and pioneer interventional studies have been set up to evaluate if eradication of Helicobacter pylori could reduce gastric cancer and peptic ulcer disease rates in infected In the laboratory, we are individuals. concurrently investigating (i) the colonisation factor antigens and the possibilities of developing vaccines from these antigens, (ii) the interaction between Helicobacter pylori infection and NSAIDs in an animal model, and (iii) cytotoxinproducing strains and metronidazole-resistant strains.

Gastric injury and protection mechanisms

We are experimenting both in the animal and the human model to evaluate the exact mechanisms of adaptive cytoprotection incurred by mild irritants. We have conducted extensive studies in health and disease to evaluate the gastric mucosal microcirculation and to assess the effect of drugs on the microcirculation.

Gastrointestinal haemorrhage

We currently focus on the prevention of rebleeding after endoscopic haemostasis and on identifying bleeders who are fit for early discharge to minimize hospital cost.

Gastrointestinal oncology

In addition to Helicobacter pylori, work is in progress to evaluate the influence of co-factors such as nitrosamine exposure, dietary factors and lifestyle in stomach cancer. We are also evaluating different chemotherapeutic regimens for the treatment of gastrointestinal adenocarcinomas. Molecular biology technology has been applied to study familial gastrointestinal cancer syndromes.

Chronic hepatitis B carriage and cirrhosis

In the Chinese population, it was shown that

hepatitis B infection was frequently transmitted from maternal carriers. Intra-familial spread from carrier fathers or siblings was also common. The natural history of chronic HBV infection in Chinese is very different from that in Caucasians. Carrier children were usually highly viremic but had minimal liver disease. The level of HBV replication generally decreased with age and duration of infection. The transition from replicative to non-replicative phase of HBV infection was rapid and smooth in some patients but protracted and fluctuating in others. In the latter patients, fluctuations in level of HBV replication were often associated with recurrent exacerbations which may be mistaken for acute hepatitis B.

Two reports on the deleterious effect of prednisone in HBV-related chronic active hepatitis were published in the early 1980s. Our study on prednisone remains the only randomized controlled trial of steriod in chronic hepatitis B and is widely quoted. Since 1985, we reported the world's largest, unicentre randomized controlled trial of alpha-interferon in the treatment of chronic hepatitis B and is the first centre in the world to conduct randomized controlled trials of interferon in carrier children. Our results were disappointing. However, two subsets of patients may have some benefit. Prednisone priming appears to have a marginal improvement on the antiviral response in carrier children.

In the most recent studies, a new antiviral agent, lamivudine, is tested. Our team has been invited as one of the first centres to try this new drug. An initial phase II trial showed that lamivudine was effective in suppression of HBV DNA in 100% of the patients. The drug was almost free of side effects. At present, a double-blind multicentre phase 3 trial is being carried out to investigate the long term use of lamivudine in HBV carriers.

Hepatocellular carcinoma (HCC)

HCC is the commonest cancer affecting males in the world and the second commonest cancer in Hong Kong. The probable role of HBV in hepatocarcinogenesis was drawn from epidemiological studies, molecular virology and animals infected with the hepadna viruses (a group of viruses phylogenetically related to HBV). From our studies, we concluded that in chronic HBV infection, there was random integration of HBV DNA into the host genome. The cirrhosis associated with HBV infection would enhance HCC development by necroinflammation and increased HBV DNA integration during regeneration of cells. Random HBV DNA integration may trigger the development of malignant clone(s) of cells, leading to HCC.

The clinical features of HCC patients were reviewed in two studies involving almost 400 Hong Kong Chinese. The male to female ratio was 5 to 1 with a peak incidence of presentation at the sixth decade. Only 66% of subjects had significantly elevated alpha-foetoprotein (AFP) level of over 200 ng/ml. 95% of the subjects were positive for HBsAg in the serum. A significantly higher protportion of males had cirrhosis than females HBV carriers (95% vs 71%). These findings support the importance of HBV and cirrhosis in hepatocarcinogenesis.

The only two indicators of poor prognosis were a raised bilirubin at presentation and the presence of clear cells in the hepatoma. The resectability rate was only 3% in our series. The median survival rate was 3.5 weeks for untreated patients.

Since the majority of our patients has inoperable HCC, the treatment of these patients was therefore systematically studied. Doxorubicin (adriamycin) recombinant alpha2 interferon, (rIFN) and interleukin 2 were studied in controlled settings. Only marginal befnefit was observed on survival in patients receiving these agents. In conjunction with the Department of Diagnostic Radiology, The University of Hong Kong, tumour chemoembolization had been tried and found to be useful in tumour shrinkage, especially if the tumour is less than 9 cm in diameter.

Hepatitis B vaccination

The ultimate goal for the eradication of HBV

associated disease, i. e., cirrhosis and HCC, is the global eradication of HBV infection by hepatitis B vaccination. Prospective randomized studies were carried out with both the plasma-derived vaccines and the recombinant DNA yeast vaccine. They were demonstrated to be highly efficacious in our population. Furthermore, we have demonstrated that no booster dose is required for those who have had successful seroconversion after active immunization.

Liver transplantation

The liver transplantation team of the Queen Mary Hospital has the most active liver transplant programme in South East Asia. It performed the first liver transplantation in Hong Kong in 1991, and has carried out over 20 cases in the ensuing 3.5 years. The reluctance in organ donation in this Chinese community has gradually improved with the intense public educational programmes mounted by the Hong Kong Liver Foundation, which this Division has helped to found and with which we collaborate closely. The team has also started a programme for HBV related cirrhosis, using Lamivudine to prevent reinfection of the transplanted liver by HBV.

FUTURE DIRECTIONS

A solid foundation has been laid down that enables the Division to take a leading role in education, research, and clinical service in Hong Kong, the region and the world. With the establishment of the Academy of Medicine in 1992, a statutory body that overlooks postgraduate education and training in Hong Kong, the Division has liaised, and will continue to do so, with the Hong Kong College of Physician in establishing training guidelines and programmes for accreditation in gastroenterology and hepatology. Education and research frontiers and network will continue to widen in the direction of the University's mission, and clinical service will continue to respond spontaneously and responsibly to the need of the community. The sovereignty change in 1997 has motivated the Division to play an ever more active role in advancing gastroenterology and hepatology in the region.

PUBLICATIONS (from 1985)

Peptic ulcer

Lam SK, Lai CL, Lee LNW, Fok KH, Ng MMT, Siu KF. Factors influencing healing of duodenal ulcer. Control of nocturnal secretion by H2 blockade and characteristics of patients who failed to heal. Dig Dis Sci 1985; 30: 45-51.

Lam SK. Use of cytoprotective agents in the treatment of gastric ulcers. Med J Aust 1985; 142: S21-23.

Lam SK, Koo J. Gastrin sensitivity in duodenal ulcer. Gut 1985; 26:485-490.

Lam SK, Lai CL, Ng MMT, Fok KH, Hui WM. Duodenal ulcer healing by separate reduction of postprandial and nocturnal secretions have different pathophysiology. Gut 1985; 26: 1038-1044.

Lam SK, Lau WY, Lai CL, Lee NW, Poon GP, Hui WM, Lok A, Ng MMT, Fok KH, Yu HC. Efficacy of sucralfate in corpus, prepyloric, and duodenal-ulcer associated gastric ulcers. A double-blind, placebo- controlled study. Am J Med 1985; 79: 24-31.

Lam SK. Heterogeneous origin of hyperacidity in duodenal ulcer. In: Kreuning J, Meuwissen SGM, Eriksson AW, eds. Workshop on genetic and clinical aspects of pepsinogen. 1985; 255-271.

*Kumana CR, Lam SK. Role of H2 antagonists in the treatment and prevention of duodenal and gastric ulceration. H K Pract 1985; 7: 1291-1294.

*Lam SK. Unique advantages of prostaglandin E analogues in peptic ulcer diseases. Therap Today 1986; 5: 26-33.

Lam SK. Cytoprotective agents in gastric disorders. World Therap Digest 1986; 1: 2-4.

Lam SK, Lau WY, Choi TK, Lai CL, Lok ASF, Hui WM, Ng MMT, Choi SKY. Prostaglandin E1 (misoprostol) overcomes the adverse effect of chronic cigarette smoking on duodenal-ulcer healing. Dig Dis Sci 1986; 31: 68S-74S.

*Lam SK. Update on management of peptic ucler. Med Prog 1986; 13: 27-34.

Lam SK. Prostaglandins for duodenal ulcer and gastric ulcer. J Gastroenterol Hepatol 1986; 1: 471-481.

*Lam SK. Cytoprotective agents come of age. World Therap Digest 1986; 1: 2-4.

Lam SK, Hui WM, Lam WY, Branicki FJ, Lai CL, Lok ASF, Ng MTT, Fok PJ, Poon GP, Choi TK. Sucralfate overcomes adverse effect of cigarette smoking on duodenal ulcer healing and prolongs subsequent remission. Gastroenterology 1987; 92: 1193-1201.

Hui WM, Lam SK. Multiple duodenal ulcer. Gut 1987; 28: 1134-1141.

Lam SK. Prostaglandins for duodenal ulcer. Clin Invest Med, 1987; 10: 232-237.

Koo J, Lam SK. Discriminant factors of gastric ulcer healing by colloidal bismuth. J Gastroenterol Hepatol 1987; 2: 473-483.

Hui WM, Lam SK. Monthly variation in duodenal ulcer frequency and maximal acid output. J Gastroenterol Hepatol 1988; 3: 457-463.

Lam SK, Piper DW. Geographical variations in peptic ulcer. J Gastroenterol Hepatol 1988; 3: 399-401.

Feldman M, Richardson CT, Lam SK, Samloff IM. Comparison of gastric acid secretion rates and serum pepsinogen I and II concentrations in occidental and oriental duodenal ulcer patients. Gastroenterology 1988;95:630-635.

Lam SK. Antacids: past, present and future. In: Piper DW, ed. Peptic ulcer. Clinics in gastroenterology. London: WB Saunders 1988: 641-654.

Lam SK. Peptic ulcer: from epidemiology to cause. In: Lam SK, Choi KW, Sung JL, eds. Omeprazole, the first proton pump inhibitor for peptic ulcer disease. J Gastroenterol Hepatol 1989;4(Suppl 2):1-6.

Hui WM, Lam SK. Perforated peptic ulcer. Med Prog 1989; 16: 12-16

Hui WM, Liu HC, Lam SK. Parietal cells in duodenal ulcer disease: a histochemical study of the effects of omeprazole and ranitidine on mitochondrial activities. J Gastroenterol Hepatol 1989;4:143-149.

Domschke W, Lam SK, Pounder RE, Andersen D. H2-Blocker-resistant duodenal ulceration. Gastroenterol Int 1989;2:85-91.

Lam SK. Implications of sucralfate induced ulcer healing and relapse. Am J Med 1989; 86:122-126.

Hui WM, Lam SK, Lau WY, Branicki FJ, Lok ASF, Ng MMT, Lai CL, Poon GP. Omeprazole and ranitidine in duodenal ulcer healing and subsequent relapse - a randomized double-bllind study with weekly endoscopic assessment. J Gastroenterol Hepatol 1989;4(Suppl 2):35-43.

Lam SK, Hui WM, Ng MMT, Lok ASF, Lai CL, Branicki F, Lau WY, Poon GP. Reducing meal-stimulated acid secretion versus reducing nocturnal acid secretion for the healing of duodenal ulcer. Dig Dis Sci 1989;34:1494-1500.

Lam SK. Why do ulcers heal with sucralfate? Scand J Gastroenterol 1990;25(Suppl 173):6-16.

Lam SK. Treatment of duodenal ulcer with sucralfate. Scand J Gastroenterol 1991;26(suppl 185):22-28.

Halter F, Lam SK. Action of antacids: more than bulk neutralization? In: Garner A, Whittle BJ, eds. Advances in drug therapy of gastrointestinal ulceration. Chichester: John Wiley & Sons 1991:109-120.

Halter F, Lam SK. Antacid therapy and ulcer disease. In: Swabb EA, Szabo S, eds. Ulcer disease: investigation and basis for therapy. New York: Marcel Dekker, 1991:167-188.

Lam SK. Academic investigator's perspectives of medical treatment for peptic ulcer. In: Swabb EA, Szabo S, ed. Ulcer Disease: investigation and basis for therapy. New York: Marcel Dekker, 1991:431-450.

Lam SK. Pathogenesis and aetiology of duodenal ulcer. In: Jiang SJ, Xiao SD, Qian BY, ed. Gastroenterology. Shanghai: Shanghai Scientific & Technical Literature Publishers, 1992:126-168.

Hui WM, Lam SK, Lok ASF, Ng MMT, Lai CL. Maintenance therapy for duodenal ulcer: a randomized controlled comparison of seven forms of treatment. Am J Med 1992;92:265-274.

Lam SK. Antacids revisited. Curr Therap 1992;33:61-67.

*WM Hui,GKK Lau. Update on the treatment of stress ulcers. Drug of Today 1992; 28: 363-370.

Bamberg P, Caswell CM, Frame MH, Lam SK, Wong ECK. A meta-analysis comparing the

efficacy of omeprazole with H2-receptor antagonists for acute treatment of duodenal ulcer in Asian patients. J Gastroenterol Hepatol 1992:7:577-585.

Lam SK. Epidemiology and genetics of peptic ulcer. Gastroenterol Japon 1993;28 (suppl 5):145-157.

Lam SK, Byth K, Ng MMT, Hui WM, McIntosh J, Piper DW. Perforated peptic ulcer in Hong Kong and New South Wales. J Gastroenterol Hepatol 1992;7:508-511.

Ching CK, Lam SK. Antacids - indications and limitations. Drugs 1994;47:305-317.

Lam SK, Ching CK. Sucralfate in clinical practice. J Gastroenterol Hepatol 1994;9:401-411.

Lam SK. Aetiological factors of peptic ulcer: perspectives of epidemiological observations this century. J Gastroenterol Hepatol 1994;9(Suppl 1):S93-S98.

Lam SK. Etiology and pathogenesis of peptic ulcer. J Gastroenterol 1994;29(Suppl VIII):39-54.

Lam SK, Hui WM, Ching CK. Epidemiology, pathogenesis and etiology of peptic ulcer. In: Haubrich WS, Schaffner F, Berk JE, eds. Bockus Gastroenterology. Philadelphia: WB Saunders, 1994:700-748.

Lam SK, Ching CK. Pathophysiology and diagnosis of peptic ulcer. In: Hunt R, ed. Proton pump inhibitors and acid related disorders. Osaka: Adis International, 1994:33-48.

Lam SK, Hui WM, Shiu LP, Ng MMT. Society stress and peptic ulcer perforation. J Gastroenterol Hepatol (in press).

Lam SK. Therapy of gastric ulcer disease. In: Hollander D, Tytgat GN eds, Sucralfate from basic science to the bedside. New York: Plenum Medical Book Company 1995:239-247.

Lam SK. Epidemiology and genetics of peptic ulcer. In: Zheng ZT, ed. Textbook of Gastroenterology. Beijing 1995 (in press) (Chinese).

Gastrointestinal bleeding

*Lam SK, Hui WM. Stress ulcer syndrome. GI Futures 1987; 2: 4-10.

*Branicki FJ, Coleman SY, Pritchett CJ, Cheung WL, Tuen HH, Fok PJ, Fan ST, Lai ECS, Lau PWK, Mok FPT, Lam SK, Hui WM, Lam DKH, Tang APK, Tse MCK, Wong J. Bleeding duodenal ulcer: risk models and mortality for emergency surgery. J Hong Kong Med Assoc 1989:41:320-325.

Branicki FJ, Boey J, Fok PJ, Pritchett CJ, Fan ST, Lai ECS, Mok FPT, Wong WS, Lam SK, Hui WM, Ng MMT, Lok ASF, Lam DKH, Tang APK, Coleman SY, Wong J. Bleeding gastric ulcer: a prospective evaluation of rebleeding and mortality. Aust N Z J Surg 1989;59:551-562.

Branicki FJ, Coleman SY, Fok PJ, Pritchett CJ, Fan ST, Lai WCS, Mok FPT, Cheung WL, Lau PWK, Tuen HH, Lam SK, Hui WM, Ng MMT, Lam DKH, Tse MCK, Tang APK, Wong J. Bleeding peptic ulcer: a prospective evaluation of risk factors for rebleeding and mortality. World J Surg 1990:14:262-270.

Branicki FJ, Boey J, Fok PJ, Pritchett CJ, Fan ST, Lai ECS, Mok FPT, Wong WS, Lam SK, Hui WM, Ng MMT, Lok ASF, Lam DKH, Tse MCK, Tang APK, Wong J. Bleeding duodenal ulcer. A prospective evaluation of risk factors for rebleeding and death. Ann Surg 1990;211:411-418.

Branicki FJ, Coleman, SY, Tuen HH, Cheung WL, Pritchett CJ, Jok PJ, Fan ST, Lai ECS, Mok FPT, Lam SK, Hui WM, Ng MMT, Lam DKH, Tang APK, Tse MCK, Wong J. Acute non-variceal upper gastrointestinal bleeding in Hong Kong: a prospective evaluation in 1049 patients. Eur J Gastroenterol Hepatol 1990;2:309-325.

Hui WM, Ng MMT, Lok ASF, Lai CL, Lau YN, Lam SK. A comparative study of laser photocoagulation, heater probe and bipolar electrocoagulation in the treatment of active bleeding ulcers. Gastrointest Endosc 1991;37:299-304.

Branicki FJ, Coleman SY, Pritchett CJ, Fan ST, Lai ECS, Lau PWK, Mok FPT, Cheung WL, Tuen H, Fok PJ, Lam DKH, Tang APK, Tse MCK, Lam SK, Hui WM, Wong J. Emergency surgical treatment for nonvariceal bleeding of the upper part of the gastrointestinal tract. Surg Gynaecol Obstet 1991;172:113-120.

Branicki FJ, Coleman SY, Lam TCF, Schroeder

D, Tuen HH, Cheung WL, Pritchett J, Lau PWK, Lam SK, Hui WM, Lam DKH, Tse MCK, Wong J. Hypotension and endoscopic stigmata of recent haemorrhage in bleeding peptic ulcer: Risk models for rebleeding and mortality. J Gastroenterol Hepatol 1992;7:184-190.

Hui WM, Lam SK. Gastric acid secretion, parietal cell sensitivity and endoscopic characteristic of duodenal ulcer patients with and without stigmata of recent bleeding. Gastrointest Endosc 1992;38:361-364.

Lam SK, Hui WM. Is stress ulcer bleeding still an ominous killer in present day ICU's? J Gastroenterol Hepatol 1992;7:553-555.

Lam SK. Gastrointestinal bleeding - a new agenda. In: Goonaratna C, de Silva HJ, ed. Gastroenterology Update. Ananda Press, Columbo, Sri Lanka 1993:1-15.

Lam SK, Lai KC. Endoscopic haemostasis for gastrointestinal bleeding: The dawning of a new era. J Gastroenterol Hepatol 1994;9:69-74.

Gastrointestinal cancers

‡Ching CK, Black R, Helliwell T, Savage A, Barr H, Rhodes JM. Use of lectin histochemistry in pancreatic cancer. J Clin Pathol 1988;41: 324-328.

‡Ching CK, Rhodes JM. Identification and partial characterization of a new pancreatic cancer related serum glycoprotein by sodium dodecyl sulphate-polyacrylamide gel electrophoresis and lectin blotting. Gastroenterol 1988; 95: 137-142.

‡Ching CK, Rhodes JM. Enzyme linked PNA lectin binding assay compared with CA19-9 and CEA radioimmunoassay as a diagnostic blood test for pancreatic cancer. Br J Cancer 1989; 59: 949-953.

‡Ching CK. Glycoprotein alterations in pancreatic cancer [MD thesis]. Liverpool: University of Liverpool, 1990.

‡Ching CK, Rhodes JM. Identification of the peanut-agglutinin binding pancreatic cancer serum marker in pancreatic tissue extracts. Br J Cancer 1990: 61: 69-71.

‡Ching CK, Rhodes JM. Purification and

characterisation of a peanut-agglutinin binding pancreatic cancer-related serum mucus glycoprotein. Int J Cancer 1990; 45: 1022-1027.

‡Rhodes JM, Ching CK. Serum diagnostic tests for pancreatic cancer. In: Neoptolemos J, ed. Bailliere's clinical gastroenterology. London: W.B. Saunders 1990:833-852.

‡Ching CK, Allan RN. Polycythaemia rubra vera and ulcerative colitis. Am J Gastroenterol 1990; 85: 1203-1204.

‡Ching CK. Trousseau's syndrome in a patient with cholangiocarcinoma. Am J Gastroenterol 1991; 86: 928-929.

Hui WM, Lam SK. Helicobacter pylori causes cancer: true or false? Am J Gastroenterol 1992:87:1535-1539.

‡Parker N, Makin CA, Ching CK, Eccleston D, Taylor OM, Milton JD, Rhodes JM. A new enzyme-linked lectin/mucin antibody sandwich assay (CAM 17.1/WGA) assessed in combination with CA19-9 and peanut lectin binding assay for the diagnosis of pancreatic cancer. Cancer 1992; 70: 1062-1068.

‡Ching CK, Holmes SW, Holmes GKT, Long RG. Comparison of two sialosyl-Tn binding monoclonal antibodies (MLS102 and B72.3) in detecting pancreatic cancer. Gut 1993; 34: 1722-1725.

‡Ching CK, Greer AJ. Metachronous biliary tract carcinomas in a patient with neurofibromatosis - a case report. Am J Gastroenterol 1993; 88: 1124-1125.

‡Ching CK, Holmes SW, Holmes GKT, Long RG. Blood group sialy-Tn antigen is more specific than Tn as a tumor marker in the pancreas. Pancreas 1994; 9: 698-702.

‡Neoptolemos J, Lemoine N, Rhodes JM, Ching CK. Cancer of the Ampulla of Vater and Pancreas. In: Allen WH, Fielding JWR, eds. Management of premalignancy and early cancer. Oxford: Oxford University Press 1995 (in press).

‡Rhodes JM, Yiannakou Y, Ching CK. Pancreatic Tumour Markers. In: Beger HG, Warshaw AL, Carr-Locke D, Russell C, Buchler M, Neoptolemos J, Sarr M, eds. The pancreas: a clinical textbook. Oxford: Blackwell Scientific Publications 1995 (in press).

Helicobacter pylori and gastrointestinal diseases

Ho J, Lui I, Hui WM, Ng MTT, Lam SK. A study of the correlation of duodenal-ulcer healing with campylobacter-like organisms. J Gastroenterol Hepatol 1986; l: 69-74.

Hui WM, Lam SK, Ho J, Ng MTT, Lui I, Lai CL, Lok A, Lau WY, Poon GP, Choi S, Choi TK. Chronic antral gastritis in duodenal ucler - natural history and treatment with prostaglandin E. Gastroenterology 1986; 91: 1095-1101.

Hui WM, Lam SK, Chau PY, Ho J, Lau WY, Poon KP, Lai CL, Lok ASF, Lui IOL, Ng MMT. Pathogenetic role of Campylobacter pyloridis in gastric ulcer. J Gastroenterol Hepatol 1987; 2: 309-316.

Hui WM, Lam SK, Chau PY, Ho J, Lui I, Lai CL, Lok ASF, Ng MMT. Persistence of Campylobacter pyloridis despite healing of duodenal ulcer and improvement of accompanying duodenitis and gastritis. Dig Dis Sci 1987; 32: 1255-1260.

Hui WM, Lam SK, Ho J, Ng I, Lau WY, Branicki FJ, Lai CL, Lok ASF, Ng MMT, Fok PJ, Poon GP, Choi TK. The effect of sucralfate and cimetidine on duodenal ulcer associated antral gastritis and campylobacter pylori. Am J Med 1989;86:60-65.

Hui WM, Lam SK. Etiology and management of chronic gastritis. Dig Dis 1989;7:51-60.

Ho J, Hui WM, Ng I, Lam SK. Natural history of Campylobacter pylori in duodenal ulceration treated with an H2-antagonist. Aliment Pharmacol Therap 1989;3:315-320.

Hui WM, Ho J, Lam SK. The pathogenetic role of Helicobacter pylori in duodenal ulcer disease - a multivariate analysis of the factors affecting relapse. Dig Dis Sci 1991;36:424-430.

Hui WM, Lam SK, Ho J, Lai CL, Lok ASF, Ng MMT, Lau WY, Branicki FJ. The effect of omeprazole on duodenal ulcer associated antral gastritis & Helicobacter pylori. Dig Dis Sci 1991;36:577-582.

‡Ching CK. A simplified diagnostic approach to Helicobacter pylori infection - Is it adequate? Am J Gastroenterol 1991; 86: 1276-1277.

‡Ching CK, Buxton C, Holgate C, Holmes GKT. Cytological brushing urea broth test - a highly sensitive and specific test for Helicobacter pylori infection. Gastrointest Endosc 1991; 37: 550-551.

‡Ching CK. Impaired Helicobacter pylori urease enzyme activity by histamine 2 receptor antagonist. Am J Gastroenterol 1992; 87: 257-258.

‡Ching CK, Thompson S, Buxton C, Holgate C, Holmes GKT. Evaluation of a commercial enzyme-linked immunosorbent assay (ELISA) kit for serological diagnosis of Helicobacter pylori infection in a group of non-ulcer dyspepsia sufferers. Postgrad Med J 1993; 69: 456-460.

Ching CK, Lam CK. Helicobacter pylori epidemiology in relation to peptic ulcer and gastric cancer in south and north China. J Gastroenterol Hepatol 1994; 9(suppl.1): S4-7.

*Ching CK, Lam SK. Helicobacter pylori as an aetiological factor in gastric cancer? Asian Cancer Bull 1994;1:1-6.

*Ching CK, Yuen ST, Luk ISC, Ho J, Lam SK. The prevalence of Helicobacter pylori carrier rates among the healthy blood donors in Hong Kong. J Hong Kong Med Assoc 1994; 46: 295-298.

Ching CK, Lam SK. Non-ulcer dyspepsia - association with chronic Helicobacter pylori infection related gastritis? J Clin Gastroenterol (in press).

*Ching CK. Helicobacter pylori in peptic ulcer disease and gastric cancer - Editorial commentary. JAMA (SEA) 1995; 10: 17-18.

Lam SK, Hu WHC, Ching CK. Sucralfate in Helicobacter pylori eradication strategies. Scand J Gastroenterol (in press).

Gastrointestinal motility

Hui WM, Lam SK, Lok ASF, Ng MTT, Wong KL, Fok KH. Sulpiride improves functional dyspepsia - a double blind controlled study. J Gastroenterol Hepatol 1986; 1: 391-399.

*Hui WM, Lam SK. Non-ulcer dyspepsia. Actiology and management. Med Prog 1989:25-32.

Hui WM, Shiu LP, Lam SK. The perception of life events and daily stress in nonulcer dyspepsia.

Am J Gastroenterol 1991;86:292-296.

Kellow J, Shuter B, Hoschl R, Riley J, Lunzer MR, Eckstein R, Lam SK. Cisapride study. Aliment Pharmacol Therap (in press).

Scott AM, Kellow JE, Cowan RN, Shuter B, Corbett A-M, Riley JW, Lunzer MR, Eckstein RP, Hoschl R, Lam S-K, Jones MP. Intragastric distribution and gastric emptying in functional dyspepsia. Influence of symptom subgroups and Helicobacter pylori-associated gastritis. Dig Dis Sci (in press).

Gastric mucosal blood flow

Chen BW, Hui WM, Lam SK, Cho CH, Ng MMT, Luk CT. Effect of sucralfate on gastric mucosal blood flow in rats. Gut 1989;30:1544-1551.

Murakami M, Lam SK, Inada M, Miyake T. Pathophysiology and pathogenesis of acute gastric mucosal lesions following hypothermic restraint stress in rats. Gastroenterol 1985; 88: 660-665.

Cho CH, Chen BW, Poon YK, Ng MMT, Hui WM, Lam SK, Ogle CW. Dual effects of zinc sulphate on ethanol-induced gastric injury in rats: possibly mediated by an action on mucosal blood flow. J Pharmacol 1989;41:685-689.

Cho CH, Chen BW, Hui WM, Lam SK. The influence of acute or chronic nicotine treatment on ethanol-induced gastric mucosal damage in rats. Dig Dis Sci 1990;35:106-112.

Cho CH, Chen BW, Hui WM, Luk CT, Lam SK. Endogenous prostaglandins: its role in gastric mucosal blood flow and ethanol ulceration in rats. Prostaglandins 1990;40:397-403.

Cho CH, Liao NX, Liu XG, Hui WM, Luk CT, Lam SK. Effect of adenosine on gastric and cardiovascular systems, and ethanol ulceration in male and female rats. Eur J Pharmacol 1991;201:157-162.

Hui WM, Chen BW, Cho CH, Luk CT, Lam SK. The effect of misoprostol, omeprazole and sucralfate on nicotine-ethanol induced gastric injury and gastric mucosal blood flow - a comparative study. J Gastroenterol Hepatol 1990;5:653-658.

Hui WM, Chen BW, Cho CH, Luk CT, Lam SK.

The effect of components of sucralfate on gastric mucosal blood flow. Eur J Gastroenterol Hepatol 1991:3:169-173.

Hui WM, Chen BW, Cho CH, Luk CT, Lam SK. The role of gastric mucosal blood flow in cytoprotection. Digestion 1991;48:113-128.

Hui WM, Chen BW, Cho CH, Luk CT, Lam SK. The effect of epidermal growth factor on gastric mucosal blood flow - possible role in mucosal protection. Gastroenterol 1993;104:1605-1610.

Lam S.K. Treatment of peptic ulcer in relation to the effect of nicotine on gastric mucosal blood flow and acid secretion. J Tokyo Women's Med Coll 1993;63:41-50.

Cho CH, Chen BW, Ho CS, Ko JKS, Lam SK. Assessment of hemodynamic changes in rat stomachs by laser doppler velocimetry and reflectance spectrophotometry. Effects of ehtanol and prostaglandin E2 under ischemic and congestive conditions. Digestion 1994;55:389-394.

Experimental ulcer

Hui WM, Ho J, Chen BW, Cho CH, Lam SK. Nicotine induced gastric injury - protective effects of sucralfate and feeding - a quantitative macroscopic and microscopic analysis. Gut 1991;32:372-376.

Cho CH, Chen BW, Hui WM, Lam SK, Ogle CW. The role of the vagus nerve in the protective action of acid inhibitors on ethanol-induced gastric mucosal damage in rats. J Gastroenterol Hepatol 1992;7:178-183.

Cho CH, Chen BW, Hui WM, Luk CT, Lam SK. The cytoprotective effects of zinc L-carnosine on ethanol-induced gastric gland damage in rabbits. J Pharm Pharmacol 1992;44:364-365.

Cho CH, Hui WM, Liao NX, Liu XG, Lam SK, Ogle CW. Polyethyleneglycol: its adverse gastric effects. J Pharm Pharmacol 1992;44:518-520.

Lam SK, Cho CH, Chen BW, Lai KC, Ching CK, Ho CS, Li YN. Gastric cytoprotection by amoxycillin in the rat. J Gastroneterol Hepatol 1994;9:514-518.

Ko JKS, Cho CH, Lam SK, Koo MWL, Ching

CK. Contributions of physical and chemical properties of mild irritants to gastric cytoprotection in rats. Life Sci, Pharmacol Letters (in press).

Gastrointestinal hormones

Lam SK, Wong H, Ng MMT. Hypersomatostatinaemia in duodenal ulcer. J Gastroenterol Hepatol 1986; 1: 119-127.

Lam KSL, Yeung RTT, Ho PWM, Lam SK. Glucose intolerance in thyrotoxicosis - roles of insulin, glucagon and somatostatin. Acta Endocrinol 1987; 114: 228-234.

Hui WM, Liu HC, Lam SK, Koo A. Histamine containing cells in gastric fundus of dogs. Cell Mol Biol 1987; 33: 747-754.

Hui WM, Liu HC, Lam SK. Enterochromaffinlike cells of the human stomach - demonstration of histamine content and cholinergic nerve supply. Cell Mol Biol 1988:34:303-309.

Cholangitis

Lam SK, Chan CW. Pyogenic cholangitis recent aetiology and management. Survey Dig Dis 1985; 3: 12-24.

Lam SK, Chan CW. Diseases of the biliary tract and the gall bladder. In: Gyr KE, ed. Tropical Gastroenterology. Clinics in Gastroenterology. London: WB Saunders 1987: 297-318.

Chan CW, Lam SK. Diseases caused by liver flukes and cholangiocarcinoma. In: Gyr KE, ed. Tropical Gastroenterology. Bailliere's Clinical Gastroenterology. London: Bailliere Tindall 1987:297-318.

Toouli J, Lam SK, Stevenson G, Choi TK, Berci G, Mack E, Moody F. Symptomatic gallstones. HB Surg 1991;4:255-260.

*Lai KC, Yuen ST, Ching CK, Hu HC, Wong CY, Lai CL, Lam SK. Tuberculosis of the common bile duct. Illustrated Case Reports in Gastroenterol 1994;1:5-11.

Endoscopy

‡Ching CK, Wheatley D, Long RG. Biliary ectasia in a patient with Marfan syndrome. Am J Gastroenterol 1992; 87: 258-259.

‡Ching CK. Complications of skin level gastrostomy. Am J Gastroenterol 1993; 39: 467-468.

‡Shephard M, Sayers J, Ching CK. A solution to endoscopic removal of difficult bile duct stone. Gastroenterol Nurs 1994; 16: 231.

†Swain CP, Kadırkamanathan SS, Gong F, Lai KC, Ratani RS, Brown GJ, Mills TN. Knot tying at flexible endoscopy. Gastointest Endosc 1995; 40: 722-729.

Ng IOL, Lai KC, Ng M. Clinical and pathological features of gastric antral vascular ectasia-successful treatment with endoscopic laser therapy. J Gastroenterol Hepatol (in press).

Ching CK, Lai KC, Hu W, Lam SK. Cannulatome aided selective intrahepatic bile duct cannulation. Gastrointest Endosc (in press).

Miscellaneous topics on Gastroenterology

Lai CL, Wu PC, Wong KL, Lok ASF. Clinical features of ulcerative proctocolitis in Hong Kong Chinese: a review of three decades, Am J Proctol Gastroenterol Colon Rectal Surg 1985; 36, 14-19.

Wu PC, Pang SW, Chan KW, Lai CL. Statistical and pathological analysis of oral tumours in Hong Kong Chinese. J Oral Pathol 1985; 15:98-102.

Lam SK, Okuda K, Piper D, Powell LW, Shearman DJC, Seah CS. Founding editorial. J Gastroenterol Hepatol 1986;1:1-2.

Lok ASF, Wong KP, Lee PK, Chiu KW, Mok CK, Lam SK. Radiological diagnosis of leiomosarcoma of inferior vena cava. Clin Radiol 1986: 37: 403-5.

Lam SK. The stomach. In: Gitnick GL, ed. Current gastroenterology. Chicago, London: Year Book Medical Publishers, 1986: 33-62.

‡Rhodes JM, Parker N, Ching CK, Patel P. Mucin subclasses in ulcerative colitis. Gastroenterol 1987; 93: 435-437.

Lam SK, Hui WM, Ng MTT. The stomach. In: Gitnick GL, ed. Current Gastroenterology. Chicago, London: Year Book Medical Publishers, 1987: 31-65.

Chung HT, Wong KL, Liang RHS. Loke SL, Liu HW, Tso WK, Chan SCH, Lai KSL, Lai CL. Non-Hodgkin's lymphoma as a cause of hypoadrenalism. Aust NZ J Med 1987; 17: 605-607.

Lam SK, Choi TK, Lai CL, Lok ASF, Lau WY, Hui WM, Choi S, Poon GP. Healing of duodenal ulcer by misoprostol is unaffected by smoking. Postgrad Med J 1988; 64(Supp. 1):81.

Leung MP, Chau KT, Hui TW, Tam AYC, Chan FL, Lai CL, Yeung CY. Necrotizing enterocolitis in neonates with symptomatic congenital heart disease. J Paediatr 1988; 113:1044-1046.

Lin CK, Liu HW, Tse PWT, Lai CL, Chan GT. A patient with large granular lymphocytosis of unusual phenotype and polymorphic T-cell resector beta chain gene rearrangement. Am J Clin Pathol 1990; 94:211-261.

‡Holmes GKT, Ching CK. Coeliac disease in the 1990s. Curr Med Lit Gastroenterol 1990; 9: 127-133.

‡Ching CK, Rhodes JM. Diabetes mellitus and pancreatic disease. In: Pickup JC, Williams G, eds. Textbook of diabetes. Oxford: Blackwell Scientific Publications 1991: 256-262.

Farrell GC, Lam SK, Mathan VI, Okuda K. The J Gastroenterol Hepatol: The first five years... and the next. J Gastroenterol Hepatol 1991;6:1-2.

*GKK Lau, WM Hui. Diagnosis of noncardiac chest pain of esophageal origin. H K Pract 1992;14:15-20.

Shiu LP, Hui WM, Lam SK. Negative social events, stress, and health in Hong Kong. J Epidemiol Comm Health 1993;47:181-185.

‡Rhodes JM, Ching CK. The application of lectins to the study of mucosal glycoproteins. Meth Mol Biol 1993; 14: 247-262.

‡Ching CK, Long RG, O'Hara R, Richardson J. Iatrogenic bismuth toxicity associated with inadvertent long term De-Noltab ingestion. Int J Pharm Pract 1993; 2: 111-113.

Ching CK, Lam SK. A comparison of two prostaglandin analogues (enprostil vs misoprostol) in the treatment of acute duodenal ulcer disease. J Gastroenterol (in press).

Ching CK. Application of sequential degradation to lectin blots. In: Rhodes JM, Milton JD, eds. Lectins in medical research, Methods in molecular biology. New Jersey: Humana Press Inc. 1995 (in press).

Ching CK, Lam SK. General aspects in drug therapy of peptic ulcer disease. Br J Hosp Med (in press).

Chronic hepatitis B carriage and cirrhosis

Lai CL. Chronic hepatitis B related diseases in Hong Kong. Chronicle, Roy Coll Phys Edin 1985; 157-180.

*Lok ASF, Lai CL, Lam SK. HBsAg positive patients: What to do? Med Prog 1985; 12:7-10.

Fowler MJF, Greenfield C, Chu CM, Karayiannis P, Dunk A, Lok ASF, Lai CL, Yeoh EK, Monjardino JP, Wankya BM, Thomas HC. Integration of HBV-DNA may not be a prerequisite for the maintenance of the state of malignant transformation - an analysis of 100 liver biopsies. J Hepatol 1986; 2:218-229.

Lok ASF, Lin HJ, Wu PC, Lai CL. Serum bile acids and other liver function tests in patients with chronic hepatitis B treated with interferon: An interim report. Proceedings of the IXth International Congress of Infectious Diseases and Parasitic Diseases, Munich July 20-26, 1986. Ed. W Marget, W Lang, E Gabler Sandberger. MMV Medizin Verlag GmbH Munchen 1986; 87-89.

Lok ASF, Lai CL, Wu PC. Interferon therapy of chronic hepatitis B virus infection in Chinese. J Hepatol 1986; 3(Suppl 2):S209-S215.

Lin HJ, Lai CL, Wu PC. Serum hepatitis B viral DNA in HBsAg-positive hepatocellular carcinoma treated with interferon or adriamycin. Br J Cancer 1986; 54:67-73.

Lin HJ, Wu PC, Lai CL, Leong S. Molecular hybridization study of plasma hepatitis B virus DNA from different carriers. J Infect Dis 1986; 154:983-989.

Lok ASF, Lai CL, Wu PC, Leung EKY, Lam TS. Spontaneous hepatitis B e antigen to antibody seroconversion and reversion in Chinese patients with chronic hepatitis B virus infection. Gastroenterology 1987; 92:1839-1843.

*Lai CL. Hepatitis B carriers in Hong Kong. Malay J Med Lab Sci 1986;3:26-32.

Lok ASF. Antiviral therapy of chronic hepatitis B virus infection. J Gastroenterol Hepatol 1986; 1: 169-179.

Lok ASF, Lai CL, Wu PC, Wong VCW, Yeoh EK, Lin HJ. Hepatitis B virus infection in Chinese families in Hong Kong. Am J Epidemiol 1987; 126:492-499.

Lin HJ, Wu PC, Lai CL. An oligonucleotide probe for detection of hepatitis B virus DNA in serum. J Virol Meth 1987; 15:139-149.

Lok ASF, Lai CL, Hui WM, Ng MMT, Wu PC, Lam SK, Leung EKY. Risk of transmission of hepatitis B and Non-A Non-B by fibreoptic upper gastrointestinal endoscopy. J Gastroenterol Hepatol 1987; 2:175-180.

Lai CL, Lok ASF, Lin HJ, Wu PC, Yeoh EK, Yeung CY. The effect of recombinant alpha₂ interferon in Chinese HBsAg carrier children. Lancet 1987, 2:877-880.

*Lok ASF. Antiviral therapy of chronic hepatitis B virus infection. In: Proceedings of the Centennial Conference, Faculty of Medicine, HKU, 1988; 153-161.

Lok ASF, Lai CL, Wu PC, EKY Leung. A randomised controlled trial of recombinant alpha₂ interferon in Chinese patients with chronic hepatitis B virus infection: An interim report. In: Zuckerman AJ, ed. Viral hepatitis and liver disease. New York: Alan R Liss Inc 1988: 848-849.

Lai CL, Lok ASF, Lin HJ, Wu PC, Yeoh EK, Yeung CY. Effect of recombinant alpha₂ interferon in Chinese hepatitis B surface antigen carrier children: A prospective controlled trial. In: Zuckerman AJ, ed. Viral hepatitis and liver disease. New York: Alan R Liss, Inc 1988: 850.

Lok ASF, Lai CL, Wu PC. A longitudinal followup of asymptomatic HBsAg positive Chinese children. Hepatol 1988;8:1130-1133.

Lok ASF. Acute viral hepatitis in chronic carriers of hepatitis B virus: different patterns in different places. Hepatology 1989; 10: 252-253.

Chung HT, Lai CL, Wu PC, Lok ASF. Synergism

of chronic alcoholism and hepatitis B infection in liver disease. J Gastroenterol Hepatol 1989;4:11-16.

Lai CL, Lok ASF, Lin HJ, Wu PC, Lau JYN, Leung MP, Yeung CY. A review of the use of alpha2 interferon alone and following steroid withdrawal in HBsAg carrier children. In: Alfa 2b Interferon (Intron A) in the Treatment of Viral Hepatitis, Excerpta Medica, Asia Pacific Congress Series No. 91, 1989; 34-41.

Lok ASF, Lai CL, Wu PC, Leung EKY. Long-term follow-up in a randomised controlled trial of recombinant alpha2-interferon in Chinese patients with chronic hepatitis B infection. Lancet 1988, 2:298-302.

Lin HJ, Chung HT, Lai CL, Leong S, Tam OS. Detection of supercoiled hepatitis B virus DNA and related forms by means of molecular hybridisation to an oligonucleotide probe. J Med Virol 1989; 29: 284-288.

Lau JYN, Lai CL, Lin HJ, Lok ASF, Liang RHS, Wu PC, Chan TK, Todd D. Fatal reactivation of chronic hepatitis B virus infection following chemotherapy withdrawal in lymphoma patients. Q J Med 1989;73:911 917.

Lin HJ, Lau YN, Lai CL, Tam OS. Mutation in a "conserved" sequence in hepatitis B virus DNA specimens from Chinese HBsAg carrier children. In: Sung JL and Chan DS, ed. Viral hepatitis and hepatocellular carcinoma, Excerpta Medica, 1990; 92-98.

Lok ASF, Lai CL, Wu PC, Lau JYN, Leung EKY, Wong LSK. Treatment of chronic type B hepatitis with interferon: experience in Chinese patients. Semin Hepatol 1989; 4:249-253.

Lok ASF, Lai CL. Acute exacerbation in Chinese patients with chronic hepatitis B virus infection: incidence, etiology and predisposing factors. J Hepatol 1990; 10:29-34.

Lok ASF, Lai CL, Leung EKY. Interferon antibodies may negate the antiviral effects of recombinant alpha-interferon treatment in patients with chronic hepatitis B virus infection. Hepatology 1990; 12: 1266-1270.

Lin HJ, Lai CL, Lau JYN, Chung HT, Lauder I, Fong MW. Evidence for intrafamilial transmission of hepatitis B virus from sequence

analysis of mutant HBV DNAs present in two Chinese families. Lancet 1990: 336:208-212.

Wu PC, Lai CL, Choy C. Neutrophils in chronic active hepatitis type B. Arch Pathol Lab Med 1991;115:930-933.

Lin HJ, Lai CL, Lau JYN, Chung HT, Lauder I, Fong MW. DNA analysis of a mutant hepatitis B virus (HBV) in four members of a Chinese family: evidence for intrafamilial spread of infection. In: Hollinger FB, Lemon SM, Margolis H, eds. Viral hepatitis and liver diseases. Baltimore: Williams and Wilkins 1991: 207-209.

Kung AWC, Jones BM, Lai CL. Effects on interferon gamma therapy on thyroid function, 7 lymphocyte subpopulations and induction of autoantibodies. J Clin Endocrinol Metabol 1990; 71: 1230-1234.

Lai CL, Lin HJ, Lau JYN, Lok ASF, Wu PC, Lau JYN, Chung HT, Wong SK, Leung P, Yeung CY. Effect of recombinant alpha2 interferon with or without prednisone in Chinese HBsAg carrier children. Q J Med 1991; 78: 155-163.

Liang HS, Lok ASF, Lai CL, Chan TK, Todd D, Chiu KW, Ho CS. Hepatitis B infection in patients with lymphomas. Haematol Oncol 1990; 8: 261-270.

Lau JYN, Lai CL, Wu PC, Chung HT, Lok ASF, Lin HJ. Randomised controlled trial of interferon gamma in chronic hepatitis B infection. J Med Virol 1991; 34:184-187.

Lok ASF, Lai CL, Chung HT, Lau JYN. Morbidity and mortality from chronic hepatitis B virus infection in family members of patients with malignant and non-malignant hepatitis B virus related chronic liver diseases. Hepatol 1991; 13:834 - 837.

Lin HJ, Lai CL, Lauder IJ, Wu PC, Lau K, Fong MW. Application of hepatitis B virus DNA sequence polymorphisms to the study of HBV transmission. J Infect Dis 1991;164:284-288.

Lai CL, EK Yeoh, JYN Lau, WK Chang, HJ Lin. Significance of isolated anti-HBc seropositivity by ELISA: implications and the role of radioimmunoassay. J Med Virol 1992; 36: 180-183.

Lok ASF, Lai CL, Wu PC, Lau JYN, Leung EKY,

Wong LSK, Fung YL. Alpha interferon treatment in Chinese patients with chronic hepatitis B. J Hepatol 1990;11: S121-127.

Lok ASF, Wong A, Sporton S, Lai CL, Liu V, Chung HT. Hepatitis D virus superinfection remains a rare occurrence in non-drug abusers in Hong Kong. J Hepatol 1992, 14: 332-334.

Kung AWC, Lai CL, Wong KL, Tam CF. Thyroid functions in patients in interleukin-2 and lymphokine activated pillar cells. Q J Med 1992; 82:33-42.

Carman WF, Ferrao M, Lok ASF, Ma OC, Lai CL, Thomas HC. Sequence variation in Chinese isolates of hepatitis B virus. J Infect Dis 1992; 165: 127-133.

Lok ASF, Lai CL. Treatment of chronic hepatitis B virus infection in children. In: Rodes J, Arroyo V, eds. Therapy in liver diseases. Spain: Doyme SA 1991: 259-266.

Lok ASF, Wu PC, Lai CL, Lau JYN, Leung EKY, Wong LSK, Ma OCK, Lauder IJ, Ng CPL, Chung HT. Controlled trial of interferon with or without prednisone priming for chronic hepatitis B. Gastroenterology 1992;102:2091-2097.

Lok ASF, Lai CL. Incidence, neutralizing activity, and clinical significance of interferon antibodies in chronic hepatitis B patients receiving recombinant. - interferons. In: Hollinger EB, Lemon SM, Margolis HS, eds. Viral hepatitis and liver disease. Baltimore: Williams and Wilkins 1991: 643 - 645.

Wu PC, Lok ASF, Lau JYN, Lauder IJ, Lai CL. Histologic changes in Chinese patients with chronic hepatitis B virus infection following interferon - therapy. Am J Clin Pathol 1992; 98: 402-407.

Chung HT, Lok ASF, Lai CL. Re-evaluation of alpha-interferon treatment of chronic hepatitis B using polymerase chain reaction. J Hepatol 1993; 17: 208-214.

Lander IJ, Lin HJ, Lau JYN, Siu TS, Lai CL. The variability of the hepatitis B virus genome: statistical analysis and biological implications. Mol Biol Evol 1993; 10: 457 - 470.

Wu PC, Lau JYN, Lau TK, Lau SK, Lai CL. Relationship between intrahepatic expression of

hepatitis B viral antigens and histology in Chinese patients with chronic hepatitis B virus infection. Am J Clin Pathol 1993; 100: 648 - 653.

Fang JWS, Wu PC, Lai CL, Lo CK, Meager Ag, Lau JYN. Hepatic expression of interferon-alpha in Chinese patients with chronic hepatitis B virus infection. Dig Dis Sci 1994; 39: 2014-2021.

*Lau G, Lai CL. Hepatitis B: serology and virology. Aust Chinese Med Assoc J (in press).

Wu PC, Fang JWS, Lai CL, Lau SK, Lo CK, Lai A, Lau JYN. Hepatic expression of hepatitis B virus genome in chronic hepatitis B virus infection. Am J Clin Pathol (in press).

Chung HT, Lai CL, Lok ASF. Pathogenic role of hepatitis B virus in heptitis B surface antigen negative cirrhosis. Hepatology (in press).

CL Lai. Chronic hepatitis B-related liver diseases in the Chinese [MD thesis]. Hong Kong: The University of Hong Kong, 1994.

Hepatocellular carcinoma

Wong KL, Lai CL, Wu Pc, Hui WM, Wong KP, Lok ASF. Ultrasonographic studies in hepatic neoplasms: patterns and comparisions with contrast radiological studies. Clin Radiol 1985; 36:511-516.

Lai CL, Gregory PB, Wu PC, Lok ASF, Wong KP, Ng MMT. Hepatocellular carcinoma in Chinese males and females: possible causes for the male predominance. Cancer 1987; 60:1107-1110.

Lok A, Lai CL. Factors determining the development of hepatocellular carcinoma (HCC) in hepatitis B surface antigen carriers: A comparison between families with clusters and solitary cases of hepatocellular carcinoma. Cancer 1988; 61:1287-1291.

*Lai CL. Hepatocellular carcinoma in Hong Kong Chinese. In: Proceedings of the Centennial Conference, Faculty of Medicine, University of Hong Kong, Hong Kong University Press, 1988; 143-151.

Lai CL, Wu PC, Chan GCB, Lok ASF, Lin HJ. Adriamycin vs no antitumour therapy in inoperable hepatocellular carcinoma. A

prospective randomized trial. Cancer 1988; 62: 479-483.

Lok ASF, Lai CL. Alpha-fetoprotein monitoring in Chinese patients with chronic hepatitis B virus infectioin: role in the early detection of hepatocellular carcinoma. Hepatol 1989; 9: 110 113. Lau JYN, Lai CL. Hepatocarcinogenesis. Trop Gastroenterol 1990; 11: 9-24.

Lai CL, Wu PC, Lok ASF, Lin HJ, Ngan H, Lau JYN, Chung HT, Ng MMT, Yeoh EK, Arnold M. Recombinant alpha2 interferon is superior to doxorubicin for inoperable hepatocellular carcinoma: a prospective randomized trial. Br J Cancer 1989; 60:928-933.

*Lai CL. Interferons versus doxorubicin in the treatment of hepatocellular carcinoma. Interferon Cytokines 1990; 15:6-8.

Lai CL, Lau JYN, Wu PC, Hui WM, Lai ECS, Fan ST, Ngan H, Lin HJ. Subclinical hepatocellular carcinoma in Hong Kong Chinese. Oncology 1992; 49: 347 -353.

Chan TM, Cheng IKP, Wong KL, Chan KW, Lai CL. Crescentic IgA glomerulonephritis following interleukin - 2 therapy for hepatocellular carcinoma of the liver. Am J Nephol 1991; 11: 493-496.

Lai CL, Lau JYN, Wu PC, Ngan H, Chung HT, Mitchell SJ, Corbett TJ, Chow AWC, Lin HJ. Recombinant interferon - in inoperable hepatocellular carcinoma: a randomized controlled trial. Hepatol 1993; 17: 389 - 394.

Ngan H, Lai CL, Fan ST, Lai ECS, Yuen WK, Tso WK. Treatment of inoperable hepatocellular carcinoma by transcatheter arterial chemoembolization using an emulsion of ciplatin in iodized oil and gel foam. Clin Radiol 1993; 47: 315 - 320.

Hepatitis B vaccination

Lai CL, Yeoh EK, Chang WK, Lo V, Ng L. Use of the hepatitis B recombinant DNA yeast vaccine (H-B-VAX II) in children: Two doses vs three doses of 5 ug regime. An interim report. J Infect 1986; 13 (Suppl A): 19-25.

Yeoh EK, Lai CL, Chang WK, Lo HY. Comparison of the immunogenicity, efficacy and

safety of 10 ug and 20 ug of a hepatitis B vaccine: A prospective randomized trial. J Hygiene 1986; 96, 491-499.

Lok ASF, Lai CL, Wu PC, Ng MMT. Response to hepatitis B vaccine in family members of HBsAg carriers. J Med Virol 1986; 19: 1:33-39.

Lok ASF, Lai CL, Wu PC. Prevalence of isolated antibody to hepatitis B core antigen in an area endemic for hepatitis B virus infection: Implications in hepatitis B vaccination programs. Hepatology 1988; 8:766-770.

Lau JYN, Lai CL, Wu PC, Lin HJ. Comparison of two plasma derived hepatitis B vaccines long term report of a prospective trial. J Gastroenterol Hepatology 1989; 4:331-337.

Fang JWS, Lai CL, Chung HT, Wu PC, Lin HJ, Lau JYN. Females respond to hepatitis B virus vaccine with a higher titer than males. J Trop Pediatr 1993: 40: 107-114.

Lai CL, Wong BCY, Yeoh EK, Lin WL, Chang WK, Lin HJ. Five year follow-up of a prospective randomized trial of hepatitis B recombinant DNA yeast vaccine vs. plasma-derived vaccine in children: immunogenicity and anamnestic responses. Hepatology 1993; 18: 763 - 767.

Miscellaneous topics on Hepatology

Lok ASF, Lai CL, Wong KL, Lam WK. Intrahepatic cholestasis associated with enlarged gall bladder. Med J Aust 1986; 145: 36-37.

*Lau JYN, Lai CL. Interpretation of viral hepatitis serological markers a simplified guide for practitioners. Med Prog 1990;17:15-20.

Lau JYN, ASF Lok, Lai CL, Wu PC, Lin HJ. Benign recurrent intrahepatic cholestasis in a Chinese girl. J Gastroenterol Hepatol 1989; 4:581-583.

Lau JYN, Lai CL, Wu PC, Pan HYM, Lin HJ, Todd D. Wilson's disease: a 35 years experience. Ouart J Med 1990, 75:597-605.

*Fang JWS, Lau JYN, Lai CL. Lymphokines. Med Prog 1991; 18: 11-20.

Fang JWS, Lau JYN, Wu PC, Lai CL. Fulminant hepatic failure in non-metastatic renal cell carcinoma. Dig Dis Sci 1992; 37: 474 - 477.

*Wong BCY, Lai CL. Ascites in cirrhotic patients: pathophysiology and management. Med Prog 1992; 19: 18 - 21.

Fang JWS, Lau JYN, Lai CL. Neonatal Jaundice: a diagnostic approach. J Paediatr Obstet Gynaecol 1992: 18:5-8.

Chin KP, Lok ASF, Wong LSK, Lai CL, Wu P.C. Current seroepidemiology of hepatitis A in Hong Kong, J Med Virol 1991; 34: 191 - 193.

Lok ASF, Ma OCK, Chan TM, Lai CL, Chung HT, Ng CPL, Lam JSC. Overestimation of the prevalence of antibody to hepatitis C virus in retrospective studies on stored sera. Hepatol 1991: 14: 756 - 762.

Lok ASF, Kwan WK, Moeckli R, Yarbough PO, Chan RT. Reyes GR, Lai CL, Chung HT, Lai TST. Seroepidemiological survey of hepatitis E in Hong Kong by recombinant - based enzyme immunoassays. Lancet 1992; 340: 1205 - 1208.

Lin HJ, Lau JYN, Lauder IJ, Shi Ng, Lai CL, Hollinger FB. The hepatitis C virus genome: a guide to its conserved sequences and candidate epitopes. Virus Res 1993; 30: 27-41.

Lin CK, Nicholls J, Lai CL. Hepatitis C in Asia. JAMA (Southeast Asia) 1993; 9: 7 - 9.

McOmish F, Yap PL, Dow BC, Follett EAC, Seed C, Keller AJ, Cobain TJ, Krusius T, Kolho E, Naukkarinen R, Lin C, Lai CL, Leong S, Medgyesi GA, Hejjas M, Kiyokawa H, Fukade IC, Cuypers T, Saeed AA, Al-Rasheed AM, Lin M, Simmonds P. Geographicel distribution of hepatitis C virus genotypes in blood donors: an international collaborative survey. J Clin Microbiol 1994; 32: 884 - 892.

Chan TM, Wu PC, Lau JYN, Lai CL, Lok ASF, Cheng IKP. Clinicopathologic features of hepatitis C virus infection in renal allograft recipients. Transpl 1994; 58: 996-1000.

‡GKK Lau, R Lesniewski, RG Johnson, GL Davis, JYN Lau. Immunoglobulin M and A antibodies to hepatitis C core antigen in chronic hepatitis C virus infection. J Med Virol 1994;44:1-4.

‡H Lim, GKK Lau, GL Davis, DJ Doison, JYN Lau. Progressive cholestatic hepatitis leading to hepatic failure in a patient with organ transmitted hepatitis C virus infection. Gastroenterol 1994:106:1732-1735.

‡GKK Lau, JWS Fang, PC Wu, GL Davis, JYN Lau. Detection of hepatitis C viral genome in formalin-fixed paraffin-embedded liver tissue by in-situ reverse transcription polymerase chain reaction. I Med Virol 1994:44:406-409.

Books/monographs

Lam SK, Misiewicz JJ, Aarimaa M. Site protection and cytoprotection in the management of peptic ulcer and oesophagitis. Scand J Gastroenterol 1987:22(suppl 140):1-64.

Sabesin SM, Lam SK. International Sucralfate Research Conference. Am J Med 1987;83(supp 3B):1-127.

Lam SK, Choi KW, Sung JL. Omeprazole, the first proton pump inhibitor for peptic ulcer disease. J Gastroenterol Hepatol 1989;4(Suppl 2):1-81.

Cho CH, Lam SK. Peptic ulcer: from experimental approaches to clinical medicine. J Gastroenterol Hepatol 1994:9 (Suppl 1):S1-S109.

Lai CL, Lam SK, Yeoh EK eds. Viral hepatitis B infection in the western pacific region: vaccine and control. Singapore: Singapore World Scientific Publications Co. 1984.

- † Publications produced by staff whilst attached to or visiting other centres
- ‡ Publications produced by staff while employed at other centres before joining the Department
- * Publications in non-indexed journals

S.K. Lam, C.L. Lai, C.K. Ching and Benjamin C.Y. Wong

THE GENERAL PRACTICE UNIT

The General Practice Unit was established in the Department of Medicine in 1985. It has developed from a one lecturer Unit into the present team with a professor, one senior lecturer, one lecturer, two vocational trainees and more than 60 honorary clinical lecturers. The current full-time academic staff in the Unit are:

Professor Anthony S. Dixon, MB ChB FCCFP Head & Dr. Sun Yet Sen Chair

Dr. Cindy L.K. Lam, MBBS, FRCGP,

FHKAM (Family Medicine)

Senior Lecturer

Dr. Daniel T.P. Lam, MBBS, FRACGP Lecturer

Trainees

Dr Hing Lam, MBBS

Dr Arnold K.H. Kwok, MBBS

Family physicians who at some time from 1985 to 1995 were staff of our unit include:

Dr Maxwell H.W. Tse, MBBS, MRCGP

Dr Clark Munro, MB ChB, FRACGP, FRCGP, FHKCGP

Dr Susan L. Douglas, MD, CCFP

Dr Eileen Y.Y. Tse, MBBS, MRCGP, FHKAM (Fam Medicine)

CLINICAL SERVICE

The Unit initially operated at the Violet Peel Health Centre and moved to the present permanent premises at the Ap Lei Chau Clinic in September, 1992. The Unit runs a full-time family medicine clinic providing primary, whole patient, continuing and comprehensive care to 5000 patients in the community. Apart from the regular clinics, the Unit operates a special diabetic clinic and a well women clinic to meet the needs of these special groups of patients. The clinic is an example of a good family medicine practice and tests new models of care like shared care and special preventive clinics.

The clinic has a computerized medical record system that contains information on the demography, important health risk factors, morbidities, medications, investigations and referrals of each patient. The clinical practice of the unit provides a strong base for undergraduate teaching, postgraduate training and clinical research.

Staff of our unit is actively involved in the work of the Hong Kong College of General Practitioners to promote a high standard of primary care in our community.

EDUCATION

Undergraduate teaching

The major part of the undergraduate teaching by the Unit is the general practice clerkship as part of the subspecialty clerkship in the final year of the medical curriculum. The main aim of the clerkship is to teach students skills on clinical interview, problem solving, cost-effective use of resources and whole patient management that are applicable to all medical disciplines. The Clerkship also introduces students to the work of a general practitioner. The clerkship contains four major components: the introductory seminars, clinical consultations, tutorials and general practice attachment. Most of the teaching is done in small groups of no more than eight, and on a one-to-one basis in the case of the general practice attachment. The Unit receives regular advice from senior academics in family medicine from overseas who visit our unit as the H.K.C.G.P. visiting professors.

The Unit is also involved in communication skill courses in the first and third years of the medical curriculum. We collaborated with the Department of Community Medicine in the production of two videotapes in Cantonese on patient-centred interview and information giving. Our staff are also tutors of the "information giving" session for students in the third year. We also help to recruit patients for the patient care projects of students in the first year.

Postgraduate education

The Unit is an accredited training centre for the Vocational Training Programme in Family Medicine of the Hong Kong College of General Practitioners. Our staff are also examiners of the HKCGP fellowship examination. We contribute to the continuing medical education activities and trainee seminars as speakers on a regular basis.

We have two vocational trainee posts for trainees from the Department of Health. We also have close collaboration with the Department of Health, acting as its Honorary Consultant in Family Medicine and trainers of their trainees in Family Medicine.

The Unit also runs a training course for trainers of the Vocational Training Programme of the Hong Kong College of General Practitioners. We have regular meetings with our honorary clinical lecturers for teacher training.

Internationally, the Unit is also approved as a training centre for the elective module for the residence training programme in family medicine of the University of Toronto, Canada. We also provide support to students of the distant diploma/master in family medicine course of the Monash University. We will be involved in faculty development of the Department of Family Medicine of the Capital University of Beijing.

RESEARCH

Our Unit has been actively involved in research since its establishment in 1985. We have gained much experience in community surveys and questionnaire design. We are going to be involved more with qualitative research in the next few years which is becoming a popular research method in general practice and medical education. The research projects of our Unit can be grouped under the following five main areas:-

1. Patient care research

 Clinical audits on diabetes, obesity, use of benzodiazepines and antibiotics. These have served as examples of quality assurance research in patient care. The use of the COOP/WONCA Charts to measure the functional status of elderly and patients with chronic illnesses. This is a new concept in outcome measure. The Unit has developed and validated a Chinese translation of the COOP/WONCA Charts.

2. Morbidity studies

- Morbidity patterns in the community
- Prevalence of common illnesses like upper respiratory tract infection, allergic rhinitis, asthma, diabetes, depression and hypercholesterolaemia.

These studies contributed much to the understanding of these illnesses in our local populations.

3. Preventive care research

- Evaluation of screening programmes for hypercholesterolaemia, breast cancer, and diabetes mellitus. They provide data on the acceptability, feasibility and cost-effectiveness of these screening programmes for our population.
- Evaluation of screening instruments for psychological problems and family problems. These are pioneer studies in Hong Kong and in Chinese.

4. Cultural aspects of health and illness

- The use of medications and expectation from primary care service. They provide useful information for health service planning.
- Community attitude to institutional care of the aged. This will provide information for health care planning for our aging population.
- The application of Western survey instruments in Chinese, particularly the cultural relevance of translated questionnaires. This is an important issue for international comparative studies

5. Medical education

 Action learning research on effective learning, teaching and assessment methods. • Studies on attitudes of general practice teachers.

The Unit has collaboration with departments of general practice/family medicine of the University of Toronto, the University of Sydney, in research. We are also involved in the research activities of WONCA (World Organization of Family Doctors).

Examples of collaborative research include studies on functional status and family function with the University of Toronto; an international study on asthma and asthma-like symptoms coordinated by the University of Sydney, the evaluation of the COOP/WONCA Charts coordinated by the research committee of WONCA.

We actively promote and publish research in our local populations, especially in primary care. We are involved in the editorial boards of the Hong Kong Medical Journal, the Hong Kong Practitioner, Family Practice (an international journal), and the Asian Medical News.

FUTURE DIRECTIONS

We have recently received seed funding to establish a Centre for Education and Research in Family Medicine. The Centre's goals are:

- To develop, test and implement innovative programmes in undergraduate, postgraduate and continuing professional education.
- To develop the educational skills of medical teachers.
- To encourage the development of skills in research and writing for publication.

Our interest is to become a regional centre for faculty development, by means of seminars, workshops, clinical fellowships and academic exchanges.

PUBLICATIONS (from 1985)

Patient care

*Lam CLK. Minor illnesses in general practice for discussion. H K Pract 1987; 9: 2449-2452.

*Lam CLK. The role of general practitioners in non-accidental injuries in children. H K Pract 1987: 9: 2795-2801.

*Tse MHW, Lam CLK. Written communication from specialists, is it adequate? -a study of reply letters from specialists to an academic general practice unit in Hong Kong. H K Pract 1988; 10: 3343-3350.

*Lam CLK, Munro C, Cho SK, Rosser W. Patterns of benzodiazepine prescribing in Hong Kong. H K Pract 1989; 11: 331-338.

‡Dixon AS. Spring cleaning. Can Fam Phys 1990; 36: 403.

‡Dixon AS. International approaches to otitis media. Can Fam Phys 1990; 36: 1451-1452.

‡Dixon AS. The evolution of clinical policies. Medical Care 1990; 28: 201-220.

‡Dixon AS. Is British General Practice Dead? Can Fam Phys 1990; 36: 1051-1052.

‡Dixon AS. Personal doctoring. Can Fam Phys 1990; 36: 2139-2140.

‡Dixon AS. Medical etiquette. Can Fam Phys 1990; 36: 1906-1907.

*Munro JC, Lam CLK. Antibiotic prescribing in an academic general practice unit. H K Pract 1990; 12: 647-653.

*Munro JC, Lam CLK, Tse M. The utilization of urine cultures in an academic general practice unit in Hong Kong. H K Pract 1990; 12: 817-822.

Lam CLK, Munro C. Objective outcomes as indicators of quality assurance in general/family Practice. Singapore Fam Phys 1990; 16: 188-193.

*Lam CLK. Is quality assurance incompatible with private general practice? H K Pract 1990; 12: 1071-1072.

‡Dixon AS. Changing ideas in intrapartum care. Can Fam Phys 1991; 36: 1667-1668.

*Lam CLK. How much do we know about referrals? H K Pract 1991; 13: 1607-1608.

*Lam CLK, Munro C. An audit of the body mass index of patients in a general practice. H K Pract 1991; 13: 1777-1797.

- ‡Dixon AS. The information explosion. Can Fam Phys 1991; 37: 819-822.
- ‡Dixon AS. Hyperbilirubinemia: a cause for concern? Can Fam Phys 1992; 38: 12-14.
- ‡*Dixon AS. Assessing new treatments: six quick questions. H K Pract 1992; 14: 1919-1921.
- ‡Dixon AS. Professional relationships: consultation or conflict. Can Fam Phys 1992; 38: 760-762.
- *Lam TP. Is a new paradigm emerging? H K Pract 1992; 14: 2215-2217.
- *Lam CLK, Chu WS, Lam D, Tse E. An audit of diabetic care in general practice. H K Pract 1992; 14: 2313-2319.
- ‡Dixon AS. Urinary tract infections: management mayhem? Can Fam Phys 1993; 39: 474-476.
- ‡Dixon AS. Pharmaceutical advertising: information or influence? Can Fam Phys 1993; 39: 1298-1300.
- ‡Dixon AS. Spinal manipulation: is it all it's cracked up to be? Can Fam Phys 1993; 39: 1711-1713.
- ‡Dixon AS. Clinicians and researchers: a clash of cultures? Can Fam Phys 1993; 39: 2096-2098.
- *Lam TP. The future direction of general practice. H K Pract 1993; 15: 2445-2447.
- *Lam CLK, Chung J, Chan C, et al. (Research Committee, H.K.C.G.P.) Management guidelines hypertension. H K Pract 1993; 15: 2615-2617.
- *Lam TP. What is a doctor? H K Pract 1994; 16: 537-538.
- *Lam TP. Women's health. H K Pract 1994; 16: 433-434.
- Lam CLK. Health outcome of stroke patients in Hong Kong. Huisarts en Wetenschap 1995; 38: 129-131.
- *Lam TP. Care of the elderly: integrated or fragmented? H K Pract 1995; 17: 97-99.
- *Lam TP. How about the "family" and "system theory" in family medicine? H K Pract 1995; 17: 193-194.

Morbidity in the community

- *Munro JC, Lewis J, Lam CLK, Ho SK. Characteristics of patients attending a university general practice unit in Hong Kong. H K Pract1990: 12: 865-872.
- *Munro JC, Lewis J, Lam CLK, Cho SK. Consultation patterns in the University of Hong Kong General Practice Unit. H K Pract 1990; 12: 914-923.
- *Munro JC, Lewis J, Lam CLK, Cho SK. Morbidity in an academic general practice unit. H K Pract 1990; 12: 1018-1021.
- *Munro JC, Lewis J, Lam LKC, Cho SK. Age & sex as determinants of morbidity presenting to an academic general practice. H K Pract 1990; 12: 1138-1142.
- *Munro JC, Lewis J, Lam CLK. Problems most commonly encountered in an academic general practice. H K Pract 1991; 13: 1297-1299.
- *Catarivas MG, Munro JC, Lam CLK. HKCGP Research Committee, The prevalence of asthma and related respiratory symptoms in general practice, preliminary results from Hong Kong. H K Pract 1991; 13: 1345-1358.
- *Catarivas MG, Munro JC, Lam CLK. HKCGP Research Committee, The prevalence of asthma and related respiratory symptoms in general practice, preliminary results from Hong Kong Part II. H K Pract 1991; 13: 1410-1421.
- *Munro JC, Lewis J, Lam CLK, Cho SK. Consulting patterns for some common respiratory conditions presented to the GPU. H K Pract 1991; 13: 1513-1530.
- *Munro JC, Lewis J, Lam CLK. Referral pattern in an academic general practice. H K Pract 1991; 13: 1564-1576.
- *Munro JC, Lewis J, Lam CLK. A survey of the referral patterns in Hong Kong. H K Pract 1991; 13: 1609-1620.
- Rosser WW, Palmer WH, Fowler G, Lamberts H, Thomson A, Lam C, Frame PS. An international perspective on the cholesterol debate. Fam Pract 1993; 10: 431-438.
- *Lam CLK. Anxiety and depressive disorders in general practice case studies. H K Pract 1995; 17: 77-81.

- *Lam TP, Lam CLK, Douglas S. The prevalence of Type II diabetes mellitus and its cardiovascular risk factors in a general practice. H K Pract 1995; 17: 6-11.
- *Lam CLK, Catarivas MG, Lauder IJ, Dixon AS. Is hypercholesterolaemia common among Hong Kong Chinese? H K Pract (in press).

Preventive care

- ‡Dixon AS. Cholesterol, controversy andconfusion. Can Fam Phys 1990; 36: 627-8.
- *Lam CLK, Munro C, Siu PC. Detection of asymptomatic hypercholesterolaemia in middle-aged Chinese in general practice in Hong Kong. H K Pract 1990; 12: 715-730.
- Lam CLK, Munro C, Siu B. A study of the correlation between serum total cholesterol and low density lipoproteins in Chinese, Fam Pract 1990; 7: 301-306.
- ‡Dixon AS. Preventive cardiology. Can Fam Phys 1991; 37: 546-550.
- ‡Dixon AS. Breast screening: Time for translation? Can Fam Phys 1991; 37: 2544-2548.
- ‡Dixon AS. In pursuit of the prostate. Can Fam Phys 1992; 38: 2285-2286.
- ‡Dixon AS. Hypercholesterolemia: Is the fat still in the fire? Can Fam Phys 1992; 39: 230-233.
- *Lam CLK. Screening in general practice. H K Pract 1992; 14: 2175-2176.
- ‡Dixon AS. Screening for colorectal cancer: "scoop, scope or skip"? Can Fam Phys 1993; 39: 1863-1866.
- *Lam TP. What is stopping general practitioners practising prevention? H K Pract 1993; 15: 2736-2740.
- *Lam TP. Why and how should we screen our patients for non-insulin-dependent diabetes mellitus in general practice? H K Pract 1994; 14: 281-283.
- *Lam TP. Reason for screening and method of diagnosing type II diabetes mellitus. H K Pract 1995; 17: 149-153.
- Lam CLK, Pan PC, Chan AWT, Chan SY, Munro C. Can the Hospital Anxiety and Depression

- (HAD) Scale be used on Chinese in general practice? Fam Pract (in press).
- *Lam CLK, Catarivas MG, Lauder IJ. Is the desktop analyzer the answer to cholesterol screening? H K Pract 1995; 17: 257-263.

Cultural aspects of illness and health

- *Lam CLK, Tse M. A study on patients' subjective perception of their health status. H K Pract 1988: 10: 3291-3294.
- *Lam CLK, Tse M, Munro C. A study on the practice of self-medication in Hong Kong. H K Pract 1989; 11: 272-286.
- *Lam CLK, Tse M, Munro C. A survey on the use of self-medication over a period of two weeks. H K Pract 1989; 11: 371-375.
- Lam CLK, Van Weel C, Lauder IJ. Can the COOP/WONCA Charts be used to assess thefunctional status of Chinese patients? Fam Pract 1994; 11: 85-94.
- Lam CLK, Catarivas MG, Munro C, Lauder IJ. Self-medication among Hong Kong Chinese. Soc Sc Med 1994; 39: 1641-1647.
- *Catarivas MG, Lam CLK, Munro C. The use of self-medication among patients attending general practitioners. H K Pract 1994; 16: 488-503.
- Lam CLK, Catarivas MG, Lauder IJ. A Pill for every ill? Family Practice (in press).

Medical education

- *Lam CLK. Academic general practice. H K Pract 1989; 11: 89-90.
- ‡Dixon AS. International health. Can Fam Phys 1990; 36: 9-10.
- *Lam CLK. Why should the Government support vocational training in family medicine? H K Pract 1990; 12: 815-816.
- ‡*Dixon AS. Vocational training: what next? H K Pract 1991; 13: 1831-1832.
- Lam CLK. Computer assisted learning in undergraduate teaching, WONCA News 1991; 17: 12-13.
- *Lam TP. The future direction of vocational

training in general practice H K Piact 1992, 14 2263-2266

*Lam CLK What can general practitioners teach medical students? H K Pract 1993, 15 2765-2767

*Lam CLK, Catarivas MG What do we know about our general practitioner teachers? H K Pract 1993, 15 2768 2774

- Publications produced by staff while employed at other centres before joining the Department

Publications in non-indexed journals

Anthony S. Dixon and Cindy L.K. Lam

DIVISION OF CARDIOLOGY




Cardiac catheterisation laboratory staff, support staff, medical and nursing staff of Cardiology Unit at Queen Mary Hospital



Medical staff of the Grantham Cardiology Unit



Cardiac Catheterisation Laboratory



Pacemaker programming




Tung Wah Hospital Cardiac Rehabilitation and Prevention Centre: graduation ceremony for participants



Patients undergoing cardiac rehabilitation at Tung Wah Hospital. Equipment includes treadmill, cycling and rowing machines

DIVISION OF CLINICAL PHARMACOLOGY



Left to right —
rear: Dr. B. Cheung, Prof. C.R. Kumana, Mr. T.M.F. Tong, Mr. S.M.S. Yeung;
front: Mrs. M. Kou, Ms. M.N. Ho, Mrs. C. Ambekar

DIVISION OF ENDOCRINOLOGY



The Division at the K.K. Leung Diabetes Centre – clinicians, nurses, post-graduates, students, dieticians, technicians and research assistants



In the Endocrine Laboratory – academic and basic research staff



At the E2 metabolic ward – endocrinologists and trainees, with senior endocrine nurse

DIVISION OF GERIATRIC MEDICINE

The Division of Geriatric Medicine was recently established in August 1994. It is currently staffed by two Hospital Authority staff:

Dr. L.W. Chu, MBBS, MRCP (UK), FHKCP,

FHKAM (Medicine)

Consultant and Chief of Division

Dr. K.H. Wong, MBBS, MRCP (UK), FHKCP.

FHKAM (Medicine)

Senior Medical Officer

CLINICAL SERVICE

Patient care services are based at Queen Mary Hospital and Tung Wah Group of Hospitals (TWGHs) Fung Yiu King Hospital. 12 acute geriatric beds will be available for use in August 1995. The model of operation is based on a need-related basis. Through a multi-dimensional screening assessment, elderly patients are screened out for multi-disciplinary geriatric management. Over the past ten months, 2200 patients were screened and 13% needed geriatric assessment and management.

TWGHs Fung Yiu King Hospital provides a 80-bed convalescent service, a 24-bed rehabilitation service and a 80-bed infirmary service. A 20-place geriatric day hospital will be in operation in January 1996. A geriatrician-led multidisciplinary outreach service has also started operation in October 1994.

Our geriatric outpatient clinic is located at Sai Ying Pun Jockey Club Polyclinic. The clinic has started service in January 1995. Approximately 300 patients were seen over the past five months.

EDUCATION

For many years, undergraduate teaching is offered by honorary lecturers. In the past ten months, the staff of the Division has played an increasingly important part in undergraduate teaching. The format include bedside and teaching clinic. However, the core curriculum is still not in place. This area needs to be improved in the coming year.

The Division participates in the Basic Physician Training Programme, and the Geriatric Training Programme of the Hong Kong College of Physicians. Ward round, case conference, weekly topic discussion and journal meeting, weekly joint geriatric meeting with geriatric colleague in Ruttonjee Hospital, and monthly inter-hospital geriatric meeting are present modes of training.

The Department of Social Work and Social Administration of the University of Hong Kong runs an Advanced Diploma (Aging & Health) for postgraduate students. We provide a clinical attachment module for the student, to enrich their training.

Education of care-givers for the elderly person can help to equip them with the knowledge and skills in the care-giving process. The Division regularly holds certificate educational programmes for care-provider of the residential aged homes in the community.

Health promotion community programmes with health talk, exhibition and screening are also held regularly, in collaboration with community elderly centres, District Board and/or Hong Kong College of General Practitioners.

RESEARCH AND FUTURE DIRECTIONS

Research in the area of geriatric medicine is yet to be developed in the Division.

Demographic data shows that the population of Hong Kong is aging. In 1994, 9.65% of our population is 65 year old or over. By the year 2000, the figure will become 11.35%. The increase is from 560,600 to 684,200 (22%). Elderly persons are heavy user of the health care system. Around 37% of our hospital in-patients are aged 65 or above. The prevalence of multiple

diseases and disability is also higher in the elderly age groups.

Thus, clinical research into diseases prevalent in the old age is important. Moreover, health service research into the appropriate health care delivery model is also important to our hospital and society.

One example is to look into the value of post-hospital discharge support system for our elderly patients. We are now conducting a pilot study of "a co-ordinated discharge programme for genatric patients" in Queen Mary Hospital. Outcome measures including mortality rate, length of hospital stay and measures of quality of life will be used to assist our evaluation. Another example is the care model of "orthogeriatric service". The latter will be organized into a pilot service in Queen Mary Hospital and Fung Yiu King Hospital in late 1995. If research grant is available, a control study will be conducted to compare this model with the traditional care model.

PUBLICATIONS

*Chu LW, Pei CKW, Ho MH, Chan TP. Validation of the abbreviated mental test (Hong Kong version) in the elderly medical patient. HKMJ (in press).

*‡Hui E, Woo J, Or KH, Chu LW, Wong KH. A geriatric day hospital in Hong Kong - an analysis of activiities and cost. Disability Rehab (in press).

- ‡ Publications produced by staff while employed at other centres before joining the Department
- * Publications in non-indexed journals

L.W. Chu

DIVISION OF HAEMATOLOGY AND ONCOLOGY

The Division of Haematology and Oncology of this Department has a great tradition and represents the history of haematology in Hong Kong. The division has produced generations of prominent haematologists and the team has earned high international reputation. The Division is the major centre for treatment, research and training in clinical haematology in this region.

It is staffed by:

Professor T.K. Chan, MD, FRCP, FRCP(E), FRCP(G),

FACP, FRCP, FRCPath, FAMS,

FHKCP, FHKAM (Medicine), J P

Professor and Chief of Division (until July
1995)

Professor Sir David Todd, KB, MD DSc(Hon) HK,

DSc(Hon) CUHK, FRCP, FRCP(E)

FRCP(G), FRCP(Ine), FRACP,

FRCPath, FAMS(Hon), FHKCP,

FHKAM (Medicine), J P

Professor

Professor Vivian N.Y. Chan, MSc, PhD (Lond), DIC, FACB. FRCPath

Professor

Dr. Raymond H.S. Liang, MD, FRCP, FRCP(E), FRCP(G), FHKCP, FHKAM (Medicine)

Reader

Dr. Y.L. Kwong, MBBS, MRCP(UK), MRCPath, FHKCP, FHKAM (Medicine & Pathology)

Lecturer

Dr. C.S. Chim, MBBS, MRCP (UK), FHKCP, FHKAM (Medicine) Senior Medical Officer

Trainee

Dr. C.K. Lee, MBBS, MRCP (UK) Medical Officer

Past members

Dr. Edmond K.W. Chiu, MBBS MRCP(UK), FHKCP.

FHKAM (Medicine)

Dr. Albert K.W. Lie, MBBS, MRCP (UK), MRCPath FHKCP.

KHKAM (Medicine)

The team is assisted by rotation registrars as well as elective trainees from paediatrics, gynaecology and radiotherapy.

CLINICAL SERVICE

The Division of Hematology and Oncology at Queen Mary Hospital is the tertiary treatment referral centre for blood diseases in Hong Kong. Patients are also referred from Macau, mainland China and nearby countries. Professor Vivian Chan runs the only molecular diagnostic laboratory in HA hospitals for prenatal diagnosis of genetic diseases. The state of art equipment, facilities and technology are available.

Every year, more than 300 new patients are referred to us for management. They are mostly suffering from acute leukaemia and malignant lymphoma. A wide spectrum of haematological disorders are also seen. They are accommodated in the general medical wards with ten beds being designated for reverse isolation of neutropenic patients. At any time, a total of 50-80 in-patients are under the direct care of the haematology team.

A specially designed 10-bed unit for performing bone marrow transplantation is available. Since our performance of the first bone marrow transplant (BMT) in Hong Kong 5 years ago, a total of 250 patients have undergone BMT. The majority of the transplants are allogeneic using sibling marrow donors. The unit also supports the unrelated marrow donor registry of the Hong Kong Marrow Match Foundation and more than 20 transplants using volunteers from the registry have been performed. The transplant patients usually suffer from acute or chronic leukaemia, aplastic anaemia or lymphoma. In collaboration with the department of paediatrics, transplants are performed for children with thalassaemia major and congenital immunodeficiency syndrome. A cord blood transplant has been successfully done recently on a child with β-thalassaemia major. An autologous marrow/peripheral stem cell transplant programme is also available for patients with myeloma and solid tumours such as

lymphoma, breast cancer, nasophyngeal cancer and others. We have also a plasmapheresis and cell separation unit which performs about 200 pheresis a year.

The outpatient clinics are located in both Queen Mary Hospital and Sai Ying Pun Jockey Club Polyclinic. There are three outpatient sessions for lymphoma, leukaemia and general haematology, two chemotherapy clinics for lymphoma, two follow-up clinics for patients who have received marrow transplant and one special clinic for haemophilia and thalassaemia. Every week, more than 300 patients are seen in these outpatient clinics. Many procedures such as intravenous drug therapy, blood product transfusion, lumbar puncture and marrow biopsy are performed as day cases.

EDUCATION

The division participates in the undergraduate teaching program in general medicine as well as subspecialty teaching in clinical haematology and medical oncology. They include lectures, teaching clinics, tutorials, bedside and outpatients' teaching.

We also contribute to the basic physician training programme and the clinical haematology/medical oncology higher physician training programme of the Hong Kong College of Physicians and the Hong Kong Academy of Medicine. Professor Sir David Todd and Professor TK Chan are the presidents of the Hong Kong Academy of Medicine and the Hong Kong College of Physicians respectively.

The division is playing an important part in the supervision and examination of postgraduate research students in the Department. Also, we provide clinical and laboratory training for postgraduate doctors and technicians from mainland China.

RESEARCH

In the past decades, many advances have provided better understanding of the biology of various blood diseases and great success has also been achieved in their treatment. Focusing our research on diseases of local importance, this department has contributed significantly to the knowledge of these diseases. Also, new technology for diagnosis and treatment of various blood diseases has been introduced to Hong Kong through our effort. The high international reputation is witnessed by the list of publications, competitive research grant awards, international collaborative research projects, and international invited lectures and visits.

Lymphoma. A peculiar pattern of lymphoma has been observed in Hong Kong. Compared to the Caucasian populations, we are seeing a low incidence of Hodgkin's disease and follicular lymphoma. On the other hand, T-cell lymphoma, nasal lymphoma and gastrointestinal lymphoma appear to be more common. We have published extensively the clinical characteristics of our patients with different types of lymphoma. Also, patients are treated with clinical protocols aiming to determine the optimal therapy for each category of disease. We also applied modern techniques in molecular biology to obtain a better understanding of biology of the disease.

Leukaemia. Clinical trials are conducted to determine the best therapy for our patients suffering from acute leukaemia. In collaboration with the Department of Pathology, efforts are made to determine the cytogenetic and molecular changes in different types of leukaemia. These data also provide important prognostic information.

Bone marrow transplantation. BMT has become a standard treatment for many haematological disorders, including leukaemia, lymphoma, aplastic anaemia, Cooley's anaemia and congenital immunodeficiency syndrome. We have published extensively on our experience. Research focuses on specific issues of local importance such as graft-versus-host-disease, cytomegaloviral infection, hepatitis B reactivation and BMT using unrelated marrow donor.

Molecular oncology. We have attempted to characterise various oncogene rearrangements in different types of blood cancers. Applying polymerase chain reaction to detect these changes, they can be used as markers for detection of minimal residual disease. These techniques are

applied to monitor response to therapy as well as detecting occult tumour contamination before autologous marrow transplant. Other important research work includes studying the possible pathogenetic role of Epstein Barr virus and HTLV-I virus in our patients with lymphoma.

Infections in immunocompromised host. Extensive study has been performed on various opportunistic infections following intensive cytotoxic chemotherapy or marrow transplantation.

cytotoxic chemotherapy or marrow transplantation. They include cytomegalovirus, hepatitis B and C infections. Also, clinical trials are performed to determine the optimal way of preventing and treating opportunistic infections.

Non-malignant blood diseases. Our department is world-renowned in research in genetic blood diseases such as thalassemia, haemophilia and glucose-6-phosphate dehydrogenase deficiency. The work has been extended to other genetic diseases such as Duchenne muscular dystrophy and Huntington's disease. (Refer to Division of Molecular Medicine)

Competitive research grant awards. Over \$2 million have been successfully obtained from competitive grants, including the Research Grant Council and the University for research on blood cancers:-

- Detection of minimal residual disease in patients with lymphoid malignancies.
- HLA type and Hodgkin's disease.
- HTLV-I virus and T-cell lymphoma in Hong Kong.
- Use of fluorescence in situ hybridization in blood cancers.
- Morphological, genotypic and aetiological correlations in myelodysplastic syndrome.
- Multiple drug resistance gene in blood cancers.

International collaborative research projects. Connections have been made with renowned international institutions to perform collaborative research:-

- The use of etoposide for acute myeloid leukaemia with the Australian Leukaemia Study Group.
- An improved clinico-pathologic classification for non-Hodgkin's lymphoma

- with seven renowned international centres coordinated by the University of Nebraska, USA
- The possible role of the bcl-6 oncogene in diffuse B-cell lymphoma in Chinese with the Columbia University, USA.
- To study the clinical outcome of patients receiving marrow transplant with the International Bone Marrow Transplant Registry, USA.
- Unrelated marrow donation with the National Marrow Donor Program of the United States.
- The treatment of low grade gastric lymphoma using anti-helicobacter therapy with the University College and Middlesex Medical School, London (the UK Lymphoma Study Group).
- Genetic defects in paroxysmal nocturnal haemoglobinuria with Memorial Sloan Kettering Cancer Institute, New York, USA.
- Genetic defects in leukaemia with Massachusetts Institute of Technology, USA.

FUTURE DIRECTIONS

Over the years, this division has developed a good foundation. It will continue to contribute to knowledge by performing innovative clinical and laboratory research. The vast amount of clinical materials available and the development of new technology such as molecular biology, marrow transplantation and gene therapy are providing great opportunities for high quality research.

Management of blood diseases, especially haemic malignancies, has also advanced remarkably. It is necessary for the division to have a team of dedicated medical and nursing staff to provide high quality and sophisticated service. The patients are ideally placed in designated haematology wards managed by specialised nurses. There is also an increased demand for more reverse isolation facilities for the immunocompromised in the hospital. Furthermore, the ambulatory activities have to be expanded.

We would also like to see medical oncology being

developed as a distinct specialty in the department. This will provide better support to the other departments such as surgery, gynaecology and radiation oncology, which are also dedicated to the management of cancer patients. Furthermore, in support of the Cancer Research Centre of the University and the Cancer Centre of Queen Mary Hospital, collaboration should be enhanced between departments.

For further improvement in postgraduate training, we are committed to more structured teaching in clinical haematology and medical oncology. More laboratory space has to be identified to accommodate the increase in number of research postgraduates.

There is no doubt that the division will continue to develop and the opportunity is there for the budding doctors, scientists and nurses who are interested in joining this exciting field.

PUBLICATIONS (from 1985)

Lymphoma

†Liang R, Kay R, Maisey MN. Brachial plexus infiltration by non-Hodgkin's lymphoma. Br J Radiol 1985; 58:1125-1127.

Liang R, Todd D, Chan TK, Wong KL, Ho F, Loke SL. Peripheral T-cell lymphoma. J Clin Oncol 1987; 5:759-765.

FCS Ho, SL Loke, PK Hui and D Todd. Immunohistological subtypes of non-Hodgkin's lymphoma in Hong Kong Chinese. Pathology 1986; 18: 426-430.

Liang R, Todd D, Chan TK, Ng RP, Ho FCS. Gastrointestinal lymphoma in Chinese: a retrospective analysis. Hematol Oncol 1987; 5:115-126.

Liang R, Ng RP, Todd D, Choy D, Khoo RKK, Ho FCS. Management of stage I-II diffuse aggressive non-Hodgkin's lymphoma of the Waldeyer's ring: combined modality therapy versus radiotherapy alone. Hematol Oncol 1987; 5:223-230.

Chung HT, Wong KL, Liang R, Loke SL, Liu HW, Tso WK, Chan SCH, Lam KSL, Lai CL. Non-Hodgkin's lymphoma as a cause of

hypoadrenalism. Aust and NZ J Med 1987; 17:605-607.

*Liang R, Todd D. Current management of non-Hodgkin's lymphoma. Med Prog 1987; 14:17-28.

†Gillies H, Liang R, Rogers H, Harper P, Parapia L, Cox G, Johnson S. Phase II trial of Idarubicin in patients with advanced lymphoma. Cancer Chemother Pharmacol 1988; 21:261-264.

Liang R, Todd D, Chan TK, Ng RP, Choy D, Loke SL, Ho FCS. Follicular non-Hodgkin's lymphoma in Hong Kong Chinese: a retrospective analysis. Hematol Oncol 1988; 6:29-37.

Liang R, Todd D, Chan TK. HOAP-Bleo as salvage therapy for diffuse aggressive non-Hodgkin's lymphoma. Cancer Chemother and Pharmacol 1988: 22:169-172.

Liang R. Acute pancreatitis due to Hodgkin's disease in a patient with systemic lupus erythematosus. Aust and NZ J Med, 1988; 18:812-814.

EYT Chan, D Pi, GTC Chan, D Todd and FCS Ho. Peripheral T cell lymphoma presenting as hemophagocytic syndrome. Hematol Oncol 1989; 7: 275-285.

Liang R, Woo E, Yu YL, Todd D, Chan TK, Ho FCS, Tso SC, Shum JST. Central nervous system involvement by non-Hodgkin's lymphoma. Eur J Cancer Clin Oncol 1989; 25:703-710.

Liang R, Choi P, Todd D, Chan TK, Choy D, Ho F. Hodgkin's disease in Hong Kong Chinese. Hematol Oncol 1989; 7:395-403.

Liang R, Woo E, Ho F, Collins R, Choy D, Ma J. Klinefelter's syndrome and primary central nervous system lymphoma. Med Paed Oncol 1990; 18:236-239.

Ho FCS, Choy D, Loke SL, Kung ITM, Fu KH, Liang R, Todd D, Khoo RKK. Polymorphic reticulosis and conventional lymphomas of the nose and upper aerodigestive tract. Hum Pathol 1990; 21:1041-1050.

Liang R, Chiu E, Loke SL. Secondary central nervous system involvement by non-Hodgkin's lymphoma: the risk factors. Hematol Oncol 1990; 8:141-145.

- Liang R, Chiu EKW, Chan TK, Todd D, Ng RP, Ho FCS, Loke SL. Long-term follow-up of patients receiving salvage chemotherapy for intermediate and high grade non-Hodgkin's lymphomas. Hematol Oncol 1990; 8:133-140.
- Liang R, Chiu EKW, Chan TK, Todd D, Loke SL. Management of advanced stage intermediate grade non-Hodgkin's lymphomas. Hematol Oncol 1990; 8:147-154.
- Liang R, Loke SL, Ho FCS, Chiu E, Chan TK, Todd D. The histology and survival of 840 Chinese patients with non-Hodgkin's lymphomas. Cancer 1990; 66:1850-1855.
- Liang R, Todd D, Chan TK, Chiu E, Choy D, Loke SL, Ho FCS. Nasal lymphoma: a retrospective analysis of sixty cases. Cancer 1990; 66: 2205-2209.
- Liang R, Chiu E, Loke SL. An analysis of 12 cases of non-Hodgkin's lymphomas involving the testis. Ann Oncol 1990; 1:383-384.
- Liang R, Chiu E, Loke SL. A clinico-pathological analysis of 33 patients with non-Hodgkin's lymphomas involving bone. Ann Oncol 1990; 1:450-451.
- Liang R, Chiu E, Loke SL, Chan TK, Todd D, Ho F. Primary and secondary cutaneous lymphomas in Hong Kong Chinese. Hematol Oncol 1990; 8:333-338.
- Liang R, Chiu E, Loke SL. Non-Hodgkin's lymphomas involving the female genital tract. Hematol Oncol 1990; 8:295-300.
- Liang R, Chiu E, Loke SL. Management of low grade lymphomas in Hong Kong Chinese. Oncology 1991; 48:121-124.
- Liang R, Loke SL, Chiu E. A clinico-pathological analysis of 11 cases of non-Hodgkin's lymphomas of the thyroid gland. Ann Oncol 1991; 2:156-157.
- Liang R, Shum J, Loke SL, Chiu E. A clinico-pathological analysis of 17 cases of lymphomas involving the orbit. Acta Oncol 1991; 30:335-338.
- Liang R, Chiu E, Todd D, Chan TK, Choy D, Loke SL. Chemotherapy for early stage gastrointestinal lymphomas. Cancer Chemother and Pharmacol 1991; 27:385-388.

- Liang R, Loke SL. Non-Hodgkin's lymphoma involving the parotid gland. Clin Oncol 1991; 3:81-83.
- Liang R, Chiu E, Chan TK, Todd D, Loke SL. A direct comparison of peripheral T-cell lymphomas with their B-cell counterparts. Acta Haematol 1991: 85:179-183.
- Liang R, Chiu E, Chan TK, Todd D, Ho F. m-BACOD chemotherapy for intermediate and high grade non-Hodgkin's lymphoma. Cancer Chemother Pharmacol 1991; 28:135-138.
- Liang R, Chiu E, Todd D, Chan TK, Choy D, Loke SL. Combined chemotherapy and radiotherapy for lymphomas of the Waldeyer's ring. Oncology 1991; 48:362-364.
- Chiu EKW, Loke SL, Chan ACL, Liang R. T-lymphoblastic lymphoma arising in the small intestine. Pathology 1991; 23:356-359.
- Liang R, Choy D, Todd D, Chan TK, Loke SL. Chemotherapy versus radiotherapy for stage I and II intermediate grade non-Hodgkin's lymphomas. Clin Oncol 1991; 3:335-339.
- Liang R, Todd D, Chan TK, Chiu E, A Lie, Ho F, Loke SL. Intensive chemotherapy for adult lymphoblastic lymphoma. Cancer Chemother and Pharmacol 1991; 29:80-83.
- Liang R, Todd D, Chan TK, Chiu E, A Lie, Ho F, Loke SL. Intensive chemotherapy for peripheral T-cell lymphoma. Hematol Oncol 1992; 10:155-162.
- *Liang R, Todd D. Update on non-Hodgkin's lymphoma. J Hong Kong Med Assoc 1992; 44: 215-222.
- Liang R, SL Loke, Chan ACL. Prognostic factors for peripheral T-cell lymphomas. Hematol Oncol 1992; 10:135-140.
- Liang R, Todd D, Chan TK, Chiu E, Lie A, Ho F. COPP chemotherapy for elderly patients with intermediate and high grade non-Hodgkin's lymphoma. Hematol Oncol 1993; 11: 43-50.
- Ngan HYS, Liang R, Lam WK, Chan TK. Pulmonary toxicity in patients with non-Hodgkin's lymphoma treated with bleomycin containing combination chemotherapy. Cancer Chemother Pharmacol 1993; 32: 407-409.

*Liang R, Todd D, Chan TK. Peripheral T-cell lymphoma (invited review). Oncology (Life Science Advances), 1993; 12: 193-197.

Kwong YL, Wong KF, Liang R, Chan LC, Chan JKC Chan, Wei D, Chiu EKW, Chan CH, Todd D, Chan TK. The spectrum of chronic lymphoproliferative disorders in the Chinese - an analysis of 64 cases. Cancer, 1994; 74: 174-181.

*Todd D. Primary gastrointestinal lymphoma in Hong Kong (4th Seah Cheng Siang Memorial Lecture). Ann Acad Med Singapore 1994; 23: 430-436.

Liang R, Todd D, Chan TK, Chiu E, Lie A, Kwong YL, Choy D, Ho F. Treatment outcome and prognostic factors for primary nasal lymphoma. J Clin Oncol 1995; 13: 666-677.

Liang R, Todd D, Chan TK, Chiu E, Lie A, Kwong YL, Ho F. Prognostic factors for primary gastrointestinal lymphoma. Hematol Oncol (in press).

Wong KF, Chan JKC, Kwong YL, Sin VC, Ma SK, Tang KC. B-cell small lymphocytic lymphoma with circulating granular prolymphocytes and a novel trisomy 15 anomaly. Cancer Genet Cytogenet (in press).

Leukaemia

E Woo, CP Yue, KS Mann, FMF Cheung, TK Chan and D Todd. Intracerebral chloromas: report of a case and review of the literature. Clin Neurol Neurosurg 1986; 88-2: 135-139.

Liu HW, Wong KL, Chan TYK, Lau CC, Liang R. Superior vena cava syndrome: a rare presenting feature of acute myeloid leukaemia. Acta Haematol 1988; 79:213-216.

Liang R, Chan TK, Todd D. Chemotherapy for relapsed and resistant acute nonlymphoblastic leukaemia. Cancer Chemother Pharmacol 1988; 21:68-70.

Liang R, Chan TK, Chan GTC, Todd D. Treatment of adult acute lymphoblastic leukaemia using an intensive chemotherapy protocol. Cancer Chemother Pharmacol 1989; 23:384-388.

Chen Z, Tang MH, Chan KH, Ng MH, Liang R. Reactivity of a new Pan-B monoclonal antibody (MA6) against human leukaemia. Leuk Res 1989; 13:241-244.

PNM Cheng, SC Tso, TK Chan, D Todd, JWM Lawton, FCS Ho. Acute lymphoblastic leukemia in Chinese adults in Hong Kong. Aust NZ J Med 1989: 19: 37-43.

Lin CK, Liang R, Fu KH, Ma L, Tse PWT, Chan GTC, Liu HW. Myelodysplastic syndrome presenting with generalised cutaneous granulocytic sarcoma. Acta Haematol 1990; 83:89-93.

JF Bishop, RM Lowenthal, D Joshua, JP Matthews, D Todd, R Cobcroft, MG Whiteside, H Kronenberg, D Ma, A Dodds, R Herrmann, J Szer, MM Wolf and G Young. Etoposide in acute non-lymphocytic leukemia. Blood 1990; 75:1: 27-32.

Liang R, Chiu E, Chan TK, Todd D. Induction chemotherapy for newly diagnosed acute myeloid leukaemia using a regime containing cytosine arabinoside, daunorubicin and etoposide. Cancer Chemother Pharmacol 1990; 26: 380-382.

Kwong YL, Ng I, Leung SY. Osteolytic lesions in chronic myeloid leukemia. Pathology 1990; 22: 124-125.

Liang R, Chiu E, Chan TK, Todd D. Salvage chemotherapy containing moderate dose cytosine arabinoside and mitoxantrone for relapsed and resistant acute myeloid leukaemia. Cancer Chemother Pharmacol 1991; 28:74-76.

Kwong YL, Liang R, Chan LC. Trisomy 4 in acute myeloid leukaemia. Leukemia 1991; 5:354-355.

Lin CK, Liang R, Liu HW, Tse PWT, Chan GTC. Myelodysplastic syndrome and acquired factor VIII inhibitor with severe subcutaneous haemorrhage. Acta Haematol 1991; 85:206-208.

Wong KF, Chan JKC, Chan JCW, Kwong YL, Ma SK, Chow TC. Concurrent acute myeloid leukemia and systemic mastocytosis. Am J Hematol 1991; 38:243-244.

Chan LC, Kwong YL, Liu HW, Lee CP, Lie KW, Chan ATT. Deletion 12p in de novo acute myeloid leukemia - an association with early progenitor cell. Cancer Genet Cytogenet 1992; 62: 47-49.

Kwong YL, Chan LC. Concomitant presence of trimsomy 21 and del (9q) in acute myeloid

leukemia. Cancer Genetics Cytogenetics 1992; 54:92-94.

*Chiu EKW, Chan TK. Acute leukaemias in adults. J Hong Kong Med Assoc 1992, 44:223-234.

Kwong YL, Lie KW, Chan LC. t(2,3)(p13;q26) in a case of chronic myeloid leukemia - importance of the involvement of 3q26. Cancer Genet Cytogenet 1992; 59:95-96.

Kwong YL, Chan AYY, Chan LC, Wong KF, Chu YC. Near triploid myeloblastic transformation of chronic myeloid leukaemia with bizarre blast morphology. Cancer Genet Cytogenet 1992; 58:82-95.

Kwong YL, Chan TK, Chan LC. Interstitial deletion of the long arm of chromosome 9 as the sole anomaly in acute myeloid leukaemia is associated with dyserythropoiesis. Leukemia 1992; 6:64-65.

Chan LC, Kwong YL, Liu HW, Ching LM. Cytogenetic analysis of haematological malignancies in Hong Kong - a study of 98 cases. Cancer Genet Cytogenet 1992; 62: 154-159.

Wong KF, Chan JKC, Chu YC, Kwong YL. Clonal evolution in primary 5q- syndrome. Cancer 1992; 70: 100-103.

Liang R, Chan TK, Chiu E, Todd D. Non-aggressive therapy for chronic myeloid leukaemia in blastic transformation. Cancer Chemother Pharmacol 1992; 29: 323-325.

Liu HW, Wan SK, Ching LM, Liang R, Chan LC. Translocation (12;17): a recurrent primary rearrangement in acute leukaemia. Cancer Genet Cytogenet 1992; 64: 27-29.

Keung YK, Liang R, Chiu EKW. Acute leukemia associated with mediastinal germ cell tumour - de novo versus therapy related leukemia. West J Med 1993; 158: 409-412.

Kwong YL, Ha SY, Liang R, Wan TSK, Chan LC. Interstitial deletion of 9q in a case of acute myeloid leukaemia M6. Cancer Genet Cytogenet 1993; 66:79-80.

Kwong YL, Liu HW, Ching LM, Pollock A, Chan LC. Translocation 8;21 and multilineage involvement. Am J Hematol 1993; 43:212-216.

Kwong YL, Shing MK, Tsoi WC, Yuen PMP, Chan LC. Association between t(2;9)(p12;p23) and early B precursor acute lymphoblastic leukemia. Cancer Genet Cytogenet 1993; 69:163-164.

Kwong YL, Ha SY, Liu HW, Chan LC. Trisomy 4 may occur in a broad range of hematologic disorders. Cancer Genet Cytogenet 1993; 69:139-140.

Kwong YL, Ha SY, Lie AKW, Chan LC. A novel translocation (3;11)(q26.2q13) in a case of acute monoblastic leukemia. Cancer Genet Cytogenet 1993; 69:158-160.

Kwong YL, Ha SY, Ching LM, Chan LC. Interstitial deletion of 9q revisited. Leukaemia Lymphoma 1993; 12:153-155.

Kwong YL, Robertson E, Lee CP, Chan LC. Dual-colour flow cytometric analysis of megakaryocytic DNA ploidy in the investigation of blastic phase chronic myelogenous leukemia and rearrangement of 3q26. Cancer 1993; 71:3882-3887.

Kwong YL, Cheng G, Tang TS, Robertson E, Lee CP, Chan LC. Transient myeloproliferative disorder in a Down's neonate with rearranged T cell receptor b gene and evidence of in vivo maturation demonstrated by dual colour flow cytometric DNA ploidy analysis. Leukemia 1993; 7: 1667-1671.

Liang R, Chow WS, Chiu E, Chan TK, Lie A, Kwong YL, Chan LC. Effective salvage therapy using all-trans retinoic acid for relapsed and resistant acute promyelocytic leukaemia. Anti-Cancer Drugs 1993; 4:339-340.

Kwong YL, Pollack A, Wei D, Lie A. Philadelphia chromosome positive acute lymphoblastic leukemia masquerading as persistent bone marrow necrosis. Pathology 1994; 26: 183-185.

Kwong YL. Transient abnormal myelopoiesis in Down's neonates. Am J Ped Hematol Oncol 1994; 16: 387-388.

Kwong YL, Shing MK, Wan TM, Yuen PMP, Chan AYY, Chan LC. Inversion (14) (q11;q32) in childhood T cell acute lymphoblastic leukemia. Cancer Genet Cytogenet 1994; 72:92-95.

Kwong YL, Chan TK. Translocation (7;11)(p15;p15) in acute myeloid leukemia M2:

association with trilineage myelodysplasia and giant dysplastic myeloid cells. Am J Hematol 1994; 47:62-64.

Liang R, Chan TK, Todd D. Childhood acute lymphoblastic leukaemia and aplastic anaemia. (Invited review) Leukaemia Lymphoma 1994; 13:411-415.

Kwong YL, Wan TSK, Wei W, Liang R, Chan LC. Trisomy 14, deletion 20q and t(3:3) (q21;26) in a case of myelodysplastic syndrome with myelofibrosis. Clin Lab Hematol 1994; 16:79-84.

Kwong YL, Pang J, Ching JM, Liu HW, Liang R, Chan LC. Trisomy 12 in chronic lymphocytic leukaemia: an interphase cytogenetic study by fluorescence in situ hybridisation. Cancer Genet Cytogenet 1994; 72:83-85.

Chiu EKW, Chan LC, Liang R, Lie A, Kwong YL, Todd D, Chan TK. Poor outcome of intensive chemotherapy for adult acute lymphoblastic leukaemia: a possible dose effect. Leukemia 1994; 8: 1469-1473.

Liang R, Chan TK, Chu YC, Chan J, Chan CH, Chiu E, Lie A, Kwong YL, Yeung YM, Chan LC, Wong KF, Au KL. Intensive consolidation chemotherapy for newly diagnosed acute myeloid leukaemia using a regime containing moderate dose cytosine arabinoside and mitoxantrone. Anti-Cancer Drugs 1995; 6:224-228.

Wong KF, Kwong YL, Wong TK. Inversion 14q in acute lymphoblastic leukemia of B lineage. Cancer Genet and Cytogenet 1995; 80:72-74.

Mok CC, Kwong YL, Lau CS. Secondary acute myeloid leukemia with 7q- complicating azathioprine treatment for rheumatoid arthritis. Ann Rheu Dis 1995; 54: 155-156.

Kwong YL, Wong KF, Chan LC, Liang R, Chan JKC, Lin CK, Chan TK. Large granular lymphocyte leukaemia - a study of nine cases in a Chinese population. Am J Clin Pathol 1995; 103:76-81.

Kwong YL, Liu HW, Chan LC, Liang R, Chiu E, Ng WF, Loke SL. Diagnosis of leukaemic hairy cell leukemia. Hematol Pathol (in press).

Kwong YL, Pang J, Lee CP, Liang R, Chan LC, Chan TK. The use of simultaneous immunophenotying and fluorescence in situ

hybridisation in the investigation of lineage involvement in myelodysplasia. Leukaemia (in press).

Kwong YL, Liang R, Chiu E, Chan DW, Chan TK. Hairy cell leukaemia: treatment results and association with secondary malignancy. Am J Hematol (in press).

Kwong YL, Tso SC, Wong KF, Tang J, Chan TK. Translocation rearrangemets of 11q23 in acute monoblastic leukemia. Cancer Genet Cytogenet (in press).

Wong KF, Kwong YL, Tang KC. Biclonal acute monoblastic leukemia with del (7q) and trisomy 9 and 22. Cancer Genet Cytogenet (in press).

Wong KF, Kwong YL, Ma SK. Complex variant t(3;5)(q21;q31), t(3;5;19)(q21;q31;p13), in acute myeloid leukemia. Am J Hematol (in press).

Kwong YL, Wong KF. Translocation (8;21) and the myelodysplastic syndrome. Leuk Res (in press).

Bone marrow transplantation

†Kwong YL, Millar JL, Powles RL. Recovery of circulating haemopoietic progenitor cells in the early phase of haemopoietic reconstitution after autologous and allogeneic bone marrow transplantation. Bone Marrow Transplant 1989;4: 575-578.

†Clutterbuch RD, Newman A, Powles RL, Kwong YL, Millar JL, Smith C. Failure to immortalize human AML cells using human recombinant GM-CSF in vitro and in vivo. Bone Marrow Transplant 1989; 4:40-41.

*Liang R, Hawkins B, Chan TK, Chiu E. An unrelated Marrow Donor Registry for Chinese (Editorial). JAMA (SEA) 1993: 9: 12-14.

Lee ACW, Lau YL, Chiu EKW, Liang R, Chan TK, Yeung CY, Chan CF. Bone marrow transplantation for thalassaemia in Hong Kong, the early experience. Bone Marrow Transplant, 1993; 12(supp 1): 49-50.

*Liang R, Chiu E, Chan TK, Hawkins BR, Lie A, Todd D. Bone marrow transplantation using unrelated donors. J Hong Kong Med Assoc 1993; 45: 117-121.

*Chiu E, Liang R, Lie A, Todd D, Chan TK. Bone marrow transplantation in Hong Kong: the Queen Mary Hospital experience. J Hong Kong Med Assoc 1993; 45: 96-104.

*Lee ACW, Lau YL, Chan CF, Chiu E, Liang R, Chan TK, Yeung CY. Bone marrow transplantation for thalassaemia major in Hong Kong. J Hong Kong Med Assoc 1993; 45: 105-109.

*Lau YL, Lee ACW, Chan CF, Chiu EKW, Jones BM, Liang R, Chan TK, Yeung CY. HLA - non-identical T-cell depleted bone marrow transplantation for severe combined immunodeficiency. J Hong Kong Med Assoc 1993; 45: 57-61.

*Chiu EKW, Chan TK. Marrow transplantation in Hong Kong. J Hong Kong Med Assoc 1993, 45: 96-104.

Chan TK, Chiu EKW. Bone marrow transplantation in Hong Kong. Proc R Coll Phys Edin 1993, 23: 170-177.

Liang R, Chiu E, Chan TK, Hawkins B. An unrelated marrow donor registry in Hong Kong. (invited review) Bone Marrow Transplant 1994; 13: 697-698.

Liang R, Chiu E, Chan TK, Hawkins BR, Lie A. Bone marrow transplantation using matched unrelated donors: a marrow registry for Chinese (invited review). Chinese Med J 1994; 107: 736-737.

Chiu E, Hawkins BR, Liang R, Lie A, Kwong YL, Chan TK. Incidence of graft-versus-host disease in Hong Kong Chinese and its influence on survival after bone marrow transplantation from HLA-identical siblings. Bone Marrow Transplant 1995; 15: 543-547.

Lau Y L, Kwong Y L, Lee A C W, Chiu E K W, Ha S Y, Chan C F, Chan V, Chan T K. Mixed chimerism following bone marrow transplantation for severe combined immunodeficiency: a study by DNA fingerprinting and simultaneous immunophenotyping and fluorescence in-situ hybridization. Bone Marrow Transplant 1995 (in press).

Hawkins BR, Dunbar MM, Liang R, Chiu E, Lie A, Chan TK. Probability of finding a matched donor for bone marrow transplantation in a

Chinese population: two year experience of an All-Chinese marrow donor registry. Transplantation Proceedings (in press).

Chan EYT, Chiu EKW, So MKP, Lie AKW, Chan TK. Peripheral blood lymphocyte subsets after allogeneic bone marrow transplantation: reconstitution and correlation with the occurence of acute graft-versus-host disease. Asian Pac J Allergy Immunol (in press).

*Chiu EKW. Recent advances in the treatment of chronic myeloid leukemia in chronic phase. JAMA (SEA) 1995 (in press).

Molecular oncology

Liang R, Chan V, Chan TK, Todd D, Ho F. Immunoglobulin gene rearrangements in the peripheral blood and bone marrow of patients with lymphomas of the mucosa associated lymphoid tissue. Acta Haematol 1990; 84:19-23.

Liang R, Chan V, Chan TK, Chiu E, Todd D. Rearrangement of immunoglobulin, T-cell receptor and bcl-2 genes in malignant lymphomas in Hong Kong. Cancer 1990; 66:1743-1747.

Ho FCS, Srivastava G, Loke SL, Fu KH, Leung BPY, Liang R, Choy D. Presence of clonal Epstein-Barr virus DNA in nasal lymphomas of B and T cell type. Hematol Oncol 1990; 8:271-282.

Liang R, Chan V, Chan TK, Chiu E, Todd D. Rearrangement of immunoglobulin and T-cell receptor genes in acute and chronic leukaemia. Acta Haematol 1991; 85:71-75.

Liang R, Shibata D. Epstein-Barr virus and T-cell lymphomas. Am J Hematol 1991; 36:160.

Liang R, Chan V, Chan TK, Wong T, Chiu E, Todd D. The detection of immunoglobulin gene rearrangement in acute and chronic lymphoid leukaemia of B-cell lineage by polymerase chain reaction gene amplification. Am J Hematol 1991; 38:189-193.

Chan LC, Kwong YL, Ha SY. Neurofibromatosis and increased risk of leukemia - is G-CSF gene involved? Leukemia 1991; 5: 1113-1114.

Loke SL, Ho FCS, Srivastava G, Fu KH, Leung B, Liang R. Clonal Epstein-Barr virus genome in T-cell rich lymphomas of B or probable B lineage. Am J Pathol 1992; 140: 981-989.

Liang R, Chan V, Chan TK, Wong T, Todd D. Detection of immunoglobulin gene rearrangement in B-cell lymphomas by polymerase chain reaction gene amplification. Hematol Oncol 1992; 10:149-154.

Cheng G, Ha SY, Liu HW, Kwong YL, Li CK, Chan LC. A patient with marked leucocytosis, t(8;21), absent Ph chromosome, but rearranged BCR gene. Br J Hematol 1992; 82: 171-172.

Chan LC, Srivastava G, Pittaluga S, Kwong YL, Liu HW, Yuen HL. Detection of clonal Epstein Barr Virus in malignant proliferation of peripheral blood CD3 + CD8+ T cells. Leukemia 1992; 6: 952-956.

Liang R, Cheng G, Wat MS, Ha SY, Chan LC. Childhood acute lymphoblastic leukaemia presenting with relapsing hypoplastic anaemia: progression of the same abnormal clone. Br J Haematol 1993; 83:340-343.

Liang R, Chan V, Chan TK, Wong T, Chiu E, Lie A, Todd D. Detection of immunoglobulin gene rearrangement in lymphoid malignancies of B-cell lineage by semi-nested polymerase chain reaction gene amplification. Am J Hematol 1993; 43:24-28.

Kwong YL, Cheng G. Clonal nature of chronic neutrophilic leukemia. Blood 1993; 82: 1035-1036.

Kwong YL, Lam CK, Chan AYY, Chan LC. Cytogenetic triclonality in acute myeloid leukemia: a morphologic, immunologic and in situ hybridization study. Cancer Genet Cytogenet 1994; 72:83-85.

Chan LC, Kwong YL, Lam CK, Lie AKW, Ching LM. A case of Philadelphia-negative, m-BCR rearranged eosinophilic leukaemia with trisomy 8 localized by in situ hybridization. Leukemia 1994; 8: 158-159.

Kwong YL, Chan LC. Involvement of eosinophils in acute myeloid leukemia with monosomy 7 demonstrated by in situ hybridization. Br J Haematol 1994; 88: 389-391.

Tao Q, Srivastava G, Ho FCS, Loke SL, Liang R, Liu YT. Epstein-Barr virus (EBV) related lymphoproliferative disorder with subsequent EBV-negative T-cell lymphoma - Detection of

EBV latent membrane protein (LMP) in CD3+, CD4+ and CD8+ T-cells. Int J of Cancer 1994; 58: 33-39.

Kwong YL, Chan V, Wong KF, Chan TK. The use of the polymerase chain reaction in the detection of AMLI/ETO fusion transcript in t(8:21). Cancer 1995; 75: 821-825.

Kwong YL, Chan DW, Liang R. SIL/TAL1 recombination in T acute lymphoblastic leukaemia and T lymphoblastic lymphoma. Cancer Genet Cytogenet (in press).

Chan WP, Liang R. Sequence analysis of HTLV-I provirus associated with adult T-cell leukaemia/lymphoma in Hong Kong. Am J Haematol (in press).

Kwong YL, Wong KF. Hyperdiploid acute myeloid leukemia: relationship between blast size and karyotype demonstrated by fluorescence in situ hybridization. Cancer Genet Cytogenet (in press).

Ma SK, Wong KF, Chan JKC, Kwong YL. t(1;7)(q10;p10) with abnormal eosinophilic maturation: a morphologic and fluorescence in situ hybridization study. Br J Haematol (in press).

Kwong YL, Wong KF, Chan TK. Trisomy 8 in acute promyelocytic leukemia: an interphase study by fluorescence in situ hybridization. Br J Haematol (in press).

Infections

Liang R, Yung R, Chau PY, Chan TK, Lam WK, So SY, Todd D. Imipenem/Cilastatin as initial therapy for febrile neutropenic patients. J Antimicrob Chemother 1988; 22:765-770.

Lau JYN, Lai CL, Lin HJ, Lok ASF, Liang R, Wu PC, Chan TK, Todd D. Fatal reactivation of chronic hepatitis B virus infection following chemotherapy withdrawal in lymphoma patients. Q J Med 1989; 73: 911-917.

Liang R, Yung R, Chan TK, Chau PY, Lam WK, So SY, Todd D. Ofloxacin versus co-trimoxazole for prevention of infection in neutropenic patients. Antimicrob Agents Chemother 1990; 34:215-218.

Liang R, Yung R, Chiu E, Chau PY, Chan TK, Lam WK, Todd D. Ceftazidime versus Imipenem/Cilastatin as initial monotherapy for febrile neutropenic patients. Antimicrob Agents Chemother 1990; 34: 1336-1341.

Liang R, Lok ASF, Lai CL, Chan TK, Todd D, Chiu EKW. Hepatitis B infections in patients with lymphomas. Hematol Oncol 1990; 8:261-270.

Lok ASF, Liang R, Chiu EKW, Wong KL, Chan TK, Todd D. Reactivation of hepatitis B virus replication in patients receiving cytotoxic therapy. Gastroenterology 1991; 100:182-188.

Tsui E, Liang R. Successful treatment of focal hepatic candidiasis in a patient with acute myeloid leukaemia. Scand J Infect Dis 1991; 23:267-270.

Lok ASF, Chien D, Choo QL, Chan TM, Chiu EKW, Cheng IKP, Houghton M, Kuo G. Antibody response to core, envelope and nonstructural hepatitis C virus antigens: comparison of immunocompetent and immunosuppressed patients. Hepatology 1993; 18: 497-502.

Thalassaemia and Haemoglobinopathy

Chin D, Tse TM, Wong WS, Todd D, Yu CP, Mann KS. Paraparesis with Hemoglobin E-β thalassemia Aust NZ J Med 1985; 15: 263-264.

Liang ST, Wong VCW, So WWK, Ma HK, Chan V, Todd D. Homozygous α-thalassaemia: clinical presentation, diagnosis and management. A review of 46 Cases. Br J Obst Gynae 1985; 92: 680-684.

Chan V, Chan TK, Liang ST, Ghosh A, Kan YW, Todd D. Hydrops fetalis due to an unusual form of Hb H Disease Blood 1985; 66, 1: 224-228.

Ghosh A, Woo J S K, Wan C W, MacHenry C, Wong V, Ma H K, Chan V, Chan T K. Evaluation of a prenatal screening procedure for thalassaemia carriers in a Chinese population based on the mean corpuscular volume (MCV). Prenat diagn 1985; 5: 59-65.

Chan V, Chan TK, Cheng MY, Leung NK, Kan YW, Todd D. Characteristics and distribution of β thalassaemia haplotypes in South China. Hum Genet 1986; 73: 23-26.

Chan V, Chan TK, Cheng MY, Kan YW, Todd D. Organization of the ζ - α Genes in Chinese. Br J Haematol 1986; 64: 97-105.

Chan V, Chan TK, Cheng MY, Leung NK, Kan YW, Todd D. Characteristics and distribution of β thalassaemia haplotypes in South China. Hum Genet 1986; 73: 23-26.

Chan V, Chan TK, Tso SC and Todd D. Combination of three α-globin gene loci deletions and hemoglobin New York results in a severe hemoglobin H syndrome. Am J Hematol 1987; 24: 301-306.

Chan V , Chan TK, Ghosh A, Wong LC, Ma HK, Kan YW, Todd D. Application of DNA polymorphisms for prenatal diagnosis of β thalassemia in Chinese. Am J Hematol 1987; 25: 409-415.

Chan V, Chan TK, Chebab FF and Todd D. Distribution of β thalassemia mutations in South China and their association with haplotypes. Am J Hum Genet 1987; 41: 678-685.

Ghosh A, Tang M H Y, Liang S T, Ma H K, Chan V, Chan T K. Ultrasound evaluation of pregnancies affected by homozygous α-thalassaemia-1. Prenat Diagn 1987; 7:307-313.

Chan V, Chan TK, Wong ACK, Chan TPT, Ghosh A and Todd D. Restriction fragment length polymorphism in the interzeta hypervariable region for prenatal diagnosis of nondeletion a thalassemia. Am J Haematol 1988; 27: 242-246.

Chan V, Chan TK, Todd D. Prenatal diagnosis of homozygous α thalassemia 1 (Hemoglobin Barts hydrops fetalis) In: Loukopoulos D, ed. Prenatal diagnosis of thalassemia and the hemoglobinopathies. Florida: CRC Press, Inc., 1988: 209-220.

Chan TK, Chan V, Todd D, Ghosh A, Wong LC and Ma HK. Prenatal diagnosis of α - and β -thalassemias: experience in Hong Kong. Hemoglobin 1988; 12: 787-794.

Chan V, Chan TK, Kan YW, Todd D. A novel β-Thalassemia frameshift mutation (codon 14/15), detectable by direct visualization of abnormal restriction fragment in amplified genomic DNA. Blood 1988; 72:4: 1420-1423.

Chan V, Chan TK, Todd D. Different forms of Hb H disease in the Chinese. Hemoglobin 1988; l2: 499-507.

Chan V, Chan T K, Liu VWS, Wong ACK. Restriction fragment length polymorphisms associated with Factor VIII: C gene in Chinese. Hum Gene 1988; 79: 128-131.

Chan V, Chan TK, Todd D. A new coden 7l (+T) mutant resulting in β^o thalassemia. Blood 1989; 74: 2304-2305.

Wang CCL, Tso SC, Todd D. Hypogonadotropic hypogonadism in severe β -thalassemia: effect of chelation and pulsatile gonadotropin-releasing hormone therapy. J Clin Endocrinol Metab 1989; 68:3: 511-516.

*Todd D, Chan V. The thalassaemias: an update. Med Prog 1989; 16(10):51-62.

*Chan TK, Chan V. Molecular genetics and prenatal diagnosis of common inherited disease. CME Review, National University Hospital, Singapore 1991; 1:67-77.

Chan V, Chan TPT, Lau K, Todd D, Chan TK. False non-paternity in a family for prenatal diagnosis of β -thalassaemia. Prenat Diagn 1993; 13: 977-982.

Haemophilia

Chan V, Chan TK, Tong TMF and Todd D. A novel missense mutation in exon 4 of the factor VIII:C gene resulting in moderately severe hemophilia A. Blood 1989; 74: 2688-2691.

Chan V, Tong TM and Chan TK. Multiple Xba I polymorphism in haemophilia A. Br J Haematol 1989; 73:293-294.

Chan V, Tong TMF, Chan TPT, Tang M, Wan CW, Chan FY, Chu YC and Chan TK. Multiple Xba I polymorphisms for carrier detection and prenatal diagnosis of haemophilia A. Br J Haematol 1989; 73: 497-500.

Chan V, Yip B, Tong TMF, Chan TPT, Lau K, Yam I and Chan TK. Molecular defects in hemophilia B: detection by direct restriction enzyme analysis. Br J Haematol 1991; 79:63-69.

Chan V, Au P, Lau P, Chan TK. A novel haemophilia B defect due to partial duplication of the factor IX gene. Br J Haematol 1994; 86:601-609.

Yip B, Chan V, Chan TK. Intragenic dinucleotide

repeats in factor VIII gene for the diagnosis of haemophilia A. Br J Haematol 1994; 88:889-891.

Coagulation

Mok CK, Boey J, Wang R, Chan TK, Cheung KL, Lee PK, Chow J, Ng RP and Tse TF. Warfarin versus dipyridamole-aspirin and pentoxifylline-aspirin in the prevention of prosthetic heart valve thromboembolism: a prospective randomized clinical trial. Circulation 1985; 72: 1059-1063.

Lee PK, Wang RYC, Chow JSF, Cheung KL, Wong VCW and Chan TK. Combined use of warfarin and adjusted subcutaneous heparin during pregnancy in patients with artificial heart valve. J Am Coll Cardiol 1986; 8: 221-224.

Mok CK, Lee PK, Boey J, Wang R and Chan TK. Prevention of prosthetic heart valve thromboembolism. Cardiol Board Rev 1986; 3:87-95.

Tso SC, Wong V, Chan V, Chan TK, Ma HK and Todd D. Deep vein thrombosis and changes in coagulation and fibrinolysis after gynaecological operations in Chinese: the effect of oral contraceptives and malignant disease. Br J Haematol 1990; 46: 603-612.

Nicholls J, Chan LC, Koo YM, Kwong YL, Choi LS. Subdural haematoma and factor XII deficiency in a Chinese infant. Injury 1993; 24: 202-203.

Liu HW, Kwong YL, Bourke C, Lam CK, Lie AKW, Wei D, Chan LC. High incidence of thrombophilia detected in Chinese patients with venous thrombosis. Thrombo Haemost 1994; 71: 416-419.

General Hematology and Oncology

Chan TK, Chan V, Teng CS, Yeung RTT. Die progredienz der diabetischen retinopathie die wirkung von Gliclazid im Vergleich zu Glibenclamid. In Gliclazid. Ein neuer aspekt in der oralen diabetestherapie, Herausgegeben von K. Schoffling. Dr Wolf C und Sohn, Munchen 1985, p 67-73.

Woo E, Yu YL, Ng M, Huang CY and Todd D. Spinal cord compression in multiple myeloma: who gets it? Aust NZ J Med 1986; 16: 671-675.

†Gillies HC, Herriott D, Liang R, Ohashi K, Rogers HJ, Harper PG. Pharmacokinetics of

idarubicin (4-demethoxydaunorubicin; IMI-30; NSC 256439) following intravenous and oral administration in patients with advanced cancer. Br J Clin Pharmacol 1987; 23:303-310.

Liang R. Thrombocytopenia associated with etretinate therapy. Acta Haematol 1988; 79:112-113.

*Kwong YL, Chan TK. Current concepts in haematology: I. Normal haemopoiesis, II. Haemopoietic growth factors and lymphokines. III. Abnormal haemopoiesis. IV. The scientific basis of allogeneic bone marrow transplantation. J Hong Kong Med Assoc 1988; 40:171-184.

*Shuen SP, Liang R. Treatment of cancer: a patient's description. J Hong Kong Med Assoc 1988; 40:70-72.

Leung WH, Lau JYN, Chan TK and Kumana CR. Fulminant hyperpyrexia induced by bleomycin. Postgrad Med J 1989; 65: 417- 419.

Todd D, Chan TK. Abnormalities of blood volume in disorders of the spleen. In: The Spleen. Edited by A.J. Bowdler. Chapman & Hall, London 1990; Chapter 9: 191-205.

Fong PC, Tai YT, Lau CP, Li J, Yap FYH, Liang R, Lie AKW. Percutaneous transluminal coronary angioplasty in a patient with paroxysmal nocturnal hemoglobinuria. Cathet Cardiova Diag 1992; 25: 144-147.

Kwong YL, Chan AYY, Wei D, Chan LC. Near tetraploidy in essential thrombocythemia. Cancer Genet Cytogenet 1993; 65: 74-75.

Lee ACW, Kwong YL, Fu KH, Chan CF, Ma L, Lau YL. Disseminated mediastinal carcinoma with chromosomal translocation (15;19). Cancer 1993; 72: 2273-2276.

Kwong YL, Chan TK. Toxic occupational exposures and paroxysmal nocturnal haemoglobinuria. Lancet 1993; 341-443.

Kwong YL, Lie AKW, Chan LC. Translocation (11;14)(q14;q32) and partial trisomy 1q in a case of multiple myeloma. Am J Hematol 1993; 44: 212-213.

Kwong YL, Ng WK. Different guises of plasmacytoma - from skin to bone. J Clin Pathol 1994; 47: 951-953.

Kwong YL, Wong KF, Chan TK. Toxic exposures and haematological disorders. Br J Haematol 1994; 87: 442-443.

Chiu EKW, Liang R, Lie A, Todd D, Chan TK. Comparison of odansetron with metoclopramide in the control of emesis induced by moderately emetogenic chemotherapy used for lymphoma and leukaemia patients. Drug Invest 1994; 8:104-109.

Chiu EKW, Yuen KY, Lie A, Liang R, Lau YL, Lee A, Kwong YL, Wong S, Ng MH, Chan TK. A prospective study on symptomatic bacteraemia from platelet transfusion and its management. Transfusion 1994; 34: 950-954.

Kwong YL, Liang R, Chiu E, Lie A, Todd D, Chan TK. Essential thrombocythaemia - a retrospective analysis of 39 cases, Am J Hematol 1994; 39-42.

Kwong YL, Lee CP, Chan TK, Chan LC. Flow cytometric measurement of glycosylphosphatidylinositol linked surface proteins on blood cells of patients with paroxysmal nocturnal hemoglobinuria. Am J Clin Pathol 1994; 102: 30-35.

Kwong YL, Chiu E, Liang R, Chan V, Chan TK. Essential thrombocythaemia with BCR/ABL rearrangement. Cancer Genet Cytogenet (in press).

Wong KF, Kwong YL, Chan TK. Concomitant isochromosome 3q and trisomy 18 in Waldenstrom's macroglobulinemia. Cancer Genet Cytogenet (in press).

Kwong YL. Pure red cell aplasia and cyclosporin. Am J Hematol (in press).

Miscellaneous

Kumana CR, Ng M, Lin HJ, Ko W, Wu PC, Todd D. Herbal tea induced hepatic veno-occlusive disease: quantification of toxic alkaloid exposure in adults. Gut 1985; 26: 101-104.

*Kumana CR, Chau PY, Todd D. How should we use cephalosporins. H K Pract 1986; 8: 2183-2186.

Kwong YL, Chan MK. Acute post-strptococcal glomerulonerphritis followed shortly by acute rheumatic fever. Postgrad Med J 1987; 63: 209-210.

Kwong YL, Yu YL, Ma J. CT appearance of malignant hypertension. J Neuroradiol 1987; 6: 203.

Aquinas M, Todd D. Particular problems of tuberculosis in developing countries In: DJ Weatherall, JGG Ledingham and DA Warrell, eds. Oxford Textbook of Medicine, 2nd edition. Warrell. Oxford: Oxford University Press, 1987; 5.299-5.303.

*Todd D, Kumana CR, So SY, Cheng IKP, Wong KL, Chan CW, Chiu W, Chow E, Chu KM. A Patient with chronic renal failure and lung shadow J Hong Kong Med Assoc 1987; 39: 109-114.

Kwong YL, Yu YL, Chan FL. High dose ketoconazole in the treatment of cerebral aspergilloma. Clin Neurol and Neurosurg 1988; 89: 193-196.

Kwong YL, Wong KL, Kung ITM. Concomitant alveolar haemorrhage and cytomegalovirus infection in a patient with systemic lupus erythematosus. Postgrad Med J 1988; 64: 56-59.

Kwong YL, Woo E, Fong PC, Yung RWH. Mollaret's meningitis revisited: report of a case with a review of the literature. Clin Neurol and Neurosurg 1988; 90: 163-167.

Woo E, Huang CY, Chan V, Chan YW, Yu YL and Chan TK. Beta-thromboglobulin (BTG) in cerebral infarction. J Neurol Neurosurg Psychiatry 1988; 51: 557-562.

Chan KH, Mann KS and Chan TK. The significance of thrombocytopenia in the development of postoperative intracranial hematoma. J Neurosurg 1989; 71: 38-41.

Wang CCL, Lin HJ, Chan TK, Salen G, Chan WC and Tse TF. A unique patient with coexisting cerebrotendinous xanthomatosis and b-sitosterolemia. Am J Med 1990: 71: 313-319.

Lau JYN, Lai CL, Wu PC, Pan HYM, Lin HJ, Todd D. Wilson's Disease: 35 years' experience. Q J Med, 1990; 278: 597-605.

Wong VCN, Yu YL, Liang R, Tso WK, Li A, Chan TK. Cerebral thrombosis in β -thalassaemia-haemoglobin E disease. Stroke 1990; 21:812-816.

Wang C, Wong KL, Cheng CH, Chan TK, Liu W T, Liu HJ. Long-term plasmaphoresis in the treatment of homozygous familial hypercholesterolemia in two Chinese patients. Transfus Sci 1991; 12:189-192.

"Chan V, Chan TK. Prenatal diagnosis and carrier testing of Duchenne muscular dystrophy by DNA analysis. J Hong Kong Med Assoc 1992; 43: 83-87.

Chan FY, Chan V, Chan TK. Prenatal quantitation of number of X-chromosomes by slot blot hybridization and autoradiography. Int J Gynaecol Obstet 1993; 40: 123-9.

Chan V, Yu YL, Chan TPT, Yip B, Chang CM, Wong MTH, Chan YW, Chan TK. DNA analysis of Huntington's disease in Southern Chinese. J Med Genet 1995; 32:120-124.

Medical Education

Todd D. Continuing Medical Education. Ann Acad Med Singapore 1987; 16:2: 366-369.

*Todd D. Postgradute Medical Education Perspectives. CME Review, National University Hospital, Singapore 1991; No. 2, 1:37-41.

Todd D. The Hong Kong Academy of Medicine. Lancet 1992; 340: 835-836.

*Todd D. The Hong Kong Academy of Medicine. The Medical and Dental Directory of Hong Kong, 5th Edition, Hong Kong: Federation of Medical Societies of Hong Kong. 1993; 27-30.

*Liang R. The vision of our medical school. The Medical and Dental Directory of Hong Kong, 5th Edition, Hong Kong: Federation of Medical Societies of Hong Kong 1993; 45-48.

† Publications by staff whilst attached to or visiting other centres

Raymond H.S. Liang

^{*} Publications in non-indexed journals

DIVISION OF GASTROENTEROLOGY AND HEPATOLOGY



The medical and surgical Gastroenterology and Hepatology Team including clinicians, nurses and research assistants



Dr. C.L. Lai performing abdominal ultrasound examination for a patient with deranged liver function tests



Case discussion during a regular combined Gastroenterology and Hepatology ward round



Paient undergoing an upper endoscopy examination and insertion of nasoduodenal feeding tube

DIVISION OF GERIATRIC MEDICINE



Left to right: Dr. K.C. Chang, Dr. Conrad Pei, Dr. L.W. Chu, Dr. K.H. Wong, Dr. M.Y. Mok

DIVISION OF HAEMATOLOGY AND ONCOLOGY



The Division: physicians, nurses and technicians



The nurses at work in J8 Bone Marrow Transplant Unit



Computer-programmed freezing of marrow cells

DIVISION OF MOLECULAR MEDICINE



Computing a FISH image with the latest model of laser confocal microscope



Loading a sequencing gel on the automated sequencer



Making oligonucleotides on the DNA synthesizer for PCR

DIVISION OF NEPHROLOGY



The medical staff



The consultants with the chief nursing officers, DOM and some of the renal nurses on duty



The consultants with laboratory staff and secretary

DIVISION OF NEUROLOGY



Full complement of staff



Medical, research and technical staff in the Neurodiagnostic Laboratory



Wednesday Grand Round


DIVISION OF RESPIRATORY MEDICINE



The Division in the Lung Function Laboratory: clinicians, nurses, technicians, research assistants and secretaries



A round at the Intensive Care Unit (Medical)



Automated body plethysmograph in action



Video-assisted fibreoptic bronchoscopy

DIVISION OF RHEUMATOLOGY



Clinicians, nurses and technicians



The clinical team



The research team

DIVISION OF MOLECULAR MEDICINE

The advent of DNA technology in the 1970s -1980s brought rapid advances in our knowledge of the molecular basis of disease. As haematology is the specialty in which most of the early work in molecular medicine were centred, Professor T.K. Chan recognised the importance of this new 'field' very early on and gave every encouragement to setting up this Division in our Department. With the advice and help of Professor Y.W. Kan, in whose laboratory I learned most of the DNA techniques, we established our DNA Diagnostic Laboratory in 1982. The high incidence of thalassaemia trait in S.E. Asia means that there will be approximately 280 pregnancies at risk for homozygous α or β thalassaemia amongst the 80,000 births in Hong Kong each year. With the establishment of the Wu Chung Prenatal Diagnosis Laboratory at the Tsan Yuk Hospital at around the same time, Professor H.K. Ma and Professor T.K. Chan decided to undertake this joint venture of establishing the DNA Prenatal Diagnosis Centre for common genetic diseases. The Department of Obstetrics and Gynaecology is responsible for the fetal sampling and the Department of Medicine, responsible for the laboratory analysis. This DNA Prenatal Diagnosis Centre, established in 1982, is the first in SE Asia and the only one in Hong Kong to-date.

The Division of Molecular Medicine was established in 1984. The staff in this Division are:

Professor Vivian Chan, BSc(Hons), MSc, DIC, PhD, FACB, FRCPath

Professor and Chief of Division

Mr. Ken Lau, BSc, MSc Chief Technologist

Mr. Patrick Au, BSc MPhil Scientific Officer

Miss Jenny Chan, BSc, MPhil Medical Technologist

Trainee

Mr. Benjamin Yip, BSa

Past staff

Mr. Tim Chan, BSc, MPhil

OBJECTIVE

The main objective of the Division of Molecular Medicine is to establish DNA techniques for diagnosis/prenatal diagnosis of common genetic diseases and to apply molecular biology techniques for better patient management and treatment e.g. DNA fingerprinting for detection of engraftment or chimerism in bone marrow transplant (BMT) recipients; detection of minimal residual disease in leukaemic patients post chemotherapy or BMT as an indication of early relapse.

CLINICAL SERVICE

The Division is responsible for all the DNA prenatal diagnosis of common genetic diseases in Hong Kong. The thalassaemia programme (α and ß thal) was first established and to-date we handle approximately 100 cases of a thal and 45 cases of ß thal per annum. Beginning 1987, carrier testing and prenatal diagnosis of haemophilia A and B were also offered, and this was followed shortly by similar services for families at risk for Duchenne muscular dystrophy (DMD). Referrals are accepted from obstetricians all over Hong Kong. The counselling and fetal sampling are performed at two centres now, one at the Tsan Yuk Hospital and a second one, also operated by the University of Hong Kong Obstetrics & Gynaecology Unit, at Kwong Wah Hospital. To facilitate early diagnosis, additional screening was instituted in 1991, in collaboration with the Family Planning Association (FPA). Premarital couples or newly-weds who seek check-up and counselling at the FPA clinics are also screened for low MCV. Those couples with low MCV and normal iron status are referred directly to our Division at Queen Mary Hospital for further characterization of their α or β thal status and preliminary counselling as to the mode of inheritance of the disease, the methods of prenatal testing, the relative risk of amniocentesis and chorionic villus biopsy. They are notified by post of their blood test result and the need for prenatal

diagnosis or otherwise. The prenatal diagnosis programme has been a great success as judged by the number of at risk couples who re-use the service at the Prenatal Diagnosis Clinic at Tsan Yuk Hospital. The extension of the prenatal diagnosis service to include haemophilia A and B as well as DMD has resulted not only in prevention of the birth of affected males, but has also provided carrier testing for females with family history of the diseases. With the identification of the Huntington gene, IT5 in 1993 and discovery that the pathological mechanism of Huntington's disease (HD) is due to expanded trinucleotide repeats at the 5' end of the gene, we embarked on a study of HD in Chinese. In collaboration with the Division of Neurology of our Department and the University Department of Psychiatry, we are now able to provide predictive testing to family members. Referrals from other neurological units and psychiatric hospitals throughout Hong Kong are accepted to diagnose HD and dentatorubral and pallidoluysian atrophy (DRPLA) by DNA analysis.

Other services include setting up DNA-fingerprinting for monitor of marrow engraftment or chimerism in BMT recipients, devising polymerase chain reaction (PCR) techniques for immunoglobulin gene (Ig) rearrangement and reverse transcriptase-PCR (RT-PCR) of fusion gene products in monitoring minimal residual diseases in leukaemic patients after therapy.

EDUCATION

The Division is responsible for lecturing on 'Application of molecular biology in clinical medicine' as well as clinics to specialty clerks on 'molecular medicine'. In addition, lectures on 'prenatal diagnosis' are given to B.Sc. students taking Molecular Biology as a core module and lectures on 'medical genetics' to graduate secondary school teachers as part of their Diploma of Education curriculum. Lectures and discussions are held with the Obstetricians and Counsellors of the Prenatal Diagnosis Team at Tsan Yuk and Kwong Wah Hospitals to update them on current methods of diagnosis, their accuracy and the risk of recombination etc. The aim is to provide, through them, a better

explanation to the couples undergoing prenatal testing. Many other postgraduate lectures are arranged through the invitation of various professional groups such as the Hong Kong Society of Haematology and the Hong Kong Paediatric Haematology and Oncology Study Group.

Advice and teaching are given to colleagues on various DNA techniques. Throughout the years, there have been a number of visiting fellows or scientists from S.E. Asia, China, and U.S.A. These visits are supported by the China Medical Board or British Council. A number of colleagues have acquired techniques in the DNA laboratory for work on their M.D. and there are a couple of postgraduate students working on M.Phil. projects.

RESEARCH

Haematological disorders. Since each ethnic group carries its own specific set of mutations, before embarking on prenatal diagnosis of the various congenital diseases, we have to characterise the molecular defects for each particular disease in the local Chinese population. A number of novel B thal defects have been isolated by our group, namely codon 14/15, + G and codon 71/72, + T. With the advent of PCR, it had been possible to achieve a million-fold amplification of a gene fragment, and we were one of the first to devise a strategy for direct genomic sequencing. This obviates the need of M13 cloning to produce single-stranded DNA for conventional dideoxy sequencing. We initially used horse-radish peroxidase linked allele specific oligonucleotide (HRP-ASO) probes for direct detection of ß thal mutations in prenatal diagnosis in 1989-1992, but this required prior hybridization to 20 mutant and normal (β^T and β^A) probes respectively, to define the defect, and was obviously time-consuming. The more recent approach is establishment of a reverse dot-blot procedure whereby all the oligonucleotides pertaining to the 12 known Chinese B thal mutations are dotted onto nylon strips and are hybridized simultaneously to the PCR-amplified β gene of the patient in solution. This has the advantage of achieving simultaneous screening/

diagnosis in a single step. More recent research in prenatal testing of β thal in our Division involves the use of 'colour'-oligonucleotide primers for mutation-specific PCR.

To provide for carrier testing and prenatal diagnosis of haemophilia A and B, we studied the heterozygosity rates of the various restriction fragment length polymorphisms (RFLPs) in the FVIII and FIX genes. This led to our discovery of two additional closely-linked Xba I RFLP sites in intron 22 of the FVIII gene, resulting in increased heterozygosity and enhanced usefulness of the Xba I RFLP in linkage of the gene. With the use of the Bcl I and Xba I (A + B + C) sites as well as the extragenic Taq I-St14 polymorphism it is possible to offer prenatal diagnosis for 95% of the local families at risk. The finding of microsatellite repeat polymorphism in intron 13 and intron 22 has further increased the possibility of gene linkage to 100%. Our Division has recently applied the use of fluorescein-labelled primers (using HEX- and FAM- phosphoramidite at the 5' end) for multiplex PCR, so that 'coloured'-PCR products are obtained. This approach enables us to use an automated sequencer to analyse the multiple microsatellite repeat polymorphisms simultaneously, providing rapid haplotype assignment for an extensive family of 12 members within a few hours. The same technique has also been applied for short tandem repeat (STR) polymorphisms of the DMD gene.

To provide better understanding of the molecular mechanisms of haemophilia A in Chinese, we have recently completed a study in characterising the defect in 41 unrelated patients. Apart from the 14 patients with gene rearrangement, the other 17 defects are small deletion, insertions, nonsense or missense mutations. Two involved mutation hotspots and the others are novel defects not previously described.

The absence of heterozygosity or very low heterozygote rate for the common RFLP sites of the FIX gene in Orientals means that prenatal diagnosis by linkage analysis is virtually impossible. Thus characterization of the molecular defect is the only approach. With the heterogenous molecular mechanism of

haemophilia B, we were able to delineate eight new defects for nine unrelated patients. Six of these mutations affect an enzyme recognition site and can thus be diagnosed by direct restriction enzyme analysis of PCR-amplified exon where the mutation lies. One patient has a rare pathology of partial duplication of the 3' end of the FIX gene and RT-PCR of illegitimate mRNA in lymphocytes was applied to explain the mechanism of the duplication.

Haemic malignancies. In collaboration with colleagues in the Division of Haematology/ Oncology, other RT-PCR have been developed for detection of AML1/ETO transcript in t(8:21) translocation and minimal residual disease in promyelocytic leukaemia, with monitor of the fusion gene (PML-RaR α).

Neurogenetic diseases. As the incidence of DMD is 1:3000 live-born males, the need to offer carrier and prenatal testings to at risk families is obvious. Through the Collaborative Research Group on DMD, we obtained a series of linked probes for RFLP analysis. Recent work in this area includes the use of fluorescein-labelled primers for multiplex PCR of STR in the DMD gene. This semiautomated method of linkage analysis has been applied to our prenatal diagnosis programme. In collaboration with the Division of Neurology in our Department as well as other neurology units throughout Hong Kong, a study of Chinese HD was made. The expanded trinucleotide repeats were observed in all but one of the local HD patients, whilst normal-sized repeats were found in 174 normal X chromosomes analysed. Being the first group to study the (CAG)n, (CCG)n and (CCN)n in the same individuals, we were able to conclude that the latter repeats were not as polymorphic and probably not associated with disease state. Results of predictive testing in HD were only made available to the individuals concerned, with combined counselling from both the Divisions of Molecular Medicine and Neurology as well as the psychiatrists from the University Department of Psychiatry.

Based on our work on the molecular mechanisms of common genetic diseases, I have been invited as a Faculty member of the World Health Organization Subcommittee on Haemophilia Testing as well as a member of the subcommittee on Thalassaemia Control. The Division's laboratory has been named a WHO/WFH training centre in DNA diagnosis.

Research grants held. (1) Hong Kong University Research Grant & Wing Lung Bank Medical 1985-1986. Molecular Research Fund, mechanism of β thalassemia in the Chinese. (2) Croucher Foundation Research Grant 1986-1989. Application of Recombinant DNA technology in genetic diseases - HK\$1.795 million. (3) Croucher Foundation Research Grant, 1990-1992. Application of DNA technology in Haemophilias and neurogenetic diseases - HK\$3.42 million. (4) Croucher Foundation Research Grant, 1993-1995. Application of DNA technology in Genetic Diseases and Blood Cancers - HK\$1.14 million. (5) Research Grants Council, 1994-1996, Noninvasive Prenatal Diagnosis of Common Genetic Diseases in Hong Kong - HK\$0.543 million. (6) F. S. Li Research Fund - HK\$2.5 million.

Total research funding (1985-1995) - HK\$9.5 million.

FUTURE DIRECTIONS

Our research has always been linked to our service needs. The current methods for prenatal testing of the common genetic diseases are relatively simple, reliable and accurate. A possible improvement that one would wish to achieve is a 'non-invasive' procedure. Our Division is putting significant effort in this area of research and has been given Research Grants Council funding to this aim.

There is also intensive research internationally on vectors and methods of gene therapy. Undoubtedly, in the next five to ten years, gene therapy will be a new treatment modality for many genetic as well as malignant disorders. The Department's BMT unit is ideal for clinical management of such patients and we hope the Division of Molecular Medicine will be able to play its role in lending laboratory support for generation of vectors and targetting genes etc.

As our knowledge of the molecular basis of diseases advances, the importance of Molecular

Medicine in the MBBS curriculum should be recognised. It would be important to accord a few more lectures/clinics to this 'specialty'. At the postgraduate level, the Part I MRCP exam already has 25% questions on this area. The attitude of our clinical colleagues has been very heavily biased towards clinical practice. It is probably necessary to instill in them a more scientific approach, in order to generate greater interest in research. A 3-6 months' full-time rotation in the laboratory to allow them to acquire DNA techniques and familiarise themselves with the literature would be an appropriate start. This should perhaps be considered part of the basic physician training programme.

Staffing in the Division is limited, there is mainly technical support staff. It would be useful to establish a couple of more senior posts at the Scientific Officer/Lecturer grade so as to further develop this specialty. As this specialty is very much clinically-orientated, one would wish to appoint staff conversant in this aspect of applications, rather than basic research.

PUBLICATIONS (from 1985)

Alpha and beta thalassaemias

Ghosh A, Woo JSK, Wan CW, MacHenry C, Wong V, Ma HK, Chan V, Chan TK. Evaluation of an antenatal screening procedure for thalassaemia carriers in a Chinese population basing on the mean corpuscular volume (MCV). Prenat Diagn 1985; 5: 59-65.

Chan V, Chan TK, Liang ST, Ghosh A, Kan YW, Todd D. Hydrops fetalis due to an unusual form of Hb H disease. Blood 1985; 66: 224-228.

Liang ST, Wong VCW, So WWK, Ma HK, Chan V, Todd D. Homozygous α thalassaemia: clinical presentation, diagnosis and management. A review of 46 cases. Br J Obstet Gynaec 1985; 92: 680-684.

Chan V, Chan TK, Cheng MY, Leung NK, Kan YW, Todd D. Characteristics and distribution of ß thalassemia haplotypes in South China. Hum Genet 1986; 73: 23-26.

Chan V, Chan TK, Cheng MY, Kan YW, Todd D. Organisation of the ζ – α genes in the Chinese. Br J Haematol 1986; 64: 97-105.

Ghosh A, Tang MHY, Liang ST, Ma HK, Chan V, Chan TK. Ultrasound evaluation of pregnancies affected by homozygous α-thalassaemia-1. Prenat Diagn 1987; 7: 307-313.

Chan V, Chan TK, Tso SC, Todd D. A combination of three α globin gene loci deletion and Hemoglobin New York results in a severe Hemoglobin H syndrome. Am J Hematol 1987; 24: 301-306.

Chan V, Chan TK, Ghosh A, Wong LC, Ma HK, Kan YW, Todd D. DNA polymorphisms in the Chinese: application to the prenatal diagnosis of ß thalassaemia. Am J Hematol 1987; 25: 409-416.

Chan V, Chan TK, Chebab FF, Todd D. Distribution of ß thalassemia mutations in South China and their association with haplotypes. Am J Hum Genet 1987; 41: 678-685.

Chan V, Chan TK, Wong ACK, Chan TPT, Ghosh A, Todd D. Restriction fragment length polymorphism in the interzeta hypervariable region for prenatal diagnosis of non-deletion α thalassemia. Am J Hematol 1988; 27: 242-246.

Chan TK, Chan V, Todd D, Ghosh A, Wong LC, Ma HK. Prenatal diagnosis of α and β thalassemias: experience in Hong Kong. In 'First International Symposium on Thalassemia', Hemoglobin 1988; 12: 787-794.

Chan V, Chan TK, Todd D. Different forms of Hb H Disease in the Chinese. In 'First International Symposium on Thalassemia', Hemoglobin 1988; 12: 499-507.

Chan V, Chan TK, Kan YW, Todd D. A novel ß thalassemia frameshift mutation (Codon 14/15) detectable by direct visualization of abnormal restriction fragment in amplified genomic DNA. Blood 1988; 72: 1420-1423.

Chan V, Chan TK, Todd D, Wong LC, Ghosh A, Tang M, Chan FY, Wan CW, Ma HK. Prenatal diagnosis of α - and β -thalassemias and Haemophilia A. In Lin HJ, Swaminathan R, Robertshaw AM eds. Proceedings of Fourth Asian Pacific Congress of Clinical Biochemistry 1988; 57-60.

*Todd D, Chan V. The thalassemias: an update. Med Prog 1989; 16: 51-62.

Chan V, Chan TK, Todd D. A new Codon 71 (+T) mutant resulting in β^{o} thalassemia. Blood 1989; 74: 2304.

Chan V. Prenatal diagnosis of alpha and beta thalassemias and haemophilia A: experience in Hong Kong. Clin Biochem 1990; 23: 79-84.

Lam TK, Chan V, Fok TF, Li CK, Feng CS. Long term survival of a baby with homozygous α-thalassemia-1. Acta Haematol 1992; 88: 198-200.

Chan V, Chan TPT, Lau K, Todd D, Chan TK. False non-paternity in a family for prenatal diagnosis of ß thalassaemia. Prenat Diagn 1993; 13: 977-982.

Ghosh A, Tang MHY, Lam YH, Fung E, Chan V. Ultrasound measurement of placental thickness to detect pregnancies affected by homozygous α thalassaemia-1. Lancet 1994; 334: 988-989.

Haemophilia A and B

Chan V, Chan TK, Liu VWS, Wong ACK. Restriction fragment length polymorphisms associated with Factor VIII:C gene in Chinese. Hum Genet 1988; 79: 128-131.

Chan V, Chan TK, Tong TMF, Todd D. A novel missense mutation in Exon 4 of the factor VIII:C gene resulting in moderately severe hemophilia A. Blood 1989; 74: 2680-2691.

Chan V, Tong TMF, Chan TPT, Tang M, Wan CW, Chan FY, Chu YC, Chan TK. Multiple Xba I polymorphisms for carrier detection and prenatal diagnosis of haemophilia A. Br J Haematol 1989; 73: 497-500.

Chan TK, Chan V. Prenatal diagnosis of haemophilia. In Proceedings of Seminar on first trimester prenatal diagnosis (in press).

Chan V, Tong TMF, Chan TK. Multiple Xba I polymorphisms in Haemophilia A. Br J Haematol 1990; 75: 293-294.

Chan V, Yip B, Tong TMF, Chan TPT, Lau K, Yam I, Chan TK. Molecular defects in Haemophilia B: detection by direct restriction enzyme analysis. Br J Haematol 1991; 79: 63-69.

World Health Organisation Subcommittee on Hereditary Diseases. Guidelines on Carrier Testing and Diagnosis of Haemophilias. World Health Organisation Bulletin 1992; 1-79.

Peake IR, Lillicrap DP, Boulyjenkov V, Briet E, Chan V, Ginter EK, Kraus EM, Ljung R, Mannucci PM, Nicolaides K, Tuddenham EGD. Report of a joint WHO/WFH meeting on the control of haemophilia: carrier detection and prenatal diagnosis. Blood Coagulation and Fibrinolysis 1993; 4: 313-344.

Chan V, Chan TK. Recent advances in prenatal diagnosis of Haemophilia A and B. India J Hematol 1993; 11: 210-215.

Chan V, Au P, Lau P, Chan TK. A novel Haemophilia B defect due to partial duplication of the Factor IX gene. Br J Haematol 1994; 86: 601-609.

Yip B, Chan V, Chan TK. Intragenic dinucleotide repeats in factor VIII gene for the diagnosis of haemophilia A. Br J Haematol 1994; 88: 889-891.

Chan V, Chan TK, Tang M, Ghosh A. Prenatal diagnosis and screening of common genetic diseases in Hong Kong. Proceedings Asian-Pacific Meeting of Medical Genetics (in press).

Haemic malignancies

Liang R, Chan V, Chan TK, Todd D, Ho F. Immunoglobulin gene rearrangement in the peripheral blood and bone marrow of patients with lymphomas of the mucosa-associated lymphoid tissue (MALT). Acta Haematol 1990; 84: 19-23.

Liang R, Chan V, Chan TK, Chiu E, Todd D. Rearrangement of immunoglobulin, T cell receptor and bcl-2 genes in malignant lymphomas in Hong Kong. Cancer 1990; 66: 1743-1747.

Liang R, Chan V, Chan TK, Chiu E, Todd D. Rearrangement of immunoglobulin and T-cell receptor genes in acute and chronic leukaemias. Acta Haematol 1991; 85: 71-75.

Liang R, Chan V, Chan TK, Wong T, Chiu E, Todd D. The detection of immunoglobulin gene rearrangement in acute and chronic lymphoid leukemias of B-cell lineage by polymerase chain reaction gene amplification. Am J Hematol 1991; 38: 189-193.

Liang R, Chan V, Chan TK, Wong T, Todd D. Detection of immunoglobulin gene rearrangement in B-cell lymphomas by polymerase chain reaction gene amplification. Hematol Oncol 1992; 10: 149-154.

Liang R, Chan V, Chan TK, Wong T, Chiu E, Lie A, Todd D. Detection of immunoglobin gene rearrangement in lymphoid malignancies of β-gene lineage by semi-nested polymerase chain reaction gene amplification. Am J Hematol 1993; 43: 24-28.

Kwong YL, Chiu EKW, Liang RHS, Chan V, Chan TK. Essential thrombocythemia with BCR/ABL rearrangement. Cancer Genet Cytogenet (in press).

Kwong YL, Chan V, Wong KF, Chan TK. The use of the polymerase chain reaction in the detection of AML1/ETO fusion transcript in t(8:21). Cancer 1995; 75: 821-825.

Lau YL, Kwong YL, Chiu EKW, Lee CY, Ha SY, Chan, V, Chan TK. Mixed chimerism following bone marrow transplantation for severe combined immunodeficiency: a study by DNA fingerprinting and simultaneous immunophenotyping and fluorescence in situ hybridization. Bone Marrow Transplant (in press).

Neurology and neurogenetic diseases

Chan TK, Chan V. Molecular genetics and prenatal diagnosis of common inherited diseases. NUH - CME Review 1991; 1: 67-77.

*Chan V, Chan TK. Prenatal diagnosis and carrier testing in Duchenne muscular dystrophy by DNA analysis. J Hong Kong Med Assoc 1992; 43: 83-87.

Wong MTH, Chang CM, Yu YL, Chan YW, Chan V. Psychosocial impact of Hungtington's disease on Hong Kong Chinese families. Acta Psychiatr Scand 1994; 90: 16-18.

Chang CM, Yu YL, Wong MTH, Chan YW, Leung CM, Ng THK, Fong KY, Leung CM, Chan V. Huntington's disease in Hong Kong Chinese: epidemiology and clinical picture. Clin Exp Neurol 1995; 31: 43-51.

Chan V, Yu YL, Chan TPT, Yip B, Chang CM, Wong MTH, Chan YW, Chan TK. DNA analysis of Huntington's disease in Southern Chinese. J Med Genet 1995; 32: 120-124.

Miscellaneous on DNA methodology

Chan FY, Chan V, Chan TK. Prenatal quantitation of number of X-chromosomes by slot blot hybridization and autoradiography. Int J Gynaecol Obstet 1993; 40: 123-129.

Chan V, Yip B, Chan TPT, Chan TK. Uses of dinucleotide/trinucleotide repeats in the diagnosis

of genetic diseases. Proceedings of Asian Pacific Meeting of Medical Genetics (in press).

*Chan V, Chan TK. Prenatal diagnosis of common blood disorders (editorial). JAMA (SEA) 1995; 11: 8-11.

* Publications in non-indexed journals

Vivian N. Y. Chan

DIVISION OF NEPHROLOGY

The Division of Nephrology was established in 1980 as part of the Department of Medicine. Currently, it is staffed by the following nephrologists:

Dr. Ignatius K.P. Cheng, MBBS PhD FRACP FRCP.

FHKCP I HKAM (Medicine)

Reader and Chief of Division

Dr. Michael T.S. Tsang, MBBS, FRCP(E), FRCP(G).

FHKCP FHKAM (Medicine)

Co-chief and Senior Consultant in Medicine

Dr. W. K. Lo, MBBS MRCP (UK) FHKCP, FHKAM (Medicine)

FHKAM (Medicine)

Consultant in Nephrology

Dr. Daniel T.M. Chan, MBBS, MRCP (UK), FHKCP.

Lecturer

Dr. B.Y. Choy, MBBS, MRCP (UK), FHKCP, FHKAM (Medicine) Senior Medical Officer

Dr. C.Y. Lo, MBBS, MRCP (UK), FHKCP, FHKAM (Medicine) Senior Medical Officer

Trainees

Dr F.K. Li, MBBS, MRCP (UK)
Medical Officer

Dr S.L. Lui, MBBS, MRCP (UK)
Medical Officer

Nephrologists who have worked and contributed to the activities and development of the Division from 1985-95 included:

Dr M.K. Chan, MD, FRCP(E) FRCP, FHKCP FHKAM (Medicine)

Dr P.C.K. Chan, MBBS, MRCP (UK)

Dr. W.C. Cheung, MBBS, MRCP (UK)

CLINICAL SERVICE

A unit specializing in the care of patients with end-stage renal disease (ESRD) was first formally established by the Department of Medicine in Tung Wah Hospital (TWH) in January 1980.

Initially only haemodialysis (HD) service was provided. To cope with increasing patient load, continuous ambulatory peritoneal dialysis (CAPD) was introduced in March 1983. In the same month, in collaboration with the Government and University Surgical Units, renal transplantation (RT) was started in Queen Mary Hospital (QMH). A satellite dialysis centre, the Aberdeen Renal Dialysis Centre (ARDC) was established in August 1983 to provide haemodialysis service. CAPD was started at ARDC in August 1986. In February 1993, the renal service of the University and Government Medical Units and University Surgical Unit were integrated. In June 1995, ARDC was moved to OMH.

The renal service of the Division is located in wards K18N and part of K17N in QMH, providing 14 HD, 3 CAPD, and 10 RT/Renal beds, and in ward C8 in TWH where there are 11 HD, 4 CAPD and 24 Renal beds. A renal laboratory is located at K18N QMH.

The renal services at QMH and TWH form a network and staff of both units work closely together to provide an integrated service for patients suffering from ESRD on Hong Kong Island. General nephrology (Nep), HD and PD services are provided by both units while RT is confined to QMH. Renal patients requiring acute care are treated in QMH, while long-term rehabilitation is carried out in TWH.

By June 1995, the Division has trained a total of 924 PD patients and has performed 244 RT. It is currently caring for 100 HD, 421 PD and 308 RT patients. There are 8 out-patient clinics including 2 RT, 2 dialysis, 3 Nep and 1 SLE clinic, each of which sees 30 to 100 patients per week. The Division provides the largest networked renal service in Hong Kong.

EDUCATION

Undergraduate teaching for medical students is undertaken by our staff, with the assistance of honorary clinical lecturers. The programme includes lectures, teaching clinics and bedside sessions.

The Division provides post-graduate education for medical graduates, nurses, and allied health workers of both public and private hospitals. Basic and Advanced Training Programmes in Medicine and Nephrology of the Hong Kong College of Physicians are provided, and comprise weekly renal grand rounds, biweekly renal biopsy meetings, X-ray meetings, case review sessions, journal clubs, and interhospital renal meetings. The programme for nurses and allied health workers includes lectures and seminars run by the Division, School of Professional and Continuing Education, Nursing Administrations of various hospitals, Hospital Authority and Hong Kong Society of Nephrology. Our medical post-graduate training programme has attracted a regular stream of mainland nephrologists to our Division since the mid 1980s, who have contributed to the clinical research activities of the Division.

The Division runs a weekly patient counselling service for ESRD patients. Our medical and nursing staff are actively involved in educational and social activities of renal patient support groups, charitable organisations, District Boards, and the Hong Kong Society of Nephrology. To facilitate patient education and counselling, a booklet entitled "How to cope with end-stage renal failure" was published by the Division in 1993. A "Nephrology Manual" was published in June 1995 to enhance the practical knowledge on the clinical practice of nephrology among students and trainees. A comprehensive nursing protocol on dialysis techniques and RT has also been produced by our nursing staff in 1995 to enhance quality assurance.

RESEARCH

The Division has undertaken active clinical and laboratory research since its establishment in the early 1980s, and has contributed significantly to knowledge in the field of nephrology, in particular on locally relevant clinical issues.

Clinical and immunological studies in glomerulonephritis

Studies on the clinico-pathological features of glomerular diseases have been carried out in collaboration with the Department of Pathology. Prospective therapeutic trials from the Division showed that antiplatelet agents and fish oil were of no benefit in IgA nephropathy, and that neither cyclosoporin A nor thymopentin induced long-term remission in steroid-dependent nephrotic syndrome. Hypolipidaemic agents, however, may potentially retard the progression of diabetic and non-diabetic renal diseases. On the treatment of lupus nephritis, our group was the first to demonstrate the efficacy and safety of a sequential immunosuppressive regimen.

On the immunopathogenesis of glomerulonephritis, we have defined the role of serum IgE and T cell-derived lymphokines in predicting steroid responsiveness in patients with nephrotic syndrome, the relative contributions of T and B cell subsets in isotype regulation in IgA nephropathy, and the role of anti-endothelial cell and anti-DNA antibodies in systemic lupus erythematosus (SLE). We have demonstrated that anti-DNA antibodies can bind to endothelial cells either indirectly via DNA or directly to cross-reactive molecules on the cell membrane.

We have also reported unusual glomerulonephritides which were of pathogenetic interest, such as those occurring in Castleman's disease, Kimura disease, and in patients under cytokine therapy.

Hepatitis in dialysis and renal transplant recipients

We were the first to examine the transplantation of kidneys from hepatitis B surface antigen positive (HBsAg+) donors into HBsAg negative recipients, and have shown that such practice is safe with passive or active immunisation. Our group was among the leaders in the investigation of the impact of the hepatitis C virus (HCV) in dialysis and renal transplant patients, and have contributed significantly to the understanding of the serological and clinico-pathological features of HCV infection. There are on-going therapeutic studies on HCV infection in renal patients.

Studies in peritoneal dialysis

The Division is recognised as a leading CAPD

centre in Asia, and has done extensive clinical studies in CAPD. Our published data on CAPD depict one of the most extensive single centre experience in the world. We have examined the cost-effectiveness of different CAPD treatment modalities. The excellent clinical outcome despite fewer PD exchanges compared to the West has attracted a lot of interest regarding the issue of dialysis adequacy.

We have reported the treatment of diabetic patients, as well as bacterial and non-bacterial peritonitis complicating CAPD. We pioneered the use of oral fluoroquinolones in the treatment of CAPD peritonitis. We also evaluated the use of different quinolones administered by different routes. On peritoneal function, we were the first to define the trans-peritoneal transfer of calcium and magnesium and the use of low calcium dialysate in CAPD patients on 3 daily exchanges. Factors affecting peritoneal lymphatic absorption and ultrafiltration, and the effects of intraperitoneal vitamin D3 on peritoneal macrophage function were also examined. We were among the first to report on the long-term use of subcutaneous recombinant human erythropoietin in the treatment of anaemia in dialysis patients and in thalassaemic patients with renal failure. Our studies on lipid metabolism in CAPD patients have demonstrated the therapeutic efficacy of the fibrate group of hypolipidaemic agents in this patient group.

Studies in other areas of dialysis

In collaboration with the Endocrine Division and the Clinical Biochemistry Unit, we have studied the mechanisms propranolol-induced of hypoglycaemia in haemodialysis patients. In collaboration with the Neurology Division, we evaluated the use of multi-modal neurophysiological assessment in dialysis patients. In a study conducted with the Division of Cardiology, we demonstrated the myocardialsuppressive effects of hypocalcaemia.

We have reported on our experience of aluminium bone disease, and have defined the use of bone densitometry in the evaluation of renal osteodystrophy. We have also alerted physicians to the common occurrence of herpes zoster and isoniazid encephalopathy in dialysis patients.

Studies in other areas of renal transplantation

A randomised long-term clinical trial comparing double and triple cyclosporin A-based immunosuppressive regimens in renal transplantation was conducted. We reported on the use of C-reactive protein in monitoring allograft rejection. Electrolyte and haematological abnormalities in renal transplant patients were also studied. A prospective study on the treatment of hyperlipidaemia after renal transplantation is underway, to reduce the long-term morbidity and mortality of this patient population. To explore the problems associated with renal transplantation using kidneys from executive prisoners, we have conducted a survey among three major transplant centres in Hong Kong. This study highlighted, for the first time, the increased patient mortality and morbidity associated with this type of transplant, which has proved crucial for nephrologists to formulate policies regarding this unconventional treatment modality.

We examined the role of testosterone in the pathogenesis of post-transplant erythrocytosis. Unusual complications after renal transplantation, including allograft rupture, lymphoproliferative disorder, and other malignancies, were also reported to alert physicians of their occurrence.

Studies in renal therapeutics and toxicology

We have demonstrated that nadolol had less adverse influence on residual renal function as compared to propranolol in hypertensive patients with moderate renal insufficiency. We have reported on the efficacy of oral fluoroquinolones in the treatment of complicated urinary tract infection. Our study in rats has demonstrated the protective effect of silymarin in gentamycininduced nephrotoxicity. We have shown the detrimental effects of iron overload in patients with artificial heart valves. In a field study among the fishermen population, we demonstrated excessive lead exposure, which could be implicated in hyperuricaemia and renal dysfunction. In collaboration with the Department of Anaesthesiology, we have examined the renal effects of rectal diclofenic sodium in minor orthopaedic surgery.

FUTURE DIRECTIONS

We have just completed a 3-year prospective randomised study comparing nadolol, captopril, and ticlopidine in the prevention of disease progression in IgA nephropathy. The Division is engaged in a multicentre study on the use of cyclosporin A in the treatment of lupus nephritis. Clinical studies on the role of hypolipidaemic agents in the progression of diabetic nephropathy are being planned. Further studies on the role of anti-DNA antibodies in the pathogenesis of SLE will continue. We are examining the clinicohaematological features of cytomegalovirus infection in transplant recipients. Studies on HBV and HCV infection in renal patients are in progress. We will continue research in peritoneal dialysis, including the treatment of peritonitis and the impact of dialysis adequacy and nutrition on long-term patient outcome.

PUBLICATIONS (from 1985)

Immunological and clinical studies on glomerulonephritis

Sham MK, Pun KK, Yeung CK, Ng WL, Chang WK, Chan MK. Hepatitis B inducedglomerulonephritis, fact or fiction. Aust NZ J Med 1985; 15: 356-358.

Yeung CK, Ng WL, Wong WS, Wong KL, Chan MK. Acute deterioration in renal function in systemic lupus erythematosus. Q J Med 1985; 56: 393-402.

Ng WL, Chan MK, Wong KL, Wong RWS, Yeung CK. Unusual transformations of renal involvement in systemic lupus erythematosus. Aust NZ J Med 1985; 15: 69-71.

Yeung CK, Wong KL, Wong WS, Chan KH. \(\mathbb{B}\)2-microglobulin and systemic lupus erythematosus. J Rheumatol 1986; 13: 1053-1058.

Yin PD, Chan KW, Chan MK. Minimal change nephropathy after acute decompression. BMJ 1986; 292: 445-446.

Ng WL, Loke SL, Yeung CK, Kwan S, Chan KW, Chan MK. Clinical and histopathological

predictors of progressive disease in IgA nephropathy. Pathology 1986; 18, 29-34.

Chan MK, Kwan SYL, Chan KW, Yeung CK. Controlled trial of anti-platelet agents in mesangial IgA glomerulonephritis. Am J Kidney Dis 1987; 9: 417-421.

Chan MK, Chan KW, Jones BM. Immunoglobulins (IgG, IgA, IgM, IgE): and complement components (C3, C4) in nephrotic syndrome due to minimal change and other forms of glomerulonephritis, a clue for steroid therapy? Nephron 1987; 47: 125-130.

Chan MK, Cheng IKP. Cyclosporin A in steroid-sensitive nephrotic syndrome with frequent relapses. Postgrad Med J 1987; 63: 757-759.

Kwong YL, Chan KW, Chan MK. Acute post-streptococcal glomerulonephritis followed shortly by acute rheumatic fever. Postgrad Med J 1987; 63: 209-210.

Chan KW, Chan MK, Choy DTK. Nephrotic syndrome associated with angiofollicular lymph node hyperplasia. Pathology 1987; 19: 429-432.

Cheng IKP, Chan KW, Chan MK, Kung A, Ma J, Wang C. Glomerulonephropathy of Laurence-Moon-Biedl syndrome. Postgrad Med J 1988; 621-625.

Chan MK, Yin PD, Chan KW. Primary glomerulonephritis in Hong Kong. Int J Urol Nephrol 1988; 20: 413-420.

‡Cheng IKP, Dorsch SE, Hall BM. The regulation of autoantibody production in Heymann's nephritisby T lymphocyte subsets. Lab Invest 1988; 5916: 780-789.

*Chan KW, Chan PCK, Cheng IKP, Chan MK. Pathology of glomerular disease in Hong Kong. J Hong Kong Med Assoc 1989; 41: 355-361.

Chan MK, Chan KW, Chan PCK, Cheng IKP. Adult onset mesangiocapillary glomerulonephritis: a disease with a dismal prognosis. Q J Med 1989; 72: 599-607.

Cheng IKP, Chan KW, Chan MK. IgA nephropathy and steroid responsive nephrotic syndrome. The disappearance of mesangial IgA deposits following steroid induced remission. Am J Kidney Dis 1989; 14: 361-365.

Cheng IKP, Jones BM, Chan PCK, Chan MK. The role of serum immune response suppressor lymphokine in the prediction of steroid responsiveness in idiopathic nephrotic syndrome. Clin Nephrol 1989; 32: 168-172.

Chan PCK, Wong WS, Wong KL. Cheng IKP, Chan MK. Lupus nephritis patients on maintenance dialysis in Hong Kong. Int J Artif Organs 1989; 12: 782-787.

*Chan MK, Fang GX, Cheng IKP, Chan PCK. Clinical features and long term follow-up of 36 patients with adult-onset Henoch-Schonlein purpura. J Hong Kong Med Assoc 1989; 41: 241-244.

*Fang CX, Chan PCK, Cheung JK, Cheng IKP, Chan MK. The clinical features and long term follow up of 91 cases of adult acute post-streptococcal glomerulonephritis. Chin J Nephrol 1989; 28: 486-489.

Chan PCK, Lau CC, Cheng IKP, Chan KW, Jones B, Chan MK. Minimal change glomerulonephritis in two patients after thymectomy. Singapore Med J 1990; 31: 46-47.

Cheng IKP, Ma JTT, Yeh YG, Chan MK. Comparison of captopril and enalapril in the treatment of hypertension in patients with non-insulin dependent diabetes mellitus and nephropathy. Int J Urol Nephrol 1990; 22: 295-303.

Cheng IKP, Chan PCK, Chan MK. The effect of fish-oil dietary supplement on the progression of IgA nephropathy. Nephrol Dial Transplant 1990; 5: 241-246.

*Cheng IKP. The patient with glomerulonephritis. Med Prog 1991; 33-41.

Chan PCK, Chan KW, Cheng IKP, Chan MK. Focal sclerosing glomerulonephropathy - risk factors of progression and optimal mode of treatment. Int J Urol Nephrol 1991; 23: 619-629.

Chan TM, Chan PCK, Chan KW, Cheng IKP. IgM nephropathy in a patient with Kimura's disease. Nephron 1991; 58: 489-490.

Chan PCK, Chan KW, Cheng IKP. A patient with focal segmental glomerulosclerosis and acute renal failure due to crescentic membranoproliferative glomerulonephritis. Nephron 1991; 57: 232-235.

Lai KN, Lam C, Cheng IKP, Tam J, Lai FM. Effect of cyclosporin A on circulating immune complex levels in IgA nephropathy. Int J Urol Nephrol 1991; 23: 265-274.

Jones BM, Cheng IKP, Wong RWS. Aberrant T-regulation in rheumatoid arthritis and IgA nephropathy affects CD5⁺ and CD5⁻ B lymphocytes equally. Clin Exp Immunol 1991; 86: 212-218.

Chan TM, Cheng IKP, Wong KL, Chan KW, Lai CL. Crescentic IgA nephropathy complicating interleukin 2 therapy in hepatocellular carcinoma of liver. Am J Nephrol 1991; 11: 493-496.

Chan PCK, Robinson JD, Yeung WC, Cheng IKP, Yeung HWD, Tsang MTS. Lovastatin in glomerulonephritis patients with hyperlipidaemia and heavy proteinuria. Nephrol Dial Transplant 1992; 7: 93-99.

†Chan TM, Frampton G, Staines NA, Hobby P, Perry GJ, Cameron JS. Different mechanisms by which monoclonal anti-DNA antibodies bind to human endothelial cells and glomerular mesangial cells. Clin Exp Immunol 1992; 88: 68-74.

†Frampton G, Perry GJ, Chan TM, Cameron JS. The significance of anti-cardiolipin and anti-endothelial cell antibodies in the nephritis of lupus. Contrib Nephrol 1992; 99: 7-16.

Cheng IKP, Jones BM. The use of subcutaneous thymopentin in the treatment of steroid dependent relapsing minimal change nephrotic syndrome. Nephron 1993; 63: 473-474.

Chan TM, Wong KL, Cheng IKP, Chan KW. Resolution of membrano-proliferative glomerulonephritis complicating angiofollicular lymph node hyperplasia (Castleman's disease). Nephron 1993; 65: 628-632.

Jones BM, Cheng IKP, Wong RWS, Kung AWC. CD5-positive and CD5-negative rheumatoid factor-secreting B cells in IgA nephropathy,rheumatoid arthritis and Graves's disease. Scand J Immunol 1993; 38: 575-580.

†Chan TM, Frampton G, Cameron JS. Identification of DNA-binding proteins on human umbilical vein endothelial cells. Clin Exp Immunol 1993; 91: 110-114.

†Chan TM, Frampton G, Jayne DRW, Perry GJ,

Lockwood CM, Cameron JS. Clinical singnificance of anti-endothelial cell antibodies in systemic vasculitis. Am J Kidney Dis 1993; 22: 387-392.

†Perry GJ, Elston T, Khouri N, Chan TM, Cameron JS, Frampton G. Anti-endothelial cell antibodies: histologic and functional correlations in lupus nephritis. Q J Med 1993; 86: 727-734.

Chan TM, Chan KW, Lawton JWM, Lo CY, Li FK, Lo WK, Ip M, Cheng IKP. Clinicopathological features of anti-neutophil cytoplasmic autoantibody (ANCA) - associated acute renal failure in Chinese patients. Nephrology 1995; 1: 39-46.

Lam KSL, Cheng IKP, Janus ED, Pang PWC. Cholesterol lowering therapy may retard the progression of diabetic nephropathy. Diabetologia (in press).

Chan TM, Cheng IKP, Li FK, Wong RWS, Chan KW, Wong KL. Sequential therapy for diffuse proliferative and membranous lupus nephritis: cyclophosphamide and prednisolone followed by azathioprine and prednisolone. Nephron (in press).

Chan TM, Yu PM, Tsang KLC, Cheng IKP. Endothelial cell binding by polyclonal antibodies: relationship to disease activity and endothelial functional alterations. Clin Exp Immunol 1995; 100: 506-513.

Hepatitis in dialysis and renal transplantation

Chan MK, Chang WK. Renal transplantation from HBsAg positive donors to HBsAg negative recipients. BMJ 1988; 297: 522-523.

Chan MK, Chan PCK, Cheng IKP, Li MK, Chang WK. Hepatitis B infection and renal transplantation: The absence of anti-delta antibodies and possible beneficial effect of silymarin during acute episodes of hepatic dysfunction. Nephrol Dial Transplant 1989; 4: 297-301.

Chan TM, Lok ASF, Cheng IKP. Hepatitis C infection among dialysis patients. A comparison between patients on maintenance haemodialysis and continuous ambulatory peritoneal dialysis. Nephrol Dial Transplant 1991; 6: 944-947.

Chan TM, Lok ASF, Cheng IKP. Hepatitis C infection in renal transplant recipients. Transplantation 1991; 52: 810-813.

Lok ASF, Ma OCK, Chan TM, Lai CL, Chung HT, Ng CPL, Lau JSC. Overestimation of the prevalence of antibody to hepatitis C virus in retrospective studies on stored sera. Hepatology 1991; 14: 756-762.

Chan PCK, Lok ASF, Cheng IKP, Chan MK. The impact of donor and recipient hepatitis B surface antigen status on liver disease and survival in renal transplant recipients. Transplantation 1992; 53: 128-131.

Cheng IKP. Special issues related to transplantation in Hong Kong. Transplant Proc 1993; 24: 2435-2437.

Chan TM, Lok ASF, Cheng IKP, Chan RT. Hepatitis C virus (HCV) infection in haemodialysis patients: a longitudinal study comparing HCV RNA and anti-HCV assays. Hepatology 1993; 17: 5-8.

Chan TM, Lok ASF, Cheng IKP, Chan RT. A prospective study on hepatitis C virus infection among renal transplant recipients. Gastroenterology 1993; 104: 862-868.

Cheng IKP, Chan DTM, Lok ASF. Hepatitis C infection among renal transplant recipients: a comparative study using first and second generation anti-HCV EIA and HCV detection by nested PCR. Transplant Proc 1993; 25: 1460-1462.

Chan TM, Lok ASF, Cheng IKP, Ng IOL, Chan KW. Chronic hepatitis C after renal transplantation: treatment with alpha-interferon. Transplantation 1993; 56: 1095-1098.

Lok ASF, Chien D, Chow QL, Chan TM, Chiu EKW, Cheng IKP, Houghton M, Kuo G. Antibody response to core, envelope and non-structural hepatitis C virus antigen: a comparison between immunocompetent and immunosuppressed patients. Hepatology 1993; 18: 497-502.

Chan TM, Wu PC, Lau JYN, Lai CL, Lok ASF, Cheng IKP. Clinicopathological features of hepatitis C virus infection in renal allograft recipients. Transplantation 1994; 58: 1-7.

Chan TM, Wu PC, Lok ASF, Lai CL, Cheng IKP. Clinicopathological features of anti-HCV-negative fatal chronic hepatitis C after renal transplantation. Nephron (in press).

Clinical studies on peritoneal dialysis

Chan MK, Yeung CK. Lipid metabolism in 31 Chinese patients on three 2-1 exchanges of CAPD. Perit Dial Bull 1986; 6: 12-16.

Chan MK, Lam SS, Chan PCK, Cheng IKP. Continuous ambulatory peritoneal dialysis (CAPD): Experience with the first 100 patients in a Hong Kong Centre. Int J Artif Organs 1987; 10: 77-82.

Chan MK, Lam SS, Chiu KW. Continuous ambulatory peritoneal dialysis (CAPD) treatment of diabetic patients in end-stage renal failure - Hong Kong experience. J Diabetic Complications 1987: 1: 11-15.

Kwong MBL, Lee JSK, Chan MK. Transperitoneal calcium and magnesium transfer during a 8-h dialysis. Perit Dial Bull 1987; 7: 85-89.

Chan MK, Chau PY, Chan WWN. Pharmacokinetics of ofloxacin in CAPD patients. Clin Nephrol 1987; 28: 277-280.

Chan MK, Chau PY, Chan WWN. Oral treatment of CAPD peritonitis with two dosage regimens of ofloxacin. J Antimicrob Chemother 1988; 22: 371-375.

Chan MK, Chau PY, Chan WWN. Oral treatment of CAPD patients. Nephrol Dial Transplant 1988; 2: 194-197.

Chan PCK, Yeung CK, Chan MK. Tuberculosis in peritoneal dialysis patients. Singapore Med J 1988; 29: 103-104.

Chan MK, Chow L, Lam SS, Jones BM. Peritoneal eosinophilia in CAPD patients, a prospective study. Am J Kidney Dis 1988; 11: 180-183.

*Chan MK, Ng SF, Lau N, Chan PCK, Cheng IKP. A comparative study of patient and technique survival on CAPD and on hemodialysis in Hong Kong. J Hong Kong Med Assoc 1989; 41: 241-244.

Chan MK. Gemfibrozil improves abnormalities of lipid metabolism in CAPD patients: the role of post-heparin lipases in the metabolism of HDL subfractions. Metabolism 1989; 38: 939-945.

Cheng IKP, Chan PCK, Chan MK. Tuberculous peritonitis complicating long term peritoneal dialysis - report of 5 cases and review of the literature. Am J Nephrol 1989; 9: 155-161.

Cheng IKP, Fang GX, Chan TM, Chan PCK, Chan MK. Fungal peritonitis complicating peritoneal dialysis. Report of 27 cases and review of treatment. O J Med 1989; 71: 407-416.

Chan MK, Chan CY, Cheng IKP. Climatic factors and peritonitis in CAPD patients. Int J Artif Organs 1989; 12: 366-368.

Chan MK, Chan PCK, Cheng IKP, Chan CY, Ng WSF. Pseudomonas peritonitis in CAPD patients. Characteristics and outcome of treatment. Nephrol Dial Transplant 1989; 4: 814-817.

Chan MK. Lipid metabolism in renal failure. Clin Biochem 1990: 23: 61-65.

Chan MK. Sustained-release bezafibrate corrects lipid abnormalities in patients on continuous ambulatory peritoneal dialysis. Nephron 1990; 56: 56-61.

Chan PCK, Tam SCF, Cheng IKP. Oral neostigmine and lymphatic absorption in a myasthenic gravis patient on continuous ambulatory peritoneal dialysis. Perit Dial Int 1990; 10: 93-96.

Chan MK, Cheng IKP, Ng WSF. A randomized prospective trial of three different regimens of treatment of peritoneal dialysis. Am J Kidney Dis 1990; 15: 155-159.

‡Lo WK, Chan KT, Leung ACT, Pang SW, Tse CY. Sclerosing peritonitis complicating CAPD with the use of Chlorhexidine in alcohol. Adv Perit Dial 1990; 6: 79-84.

Yu YL, Cheng IKP, Chang CM, Bruce IC, Mok KY, Zhong WY, Chan YM. A multimodel neurophysiological assessment in terminal renal failure. Acta Neurologica Scand 1991; 83: 89-95.

Cheng IKP, Chan CY, Wong WT. A randomised prospective comparison of oral ofloxacin and intraperitoneal vancomycin plus aztreonam in the

treatment of bacterial peritonitis complicating continuous ambulatory peritoneal dialysis (CAPD). Perit Dial Int 1991; 11: 27-30.

Cheng IKP, Chan CY, Chan MK, Yu L, Fang GX, Wei D. Correction of anaemia in patients on continuous ambulatory peritoneal dialysis with twice weekly subcutaneous recombinant erythropoietin - a long term study. Clin Nephrol 1991; 35: 207-231.

Chan PCK, Wu PG, Tam SCT, Ip MSM, Fang GX, Cheng IKP. Factors affecting lymphatic absorption in Chinese patients on continuous ambulatory peritoneal dialysis. Perit Dial Int 1991; 11: 147-151.

Lim W, Chan SP, Chan PCK, Cheng IKP. Histoplasma capsulatum infection associated with continuous ambulatory peritoneal dialysis. J Infection 1991; 22: 179-182.

Chan PCK, Tam SCF, Robinson JD, Yu L, Ip MSM, Chan CY, Cheng IKP. Effect of phosphatidylcholine on lymphatic absorption and ultrafiltration in patients on continuous ambulatory peritoneal dialysis (CAPD). Nephron 1991; 59: 100-103.

Chan PCK, Ip MS, Pun KK. 1,25 Dihydroxycholecalciferol and peritoneal macrophage chemotaxis in patients on continuous ambulatory peritoneal dialysis. Nephron 1991; 59: 434-439.

‡Lo WK, Chan KT, Leung ACT, Pang SW, Tse CY. Sclerosing peritonitis complicating prolonged use of Chlorhexidine in alcohol in the connection procedure for CAPD. Perit Dial Int 1991; 11:166-172.

*Lo WK, Cheung WC, Chan TM, Lo CY, Lui SL, Cheng IKP. Results of lower paramedial insertion of Tenckhoff catheter. J Hong Kong Med Assoc 1992; 44: 158-162.

Nissenson HR, Prichard SS, Cheng IKP, Gokal R, Kubota M, Maiorca R, Rottembourg J, Steward JH. Non-medical factors that impact on ESRD modality selection. Kidney Int 1993; 43(Suppl 40): S120-S127.

Cheng IKP, Chan CY, Lu LB, Robinson JD, Tam SCF, Lo WK, Cheung WC. Requirement of low calcium dialysate in patients on continuous

ambulatory peritoneal dialysis receiving calcium carbonate as phosphate binder. Clin Nephrol 1993; 40: 100-105.

Cheng IKP, Chau PY, Kumana CR, Chan CY, Kou M, Siu LK. Single dose pharmacokinetics of intraperitoneal ofloxacin in patients on continuous ambulatory peritoneal dialysis. Perit Dial Int 1993; 13(Suppl 2): S383-S385.

Cheng IKP, Chan CY, Wong WT, Cheng SW, Ritchie CW, Cheung WC, Lo WK. A randomized controlled comparison of oral versus intraperitoneal ciprofloxacin in the treatment of bacterial peritonitis complicating CAPD. Perit Dial Int 1993; 13:(Suppl 2): S351-S354.

Cheng IKP, Lu LB, Wei D, Cheng SW, Chan CY, Lee CP. The influence of thalassaemia on the response to recombinant human erythropoietin in dialysis patients. Am J Nephrol 1993; 13: 142-148.

Chan TM, Cheng IKP, Chan CY, Cheng SW, Lo WK, Lo CY. Treatment of fungal peritonitis complicating CAPD with Fluconazole: a series of 21 patients. Nephrol Dial Transplant 1994; 9: 539-542.

Cheng IKP, Chan CY, Cheng SW, Poon JFM, Ji YL, Lo WK, Chan DTM. Cost-effective analysis of conventional spike, "O" set and UVXD connection techniques in CAPD - a prospective randomised study. Perit Dial Int 1994; 14: 255-260.

†Lo WK, Prowant BF, Moore HL, Gamboa SB, Meyer M, Nolph KD, Flynn MA, Londeree B, Keshaviah P, Emerson P. Comparison of different measurements of lean body mass in normals and in chronic peritoneal dialysis patients. Am J Kidney Dis 1994; 23: 74-85.

†Lo WK, Brendolan A, Prowant BF, Moore HL, Khanna R, Twardowski ZJ, Nolph KD. Changes in peritoneal transport rates of selected chronic peritoneal dialysis patients as indicated by the peritoneal equilibration test. J Am Soc Nephrol 1994; 4:1466-1474.

†Lo WK, Prowant BF, Gamboa SB, Moore HL, Nolph KD. How reproducible is daily creatinine recovery in chronic peritoneal dialysis. Perit Dial Int 1994: 14: 286-288.

Studies in other areas of dialysis

Pun KK, Yeung KK, Young RTT. Propranolol-induced hypoglycemia in a hemodialysis patient. Dial Transplant 1986; 15: 195-196.

Pun KK, Yeung CK, Ho PWM, Lin HJ, Chan MK, Young RTT. Effects of propranolol and hemodialysis on the response of glucose, insulin, C-peptide and cyclic AMP to glucagon challenge. Clin Nephrol 1984; 21: 235-240.

Pun KK, Yeung CK, Young RTT. Effects of propranolol and metoprolol on glucose, cyclic AMP and insulin responses during pharmacologic hyperglucagonemia in hemodialysis patients. Nephron 1984; 39: 175-178.

Pun KK, Yeung CK, Chak W, Ho PWM, Chan MK, Lin HJ, Young RTT. Effects of selective and non-selective beta-blockers on the alanine and free fatty acids responses to glucagon challenge in haemodialysis patients. Clin Nephrol 1986; 26: 222-226.

Chan MK, Varghese Z, Li MK, Wong WS, Li CS. New Castle bone disease in Hong Kong: a study of aluminium associated osteomalacia. Int J Art Organs 1990; 13: 162-168.

Cheung WC, Yuen KY, Chang CM, Cheng IKP. Herpes zoster associated encephalitis in dialysis patients. J Infection 1991; 23: 169-174.

Wong CK, Pun KK, Cheng CH, Lau CP, Leung WH, Chan MK, Yeung DW. Hypocalcaemic heart failure in end-stage renal disease. Am J Nephrol 1990; 10: 167-170.

Wong CK, Lau CP, Cheng CH, Mok BKP, Cheng IKP. Hypocalcaemic myocardial dysfunction in uraemia. Cardiology 1992; 80: 7-18.

Chan TM, Pun KK, Wong FHW, Cheng IKP. Total and regional bone density in dialysis patients. Nephrol Dial Transplant 1992; 7: 835-839.

Cheung WC, Lo CY, Cheng IKP, Lo WK. Isoniazid induced encephalopathy in dialysis patients. Tubercle Lung Dis 1993; 74: 136-139.

Studies in other areas of renal transplantation

Chan MK, Ye RG, Jones BM, Wong KK, Li MK.

The use of C-reactive protein in the diagnosis of renal allograft rejection. Singapore Med J 1988; 29: 145-149.

Chan PCK, Chan KW, Cheng IKP, Chan MK. Living related transplantation in a patient with nail-patella syndrome. Nephron 1988; 50: 164-166.

Chan MK, Wong KK, Cheng IKP, Li MK. Clinical prevalence and significance of electrolyte disorders in cyclosporin A-treated patients. Transplant Proc 1988; 20 (Suppl 3): 705-708.

*Chan MK, Cheng IKP, Wong KK, Li MK. The use of antilymphocyte globulin in the reversion of steroid resistant rejection in renal allograft. Chin J Organ Transplant 1988; 9: 37-39.

*Wong KK, Yiu TF, Li MK, Chan MK, Cheng IKP. Living-related kidney donors - a review of post-operative physical and psychological status in Chinese. Asian J Surg 1989; 12: 113-115.

Chan PCK, Cheng IKP, Wong KK, Li MK, Chan MK. Urinary tract infections in post-renal transplant patients. Int J Urol Nephrol 1990; 22: 389-396.

Fang GX, Chan PCK, Cheng IKP, Li MK, Chan MK. Hematological changes after renal transplantation: differences between cyclosporin A and azathioprine therapy. Int J Urol Nephrol 1990; 22: 181-187.

Cheng IKP, Lai KN, Au TC, Chan PSF, Poon GP, Chan YT. Comparison of the mortality rate between proper and unconventional renal transplantation using organs from executed prisoners. Transplant Proc 1991; 23: 2533-2536.

Chan MK. Protein loading test before and after kidney donation. Aust NZ J Med 1986; 16: 691-694.

Chan PCK, Wei DCC, Tam SCF, Chan FL, Yeung WC, Cheng IKP. Post-transplant erythrocytosis: role of erythropoietin and male sex hormones. Nephrol Dial Transplant 1992; 7: 137-142.

*Lui SF, Chan PSF, Cheng IKP, Lai KN. Cadaveric organ donation in Hong Kong. J Hong Kong Med Assoc 1993; 45: 87-91.

*Cheng IKP, Tam PC, Ho KK, Chan TM. Renal transplantation. Recent advances and local issues. J Hong Kong Med Assoc 1993; 45: 122-129.

*Cheng IKP. Transplantation - more needs to be done (Editorial). J Hong Kong Med Assoc 1993; 45: 75-76.

Lo CY, Chan TM, Lo WK, Cheng IKP. OKT3-induced acute pulmonary oedema in an euvolaemic patient despite premedication with methylprednisolone and antithymocyte globulin. Clin Transplant 1993; 7: 195-198.

Lam KY, Chan KW, Lo WK. Bladder carcinoma in a renal transplant patient. Br J Urol 1993; 511-513.

Lo CY, Cheng IKP, Cheung WC, Lo WK, Chan TM. Delayed recurrent thromboembolism of the allograft kidney. Nephron 1994; 67: 351-353.

*Chui AKK, Lo ACY, Chan DTM, Tam PC, Ho KK, Hawkins BR, Wong J, Cheng IKP. Comparison of the outcome of living related donor and cadaveric renal transplantation in Queen Mary Hospital. J Hong Kong Med Assoc 1994; 46: 128-132.

*Cheng IKP. Kidney donation in Hong Kong. Asian J Surgery 1994; 17: 307-311.

Chan TM, Cheng IKP, Tam SCF. Hyperlipidaemia after renal transplantation: treatment with gemfibrozil. Nephron 1994; 67: 317-321.

†Choy BY, Walker RG, Becker GJ. Vasculopathy in cyclosporine-treated renal allografts: possible protection by diltiazem. Clin Transplant 1994; 8: 271-273.

Lo CY, Cheng IKP, Fang GX, Chan MK, Wong KK, Li MK, Poon KP. Immunosuppression in renal transplantation long-term clinical trial of a double versus triple therapy regimen. Nephrology 1995; 1: 143-150.

Chan TM, Kwok TF, Yap FHY, Cheng IKP. Spontaneous improvement of renal function following renal allograft rupture associated with acute rejection. Clin Transplant 1995; 9: 71-73.

Studies on renal therapeutics and toxicology

Pun KK, Yeung CK, Chan MK. Effects of nadolol and propranolol on renal function in hypertensive patients with moderately impaired renal function. Br J Clin Pharm 1985; 20: 40-44.

Chan MK, Wong WT, Yin PD, Cheng IKP. A double-blind controlled trial of cotrimoxazole versus norfloxacin in the treatment of urinary tract infection. Br J Clin Pract 1989; 43: 61-64.

Wong WT, Chan MK, Li MK, Wong WS, Yin PD, Cheng IKP. Treatment of urinary tract infections in Hong Kong: a comparative study of norfloxacin and cotrimoxazole. Scand J Infect Dis 1988; Suppl 56: 22-27.

Chan PCK, Cheng IKP, Chan MK, Wong WT. Clinical experience with pefloxacin in patients with urinary tract infection. Br J Clin Pract 1990; 44: 564-568.

Chan MK. N-acetyl-beta-glucosaminidase in the localisation of urinary tract infections. Singapore Med J 1990; 31: 135-137.

*Cheng IKP, Lau VCC, Yu CL, Chan MK, Yeung CY. The prevalence of lead exposure, hyperuricaemia and renal dysfunction in Aberdeen fishermen in Hong Kong. J Hong Kong Med Assoc 1990; 42: 130-133.

Chan MK, Chan KW, Ng WL. Amelioration of gentamycin nephrotoxicity by phospholipids. Nephrol Dial Transplant 1991; 6: 608-614.

Chan PCK, Chow WH, Tam SC, Cheng IKP, Chan MK. Aminoaciduria and enzymuria in patients with artificial heart valves. Nephron 1992; 62: 18-21.

Irwin MG, Jones RDM, Cheng IKP, Visram AR, Chan M, Roulson CJ. Perioperative administration of rectal diclofenic sodium - effect on renal function in patients undergoing minor orthopedic surgery. Euro J Anaesth (in press).

Miscellaneous

Chan DWS, Yeung CK, Chan MK. Acute renal failure after eating raw fish gall bladder. BMJ 1985; 290: 897.

Wong KL, Tai YT, Loke SL, Woo EK, Wong WS, Chan MK, Ma JT. Disseminated zygomycosis masquerading as cerebral lupus erythematosus. AmJ Clin Path 1986; 86: 546-549.

Chan KW, Ho FCS, Chan MK. Adult Fanconi syndrome in K light chain myeloma. Arch Path Lab Med 1987; 111: 139-142.

- *Mak ML, Chan PCK, Lee JKM, Chung HT, Tai YT, Cheng IKP. Collagenous colitis, renal adenocarcinoma and transitional cell carcinoma in a diabetic female on continuous ambulatory peritoneal dialysis. Asian J Clin Sc 1990; 10: 91-96.
- Ip M, Cheng IKP, Cheung WC. Subclinical DIC associated with rifampicin. Tubercle 1991; 72: 291-293.
- Chan TM, Chan P, Chan KW, Kung A, Lam KSL, Cheng IKP. Acute interstitial nephritis inspidus with idiopathic cranial diabetes inspidus. Nephron 1992; 60:492-493.
- Lo CY, Chan TM, Yuen KY, Li FK, Cheng IKP. Penicillium marneffei infection in an SLE patient. Lupus 1995; 4: 229-231.

- † Publications produced by staff whilst attached to or visiting other centres
- ‡ Publications produced by staff while employed at other centres before joining the Department
- * Publications in non-indexed journals

Ignatius K.P. Cheng and Daniel T.M. Chan

DIVISION OF NEUROLOGY

The Division of Neurology was established in 1981 as part of the Department of Medicine. Currently, it is staffed by:

Dr. Y.L. Yu, MD, FRCP, FRCP(E), FHKCP, FHKAM(Medicine)
Reader and Chief of Division

Dr. Leonard S.W. Li, MBBS, MRCP(UK), FACRM, FAFRM(RACP), FHKCP

Consultant in Rehabilitation Medicine

Dr. Jason K.Y. Fong, MBBS, MRCP(UK), FHKCP,
FHKAM (Medicine)
Senior Medical Officer

Dr. S.L. Ho, MRCP(UK), MD Lecturer

In the past decade, the Division was also served by the following neurologists:

Dr. Y.W. Chan, MBBS, MMED(Syd), FRCP(E), FRCP(G), FHKAM(Medicine) (1985)

Dr. C.M. Chang, MBBS, FRCP(E), FHKCP,

FHKAM(Medicine) (1989-1992)

Dr. C.Y. Huang, MBE, BSc(Syd), MBBS, MMed(Sing), FRACP, FHKCP, FHKAM(Medicine) (1981-1986)

Dr. K.F. Ko, MBBS, MRCP(UK), FHKCP, FHKAM(Medicine)
(1993-1995)

Dr. Edmund K.W. Woo, MBBS, FRCP(E), FRCP(G), FHKCP, FHKAM(Medicine) (1985-1988)

The division is also staffed by medical officers who are on medical training rotation and by 2 research assistants.

CLINICAL SERVICE

Patient care is based at Queen Mary Hospital (QMH) and Tung Wah Hospital (TWH). About 4000 acute cases are admitted into QMH annually, 40% with stroke, 15% with epilepsy and the rest exhibiting the full spectrum of neurological disorders. The facilities at QMH include a 19-bed purpose-designed Neurology Ward (Ward B7) with EEG telemetry and a comprehensive Neurodiagnostic Laboratory. There is close

collaboration with the neurosurgeons whose wards and operation theatre are situated at the same site on the 7th floor of the Main Hospital Building. Neuro-imaging facilities include magnetic resonance imaging, computed tomography, doppler, digital subtraction angiography, and single photon emission tomography.

At TWH, there are 24 beds for acute and subacute neurological cases, a Stroke Rehabilitation Unit (40 beds plus a Day-Patient Centre) and a Laboratory for Clinical Neurophysiology. The emphasis at TWH is on movement disorders, and rehabilitation of stroke and other chronic neurological diseases.

The Out-patient Clinics (General Neurology, Epilepsy, Stroke, and Movement Disorders) operate at Sai Ying Pun Jockey Club Polyclinic and TWH. About 700 new and 8000 old cases are seen annually. There is also a Botulinum Toxin Clinic at QMH where about 25 patients with blepharospasm, hemifacial spasm and cervical dystonia are seen at each monthly session.

Over the years, the Division has established a solid reputation in patient care and has become the major referral centre for patients with neurological diseases. Recent additions to the service include programmes for refractory epilepsy, sleep study, and neurorehabilitation (besides that for stroke rehabilitation).

EDUCATION

Undergraduate teaching is largely undertaken by our staff, with the assistance of honorary lecturers. The core curriculum is in place and the modes of teaching include lectures, clinics and bedside sessions.

The Division participates in the Basic Physician Training Programme and the Neurology Training Programme of the Hong Kong College of Physicians. Postgraduate training is given in ward rounds, 3-monthly neurological rotations and weekly conferences. These meetings are well-attended by neurologists, neurosurgeons, radiologists and trainees in Neurology and Internal Medicine.

In addition, postgraduates from China regularly join the Division for clinical training and research for higher degrees. Teaching is also undertaken for dental students, postgraduates of the Clinical Psychology course, and students of the Speech and Hearing Sciences course. Education of the patients and the community is carried out via information leaflets on major neurological diseases such as stroke and epilepsy. Staff members of the Division are advisors in various public health exhibitions, self-help groups and health education bodies.

To help students and trainees better grasp the essence of neurology, a book entitled "Neurology in Practice" was published by the Division in 1994. Reference materials on neurological disorders and local disease profiles are also freely available on the Neurology Ward.

In recent years, there has been a substantial improvement in the standard of Neurology among students. There is also a much greater awareness among practitioners of the service offered by neurologists.

RESEARCH

In the 1980s when the disease pattern and normal values of the normal population had not previously been documented, our emphasis was on clinical research. However, small scale laboratory research was also undertaken in collaboration with scientist colleagues. The data acquired have provided insight into clinical management and laid the groundwork for further research. Research in the 1990s is targeted at cerebrovascular disease, epilepsy and movement disorders, with emphasis on clinical trials and laboratory-based studies.

Major Research Projects

Cerebrovascular disease. Stroke is the most common neurological disease, the third leading

cause of death and the major source of disability in the elderly. Thus, our main efforts have been directed to this area. A Stroke Data Bank has been established to accurately document stroke subtypes, risk factors and outcome. An important finding is that lacunar infarct and deep cerebral haemorrhage, which reflect small cerebral vessel disease, are more prevalent in Hong Kong Chinese compared with Caucasian populations. We have also clarified the issue that a high glucose level at admission is a stress response to a severe stroke rather than a cause for poor outcome. The clinical picture and the underlying pathology of the various lacunar syndromes, arteriovenous 'cerebral steal' from malformations, and subcortical arteriosclerotic encephalopathy have been delineated. The beta-thromboglobulin level has been shown to be elevated in thrombo-embolic infarcts rather than lacunar infarcts, thus reaffirming the important role of platelet aggregation in the former. We have also shown conclusively that intravenous glycerol does not confer any benefit in acute cerebral haemorrhage or cortical infarction.

Dysphasia in the Chinese. Chinese is an ideogram language, as opposed to English which is a phonemic language. The language disorders in the Chinese are therefore substantially different from those in English-speaking subjects. Stroke affecting the speech area in the dominant cerebral hemisphere is not uncommon and thus provides ample opportunities for the systematic study of dysphasia. The pioneer work of an Assessment Battery for Chinese Dysphasics has been completed and a number of theoretical issues have been identified.

Spinal cord disorders. Apart from trauma, cervical spondylotic myelopathy is the most common cervical spinal cord lesion in subjects who are middle-aged and above. The clinical picture, pathogenetic mechanisms and the roles of somatosensory evoked potentials and computed tomography in this condition have been elucidated. A related condition, known as ossification of the posterior longitudinal ligament, has also been thoroughly investigated. In both conditions, the sagittal diameter of the cervical spinal canal is the crucial factor for cord damage and control values for the Chinese population have been established.

Multiple sclerosis (MS). A territory-wide investigation shows that MS is a rare disease in Hong Kong Chinese, with a prevalence of 8.8 per million population. This figure is similar to other Oriental populations but much lower than in Caucasians. The symptomatology and the clinical course are however the same as elsewhere. Compared with Caucasian patients, two further differences exist, viz. a low detection rate of oligoclonal immunoglobulin in the cerebrospinal fluid, and a lack of association with Human Leucocyte Antigens (HLA), DR2 or others, at the serological level. Based on these observations, a hypothesis on the still uncertain pathogenesis of MS has been proposed. We postulate that genetic factors coded within the Major Histocompatibility Complex determine the response of the central nervous system to immunological challenge. We believe the genes are related to those determining a variant of HLA-DR2. The Chinese are less genetically susceptible to MS and hence develop abnormal immune responses to a much smaller extent.

Myasthenia gravis (MG). The Myasthenia Gravis Research Group was formed in 1986 to launch a territory-wide study. This work has generated a comprehensive Data Bank on MG. The similarities of the disease in Hong Kong Chinese with Caucasian patients include a prevalence of 63 and an incidence of 4 per million population, a low familial occurrence, female predominance in adult patients, and its clinical features. The distinct features of MG in Hong Kong Chinese are the lack of female predominance in paediatric patients, a single peak for the age of onset in the first three decades, the higher proportion of paediatric patients and patients with restricted ocular disease. Moreover, the detection rate of acetylcholine receptor antibody in our patients is low, and there is a strong association with the HLA-DR9 antigen. These two observations are particularly notable in juvenile onset MG with restricted ocular involvement. Such data support the argument for different clinical expressions of MG in different racial groups, and there is good evidence that these are genetically determined.

Epilepsy. This is a common neurological problem affecting mainly young people in their formative

and productive years. Effective control of seizures with anticonvulsants is now possible. Our research has specifically addressed the issue of therapeutic drug levels and seizure control. Consequently, we recommend that drug level is secondary in importance to clinical observations of seizure frequency and the presence of side effects. The long-term effects of phenytoin on neural function have also been studied by recording brain stem auditory evoked potentials. It is concluded that phenytoin exerts a subclinical peripheral effect (at the cochlear and auditory nerve) as well as a central effect (at the brain stem), particularly when administered at high dosages.

Many patients with focal epilepsy are refractory to antiepileptic drug treatment. Localisation of the epileptic focus is essential in the planning for possible surgical resection. With recent introduction of video-EEG telemetry, studies are being carried out to look at the electroclinical features of various epileptic syndromes. For patients with newly diagnosed epilepsy, transcranial magnetic stimulation study is performed to elucidate the underlying pathophysiology of cortical inhibition and excitation. In addition, drug trials involving new anti-epileptic drugs are currently underway.

Infections. Infection of the central nervous system remains a serious and relatively common problem, even though effective antimicrobials are available. Opportunistic infections have become more prevalent because of the increasing number of immunocompromised patients, whether due to the disease or drug therapy. The diagnosis of these infections can be elusive. We have documented the clinical picture of two opportunistic infections, namely cryptococcosis and tuberculosis. Furthermore, we have discovered that a relatively common bacterial meningitis in Hong Kong is occupation-related. Streptococcus suis meningitis is particularly liable to occur in subjects handling pigs or pork. It has the same clinical features as other acute bacterial meningitides but severe bilateral deafness is an almost invariable complication.

Neoplasms. The nervous system is frequently a secondary site of involvement by other malignancies. We have studied the characteristics of spinal cord and root involvement in patients

with multiple myeloma. In the Chinese, non-Hodgkin's lymphoma is more common than Hodgkin's lymphoma and we have documented the varieties and outcome of neurological involvement. Nasopharyngeal carcinoma is a common malignancy locally. At an early stage, it is largely curable with radiotherapy. However, the long-term effect of radiotherapy on the brain, and especially on the temporal lobes and hypothalamic-pituitary axis, is a serious yet hitherto little described complication. We have brought this to the attention of practitioners and recommended means to reduce the incidence and severity of this complication.

Neurodegeneration and Movement Disorders.

Territory-wide studies have been conducted for Huntington's disease and motor neurone disease. The prevalence of Huntington's disease in Hong Kong is low at 2.5 per million, which is similar to the figure reported in Japan. We have also delineated the clinical picture and the gene defects. Motor neurone disease is more common, but still has a low prevalence of 9.5 per million. Its clinical picture is similar to that in other population, although presentation with bulbar involvement appears to be more frequent.

The prevalence of Parkinson's disease in Hong Kong has not been investigated, but extrapolation of data from Mainland China indicates that about 2500 patients exist territory-wide. This number is expected to increase with ageing of the population. A collaborative study with the Department of Physiology is underway to examine the kinematics of essential tremor and Parkinson's disease using the facilities at the Neurodiagnostic Laboratory at TWH. Phenotypic and molecular studies of xenobiotic enzymes in Parkinson's disease are being conducted in collaboration with various groups in the UK. There is a marked preponderance of hemifacial spasm in our Botulinum Toxin clinic. Research hemifacial spasms, including its neurophysiological aspects, is planned.

FUTURE DIRECTIONS

Health planners and the community in Hong Kong have become increasingly aware of the crucial need of an effective neurology service. There is a growing number of effective diagnostic and therapeutic options for neurological disorders which were previously not available. The division is already well established as a centre of referral and will seek to expand its subspecialty clinics in movement disorders, epilepsy and dystonia. Plans for an acute stroke unit have been put forward in line with the strategy of the Hospital Authority to reduce the mortality and morbidity from strokes. The initial results of neurosurgery for refractory epilepsy has been encouraging and future recruitment to this programme is planned.

The Division is planning to update its book "Neurology in Practice" with a second edition. It has plans to make Neurology an attractive choice for undergraduates and trainees for future recruitment. A recent substantial donation to the Division has allowed for the setting up of a scholarship to fund training in Neurology for medical, nursing, and allied health staff.

Apart from a contribution to neurology literature, the research projects mentioned above have generated a solid data base on neurological diseases in Hong Kong. The differences in disease patterns and characteristics between our population and others, in particular, the Caucasians, have provided us with greater insight into the pathogenesis and aetiologies of these diseases. We are now embarking on larger scale clinical research into problems relevant to Hong Kong, and developing our basic research into neurological diseases. The 1990s has been declared "Decade of the Brain". technologies have increased our understanding of the nervous system and will have immense implications for future therapy of neurological diseases. We foresee that disorders of the nervous system will constitute an urgent and demanding problem for the society of Hong Kong. However, the organization and resources available in individual departments of our University are not adequate to meet this challenge. It was against this background that a group of scientists and clinicians in our University combined their efforts and resources to establish the Neuroscience Research Centre last year. We envisage that these recent developments in the infrastructure for research will lead to greater contribution to the

international effort in the prevention and treatment of diseases of the nervous system.

PUBLICATIONS (from 1985)

Cerebrovascular disease

Huang CY, Yu YL. Small cerebellar strokes may mimic labyrinthine lesions. J Neurol Neurosurg Psychiatry 1985; 48: 263-265.

Huang CY, Broe GA, Bruce C. Electronystagmogram is useful in the diagnosis of vertebrobasilar and carotid transient ischaemic attacks. Ann Acad Med Singapore 1985; 14: 44-48.

Huang CY, Yu YL, Woo E, Chan FL. Cerebral haemorrhage in a southern Chinese urban population. Functional Neurol 1986; 1: 213-221.

Pun KK, Yu YL, Huang CY, Woo E. Ventriculo-peritoneal shunting of acute hydrocephalus in vein of Galen malformation. Clin Exp Neurol 1987; 23: 209-212.

Kwong YL, Yu YL, Kam KSL, Woo E, Ma JTC, Huang CY. CT appearance in hypertensive encephalopathy - a case report. Neuroradiology 1987; 29:215.

Huang CY, Woo E, Yu YL, Chan FL. When is sensorimotor stroke a lacunar syndrome? J Neurol Neurosurg Psychiatry 1987; 50: 720-726.

Tsoi M, Huang CY, Lee AOM, Yu YL. Amnesia following right thalamic haemorrhage. Clin Exp Neurol 1987; 23: 201-207.

Yu YL, Chiu EKW, Woo E, Chan FL, Lam WK, Huang CY, Lee PWH. Dystrophic intracranial calcification: CT evidence of 'cerebral steal' from arteriovenous malformation. Neuroradiology 1987; 29: 519-522.

Lau S, Chan FL, Yu YL, Huang CY, Woo E. Cortical blindness in toxaemia of pregnancy -findings on computed tomography. Br J Radiology 1987; 60: 347-349.

Woo E, Huang CY, Chan FL, Yu YL. Claude's syndrome: Clinical and CT correlations. J Comput Tomogr 1987; 11: 208-211.

Woo E, Huang CY, Chan V, Chan YW, Yu YL, Chan TK. Beta-thromboglobulin in cerebral

infarction. J Neurol Neurosurg Psychiatry 1988; 51: 557-562.

Woo E, Chan YW, Yu YL, Huang CY. Admission glucose level in relation to mortality and morbidity outcome in 252 stroke patients. Stroke 1988; 19: 185-191.

Woo E, Ma JTC, Robinson JD, Yu YL. Hyperglycaemia is a stress response in acute stroke. Stroke 1988; 19: 1359-1364.

*Huang CY. Ischaemic cerebrovascular disease 1987. H K Pract 1988; 10: 3011-3013.

*Woo E, Chan YW, Yu YL. What happens to the stroke patient? H K Pract 1988; 10: 3459-3471.

Huang CY, Woo E, Yu YL, Chan FL. Lacunar syndromes due to brainstem infarct and haemorrhage. J Neurol Neurosug Psychiatry 1988; 51: 509-515.

Yu YL, Yeung DWS, Woo E, Chiu EKW, Huang CY, Chan YW, Lau-Wong MMM: Subcortical arteriosclerotic encephalopathy: a clinical and radionuclide scintiscan study. Acta Neurol Scand 1988; 77: 486-492.

Lee AOM, Yu YL, Tsoi M, Woo E, Chang CM. Subcortical arteriosclerotic encephalopathy - A controlled psychometric study. Clin Neurol Neurosurg 1989; 91: 235-241.

Wong VCN, Yu YL, Liang R, Tso WK, Li A, Chan TK. Cerebral thrombosis in ß-Thalassemia-Hemoglobin E disease. Stroke 1990; 21: 812 816.

Lau CP, Chang CM, Lau GKK, Wong CK, FongPC, Yu YL. Cerebral haemorrhage in anticoagulated patients with non-septic mechanical valvular prosthesis. Int J Cardiol 1991; 30: 289-296.

Lam KSL, Ma JTC, Woo E, Lam C, Yu YL. High prevalence of undiagnosed diabetes among Chinese patients with ischaemic stroke. Diabetes Res Clin Pract 1991; 14: 133-137.

Au A, Yu YL, Tsoi M, Chang CM. Pattern of memory deficits in a controlled psychometric study of thalamic haemorrhage. Clin Exp Neurol 1991; 28: 71-78.

Chang CM, Ng HK, Leung SY, Fong KY, Yu YL. Fatal bilateral vertebral artery dissection in a patient with cystic medial necrosis. Clin Neurol Neurosurg 1991; 93: 309-311.

Yu YL, Kumana CR, Lauder IJ, Cheung YK, Chan FL, Kou M, Chang CM, Cheung RTF, Fong KY. Treatment of acute cerebral hemorrhage with intravenous glycerol: a double-blind, placebocontrolled, randomized trial. Stroke 1992; 23: 967-971.

Yu YL, Kumana CR, Lauder IJ, Cheung YK, Chan FL, Kou M, Fong KY, Cheung RTF, Chang CM. Treatment of acute cortical infarct with intravenous glycerol: a double-blind, placebocontrolled randomized trial. Stroke 1993; 24: 1119-1124.

Tai YT, Yu YL, Lau CP, Fong PC. Myocardial infarction complicating post-splenectomy thrombocytosis, with early left ventricular mural thrombus formation and cerebral embolism - a case report. Angiology 1993; 44: 73-77.

Chang CM, Yu YL, Ng THK, Leung SY, Fong KY. Vascular pseudoparkinsonism. Acta Neurol Scand 1992; 86: 588-592.

Fong KY, Cheung RTF, Lai CW, Yu YL, Chang CM. Basilar artery occlusion following yoga exercise: a case report. Clin Exp Neurol 1993; 30:104-109.

Demyelination

Hawkins BR, Yu YL, Woo E, Huang CY. No apparent association between HLA and multiple sclerosis in Southern Chinese. J Neurol Neurosurg Psychiatry 1988; 51: 443-445.

Yu YL, Woo E, Hawkins BR, Ho HC, Huang CY. Multiple sclerosis amongst Chinese in Hong Kong. Brain 1989; 112: 1445-1467.

Serjeantson SW, Gao X, Hawkins BR, Higgins DA, Yu YL. Novel HLA-DR2-related haplotypes in Hong Kong Chinese implicate the DQB1*0602 allele in susceptibility to multiple sclerosis. Eur J Immunogenet 1992; 19: 11-19.

Dekker JW, Easteal S, Jacobsen IB, Gao X, Stewart GJ, Buhler MM, Hawkins BR, Higgins DA, Yu YL, Serjeantson SW. HLA-DPB1 alleles correlate with risk for multiple sclerosis in

Caucasoid and Cantonese patients lacking the high-risk DQB1*0602 allele. Tissue Antigens 1993: 41: 31-36.

Drug effects and intoxication

‡Yu YL, du Boulay GH, Paul E. Influence of certain factors on the manifestations of the adverse effects of metrizamide myelography. Neuroradiology 1986: 28: 339-343.

†Chan YW. Brainstem auditory and visual evoked responses in chronic alcoholics [MMed thesis]. Sydney: University of Sydney, 1986.

†Chan YW, McLeod JG, Tuck RR, Walsh JC, Feary PA. Visual evoked responses in chronic alcoholics. J Neurol Neurosurg Psychiatry 1986; 49: 845-850.

†Chan YW, McLeod JG, Tuck RR, Feary PA. Brain stem auditory evoked responses in chronic alcoholics. J Neurol Neurosurg Psychiatry 1985; 48: 1107-1112.

†Hammond SR, Yiannikas C, Chan YW. A comparison of brainstem auditory evoked responses evoked by rarefaction and condensation stimulation in control subjects and in patients with Wernicke-Korsakoff syndrome and multiple sclerosis. J Neurol Sci 1986; 74: 177-190.

Yu YL, Huang CY, Chin D, Woo E, Chang CM. Interaction between carbamazepine and dextropropoxyphene. Postgrad Med J 1986; 62: 231-233.

Woo E, Chan FL, Yu YL, Huang CY, Chang CM, Lee PK, So SY. Bulbar palsy aggravated by metrizamide CT cisternography. Neuroradiology 1987; 29: 219.

Wong CK, Woo E, Yu YL. Iophendylate-induced basal arachnoiditis. Clin Exp Neurol 1989; 26: 199-204.

Kumana CR, Chan GTC, Yu YL, Lauder IJ, Chan TKP, Kou M. Investigation of intravascular haemolysis during treatment of acute stroke with intravenous glycerol. Br J Clin Pharmacol 1990; 29: 347-353.

Chan YW, Woo E, Yu YL. Chronic effects of phenytoin on brainstem auditory evoked potentials in man. Electroencephalogr Clin Neurophysiol 1990; 77: 119-126.

Ng THK, Chan YW, Yu YL, Chang CM, Ho HC, Leung SY, But PPH. Encephalopathy and neuropathy following ingestion of a Chinese herbal broth containing podophyllin. J Neurol Sci 1991;101: 107-113.

Chang CM, Yu CW, Fong KY, Leung SY, Yu YL, Tsin TW, Cheung TF, Chan SY. N-Hexane neuropathy in offset printer. J Neurol Neurosurg Psychiatry 1993; 56: 538-542.

Kumana CR, Kou M, Yu YL, Fong KY, Fung CF, Chang CM, Mück W, Lauder IJ. Investigation of nimodipine pharmacokinetics in Chinese patients with acute subarachnoid haemorrhage. Eur J Clin Pharmacol 1993; 45: 363-366.

Ko KF, Fung EYK, Chan KL. Cisplatin neuropathy: a prospective clinical and electrophysiological study. J Clin Pharm Ther (in press).

Dysphasia in Chinese

Huang CY, Lau WK. Semantic locked-in dysphasia: relatively preserved reading and writing in a case of global dysphasia. J Neurolinguistics 1985; 1: 193-208.

Epilepsy

Woo E, Chan YM, Yu YL, Chan YW, Huang CY. If a well-stabilized epileptic patient has a subtherapeutic anticonvulsant level, should the dose be increased? A randomised prospective study. Epilepsia 1988; 29: 129-139.

*Fong JKY. Principles of management in epilepsy. J Hong Kong Med Assoc 1993; 45: 7-12.

Infections

Chang CM, Chan FL, Yu YL, Huang CY, Woo E. Tuberculous meningitis associated with meningeal tuberculoma. J Roy Soc Med 1986; 79: 486-487.

Yu YL, Chow WH, Humphries MJ, Wong RWS, Gabriel M. Cryptic miliary tuberculosis. Q J Med 1986; 59: 421-428.

Chang CM, Woo E, Yu YL, Huang CY, Chin D. Herpes zoster and its neurological complications. Postgrad Med J 1987; 63: 85-89.

Kwong YL, Yu YL, Chan FL, Lam KSL, Woo E, Huang CY. High-dose ketoconazole in cerebral aspergilloma. Clin Neurol Neurosurg 1987; 89: 193-196.

Leung R, Woo E, Yu YL, Huang CY. Listeria brain abscess associated with steroid therapy: successful non-surgical treatment. Clin Exp Neurol 1987; 24: 181-186.

Chan YW, Ho HC, Kay CS, Li SW, Yip YM. Creutzfeldt-Jacob disease in Hong Kong. J Neurol Sci 1987; 80: 143-152.

Yu YL, Lau YN, Woo E, Wong KL, Tse B.Cryptococcal infection of the nervous system. Q J Med 1988; 66: 87-96.

Yu YL, Woo E, Chan FL, Chan TYK, Chan GCY. Cerebral infarction in cryptococcal meningitis. Clin Exp Neurol 1989; 26: 193-197.

Woo E, Yu YL, Huang CY. Cerebral infarct precipitated by praziquantel in neurocysticercosis -A cautionary note. Trop Geogr Med 1988; 40: 143-146.

Kwong YL, Woo E, Fong PC, Yung RWH, Yu YL. Mollaret's meningitis revisited: report of a case with a review of the literature. Clin Neurol Neurosurg 1988; 90: 163-167.

Woo E, Yu YL, Huang CY. Local tetanus revisited. Electrodiagnostic study in 2 patients. J Electromyogr Clin Neurophysiol 1988; 28: 117-122.

Yu YL, Lam WK. Cryptic miliary tuberculosis in the tropics (Invited review). In: Sharma Om P, ed. Lung disease in the tropics, Lung Biology in Health and disease vol. 51. New York: Marcel Dekker, 1991: 371-381.

Yu YL, Kumana CR. Acute bacterial meningitis. In: Kumana CR, Chau PY, French G, eds. Antibiotic guidelines. Hong Kong: ADIS, 1991: 73-79.

Chang CM, Ng HK, Chan YW, Leung SY, Fong KY and Yu YL. Postinfectious myelitis, encephalitis and encephalomyelitis. Clin Exp Neurol 1992; 29: 250-262.

Sun KO, Chan YW, Cheung RTF, So PC, Yu YL, Li PCK. Management of tetanus: a review of 18 cases. J Roy Soc Med 1994; 87: 135-137.

Neoplasms

Woo E, Yu YL, Ng M, Huang CY, Todd D. Spinal cord compression in multiple myeloma -who gets it? Aust NZ J Med 1986; 16: 671-675.

Woo E, Chan YF, Lam KSL, Lok ASF, Yu YL, Huang CY. Apoplectic intracerebral haemorrhage -An unusual complication of cerebral radiation necrosis. Pathology 1987; 19: 95-98.

Woo E, Lam KSL, Yu YL, Lee PWH, Huang CY. Cerebral radionecrosis - Is surgery necessary? J Neurol Neurosurg Psychiatry 1987; 50: 1407-1414.

Woo E, Lam K, Yu YL, Ma J, Wang C, Yeung RTT. Temporal lobe and hypothalamic-pituitary dysfunction after radiotherapy for nasopharyngeal carcinoma. J Neurol Neurosurg Psychiatry 1988; 51: 1302-1307.

Woo E, Yu YL. Isolated hypoglossal nerve palsy due to metastatic dysgerminoma in the neck - a ventriculo-atrial shunt related complication? Neurosurgery 1988; 23: 237-241.

Liang RHS, Woo EKW, Yu YL, Todd D, Chan TK, Ho FCS, Tso SC, Shum JST. Central nervous system involvement by non-Hodgkin's lymphoma. Eur J Cancer Clin Oncol 1989; 25: 703-710.

Huang CY. Paraneoplastic CNS syndromes. In: Caird FI, Brewin T, eds. Malignant disease in the elderly. London: Wright, 1990: 75-86.

Neurodegeneration and Movement Disorders

Wong VCN, Yu YL, Chan-Lui WY, Woo E, Yeung CY. Ataxia telangiectasia in Chinese children - A clinical and electrophysiological study. Clin Neurol Neurosurg 1987; 89: 137-144.

Chin D, Yu YL, Huang CY. The use of lisuride in severe Parkinson's disease. Clin Exp Neurol 1986; 22: 63-69.

*Chang CM. Parkinson's disease in Hong Kong -a study of 234 Chinese patients in a movement disorders clinic. J Hong Kong Med Assoc 1993; 45: 19-23.

*So KF, Chang CM, Yu YL, Fung CF. Neural tissue transplantation. J Hong Kong Med Assoc 1993; 45: 164-168.

Yu YL, Fong KY, Chang CM. Treatment of idiopathic hemifacial spasm with botulinum toxin. Acta Neurol Scand 1992; 85: 55-57.

Leung CM, Chan YW, Chang CM, Yu YL, Chen CN. Huntington's disease in Chinese: a hypothesis of its origin. J Neurol Neurosurg Psychiatry 1992; 55: 681-684.

Wong MTH, Chang PCM, Yu YL, Chan YW, Chan V. Psychosocial impact of Huntington's disease on Hong Kong Chinese families. Acta Psychiat Scand 1994; 90: 16-18.

Chang CM, Yu YL, Fong KY, Wong MTH, Chan YW, Ng THK, Leung CM and Chan V. Huntington's disease in Hong Kong Chinese: epidemiology and clinical picture. Clin Exp Neurol 1995; 31: 43-51.

Chan V, Yu YL, Chan TPT, Yip B, Chang CM, Wong MTH, Chan YW, Chan TK. DNA analysis of Huntington's disease in southern Chinese. J Med Genet 1995; 32: 102-104.

‡Ho SL, Kapadi AL, Ramsden DB, Williams AC. Sequence of the 5' flanking region of the monoamine oxidase-B (MAO-B) gene: differences with an earlier report. Biogenic Amines 1994; 10: 575-578.

‡Ho SL, Ramsden DB, Kapadi AL, Sturman SG, Williams AC. Activity and polymorphism of monoamine oxidase-B (MAO-B) gene in Parkinson's disease. Biogenic Amines 1994; 10:579-585.

‡Ho SL, Kapadi AL, Ramsden DB, Williams AC. An allelic association study of monoamine oxidase-B in Parkinson's disease. Ann Neurol 1995; 37: 403-405.

‡Ho SL, McCann KP, Bennett P, Kapadi AL, Waring RH, Ramsden DB, Williams AC. The molecular biology of xenobiotic enzymes and the predisposition to idiopathic Parkinson's disease (Invited review). In: Battistin L, ed. Advances in neurology. New York: Raven Press (in press).

‡Finch CC, Ho SL, Williams AC, Billett EE. Platelet MAO activities and MAO-B protein concentrations in Parkinson's disease and controls. Progr Brain Res (in press).

‡Nicholl DJ, Bennett P, Ramsden DB, Ho SL and Williams AC. The HhaI polymorphism in the

CYP2D6 gene is not associated with Parkinson's disease in a Caucasian population. Eur J Neurol (in press).

‡Ho SL. A study of monoamine oxidase-B in idiopathic Parkinson's Disease [MD thesis]. Cardiff: University of Wales College of Medicine, 1995.

Fong KY, Yu YL, Chan YW, Kay R, Chan J, Yang Z, Kwan MC, Leung KP, Li PCK, Lam TH, Cheung RTF. Motor Neuron Disease in Hong Kong Chinese: epidemiology and clinical picture. Neuroepidemiology (in press).

Neuromuscular diseases

Kung A, Ma JTC, Yu YL, Wang C, Woo E, Lam KSL, Huang CY, Yeung RTT. Myopathy in acute hypothyroidism. Postgrad Med J 1987; 63: 661-663

†Jones SJ, Yu YL, Rudge P, Kriss A, Gilois C, Hirani N, Nijhawan, Norman P, Will R. Central and peripheral SEP defects in neurologically symptomatic and asymptomatic subjects with low vitamin B12 levels. J Neurol Sci 1987; 82: 55-65.

Chung HT, Tam AVC, Wong V, Li DFH, Ma JTC, Huang CY, Yu YL, Woo E. Dystrophia myotonica and pregnancy - an instructive case? Postgrad Med J 1987; 63: 555-557.

Chang CM, Yu YL, Wong M, Woo E, Huang CY. Type 1 familial amyloid polyneuropathy in a Chinese family. Acta Neurol Scand 1989; 79: 391-396.

Hawkins BR, Yu YL, Wong V, Woo E, Ip MSM, Dawkins RL. Possible evidence for a variant of myasthenia gravis based on HLA and acetylcholine receptor antibody in Chinese patients. Q J Med 1989; 70: 235-241.

Gin W, Hawkins BR, Zhang WJ, Wong V, Yu YL, Dawkins RL. MHC associated between antistriational antibody-negative myasthenia gravis in the Chinese. Adv Neuroimmunol 1988; 504: 513-515.

*Myasthenia Gravis Research Group (Chief investigator: YL Yu). The Hong Kong Myasthenia Gravis Data Bank. J Hong Kong Med Assoc 1989; 41: 259-265.

Yu YL, Hawkins BR, Ip MSM, Wong V, Woo E. Myasthenia gravis in Hong Kong Chinese. I. Epidemiology and adult disease. Acta Neurol Scand 1992; 86: 113-119.

Wong V, Hawkins BR, Yu YL. Myasthenia gravis in Hong Kong Chinese. II. Paediatric disease. Acta Neurol Scand 1992; 86: 68-72.

Yu YL, Cheng IKP, Chang CM, Bruce IC, Mok KY, Zhong WY, Chan YW. A multimodal neurophysiological assessment in terminal renal failure. Acta Neurol Scand 1991; 83: 89-95.

Ko KF, Chan KL. A case of isolated pure trigeminal motor neuropathy. Clin Neurol Neurosurg (in press).

Spinal cord disorders

‡Yu YL. The use of computerised tomography in cervical spondylotic myelopathy and radiculopathy [MD thesis]. Hong Kong: The University of Hong Kong, 1985.

‡Yu YL, Jones SJ. Somatosensory evoked potentials in cervical spondylosis: correlation of median, ulnar and posterior tibial nerve responses with clinical and radiological findings. Brain 1985; 108: 273-300.

‡Yu YL, du Boulay GH, Stevens JM, Kendall BE. Morphology and measurements of the cervical spinal cord in computer-assisted myelography. Neuroradiology 1985; 27: 399-402.

‡Yu YL, du Boulay GH, Stevens JM, Kendall BE. Computer-assisted myelography in cervical spondylotic myelopathy and radiculopathy: clinical correlations and pathogenetic mechanisms. Brain 1986; 109: 259-278.

‡Yu YL, du Boulay GH, Stevens JM, Kendall BE. Computed tomography in cervical spondylotic myelopathy and radiculopathy - Visualisation of structures, myelographic comparison, cord measurements and clinical utility. Neuroradiology 1986; 28: 221-236.

Yu YL, Chin D, Wen HL, Woo E. Spontaneous spinal epidural haematoma. Clin Neurol Neurosurg 1986; 88: 131-134.

†Stevens JM, O'Driscoll DM, Yu YL, Kendall BE, Ananthapavan S. Some dynamic factors in

compressive deformity of the cervical spinal cord. Neuroradiology 1987; 29: 136-142.

†Yu YL, Moseley IF. Syringomyelia and cervical spondylosis: a clinicoradiological investigation. Neuroradiology 1987; 29: 143-151.

Yu YL, Woo E, Huang CY. Cervical spondylotic myelopathy and radiculopathy (Invited review). Acta Neurol Scand 1987; 75: 367-373.

Yu YL, Leong JCY, Fang D, Woo E, Huang CY, Lau HK. Cervical myelopathy from ossification of the posterior longitudinal ligament (OPLL) - a clinical, radiological and evoked potentials study in six Chinese patients. Brain 1988; 111: 769-782.

Yu YL, Chang CM, Lam TH, Ho KM, Mok KY. Cervical spondylotic radiculopathy precipitated by decompression sickness. Br J Ind Med 1990; 47: 785-787.

Fong KY, Chang CM, Ma HTG, Yu YL. Thoracic aortic aneurysm presenting as paraparesis: a case report. Neurology 1992; 42: 1419-1421.

Miscellaneous

Pang SF, Huang CY, Ng MT, He ZC. Plasma concentrations of melatonin and N-acetylserotonin in different age groups of human males. Acta Physiol Sinica 1985; 37: 492-496.

*Huang CY. Medicolegal aspects of brain death: the problem in intensive care units. Med Prog 1987; 14: 7-8.

*Yu YL. Editorial: Brain death and related issues. J Hong Kong Med Assoc 1987; 39: 137-138.

Chan YW, Woo EKW, Hammond SR, Yiannikas C, McLeod JG. The interaction between sex and click polarity in brain-stem auditory potentials evoked from control subjects of Oriental and Caucasian origin. Electroencephalogr Clin Neurophysiol 1988; 71: 77-80.

Cornish LS, Ma YP, Ng SK, Huang CY, Yu YL. Microcomputer-based 5-choice serial reaction time apparatus. Lab Pract 1988; 37: 55-59.

Wong KL, Woo EKW, Yu YL, Wong RWS. Neurological manifestations of systemic lupus erythematosus: a prospective study. Q J Med 81:857-870, 1991.

Huang CY. Regional Neurology. In: Bradley WG, Baroff RB, Fenchel GM, Marsden CD, eds. Neurology in clinical practice. London: Butterworth, 1991: 1908-1913.

Ko KF. Orbital Kimura's disease. J Roy Soc Med 1993; 86: 234-235.

†Werhahn KJ, Fong JKY, Meyer BU, Prior A,Rothwell JC, Day BL, Thompson PD. The effect of magnetic coil orientation on the latency of surface EMG and single motor unit responses in the first dorsal interosseous muscle. Electroenceph Clinical Neurophysiol, 1994, 93: 138-146.

*Yu YL ed. Neurology in practice. Hong Kong: The University of Hong Kong, 1994.

- † Publications produced by staff whilst attached to or visiting other centres
- ‡ Publications produced by staff while employed at other centres before joining the Department
- * Publications in non-indexed journals

Y.L. Yu, Jason K.Y. Fong and S.L. Ho

DIVISION OF RESPIRATORY MEDICINE

The Division of Respiratory Medicine is currently staffed by:

Physicians

Dr. W.K. Lam, MD, FRCP, FRCP(E) IRACP, FHKCP,

FHKAM (Medicine)

Reader and Chief of Division

Dr. Mary S.M. Ip, MD. FRCP(E), FHKCP, FHKAM (Medicine) Senior Lecturer

Dr. Jane C.K. Chan, MD, Dip Am Bould, FHKCP, FHKAM (Medicine)

Lecturer

Trainees

Dr. W.M. Chan, MBBS, MRCP(UK)
Medical Officer

Dr. M.T. Cheung, MBBS, MRCP(UK)
Medical Officer

Dr. S.P. Lam, MBBS, MRCP(UK)
Medical Officer

Past staff (since 1985)

Dr. S.Y. So, MBBS, FRCP(E), FHKCP, FHKAM (Medicine)

CLINICAL SERVICE

Respiratory diseases account for a significant number of acute admissions in Queen Mary Hospital (QMH), common ones being chronic bronchitis and emphysema, asthma, pneumonia in immunocompetent as well as immunocompromised hosts, and lung cancer. The Division provides more focused care for respiratory patients admitted acutely or electively through tertiary referrals in a subspecialty unit of 11 beds. Through solid interests and achievements in clinical research, the Division has established the biggest mutidisciplinary clinical groups in management of lung cancer, pneumonia bronchiectasis and immunocompromised hosts in Hong Kong.

Recently, we have organized comprehensive respiratory services for patients with chronic bronchitis and emphysema through linking the acute respiratory services in QMH with pulmonary rehabilation programmes in Grantham Hospital and Tung Wah Hospital. In June 1995, the Division has commenced operation of a 5-bed Intermediate Care Area, with the aim of providing optimal care for patients who need intensive respiratory monitoring or therapy including mechanical ventilation, but who do not require full intensive care facilities.

The Division is fully committed to patient care in the 6-bed Medical Intensive Care Unit, which has a wide spectrum of critically ill patients with the common need of high-tech monitoring, intensive medical and nursing attention, and close therapeutic titration. The Division has been actively working towards the establishment of a multidisciplinary team led by critical care physicians for enhancement of clinical services and the further development of critical care medicine as a subspecialty.

The Respiratory Laboratory provides skilled technical support and facilities for a comprehensive range of service including lung function tests (spirometry, lung volumes, diffusing capacity), body plethysmograph, exercise tests, bronchial challenge, skin allergy tests, nasal continuous positive airways pressure fiberoptic video-assisted support and bronchoscopy, disinfection of ventilators. Other important investigatory tools are available from other Divisions or Departments in QMH, including computerized tomography, radionuclide perfusionventilation scans, imaging, ultrasonography, nuclear magnetic resonance imaging and nocturnal polysomnography.

Outpatient services operate in both Sai Ying Pun Out-patients Clinic and QMH. In particular, there are dedicated clinic services for regular follow up a large number of patients with lung cancer, asthma, bronchiectasis, COPD and sleep-related breathing disorders. Patient-centered educational

activities are conducted by a respiratory nurse. With the commencement of the Medical Ambulatory Care Unit at Queen Mary Hospital in September 1995, the subspecialty clinics will further enhance their services in respiratory therapy, such as structured asthma patient education, teaching sessions on chest physiotherapy for chronic bronchial infections, and support for home ventilation.

Over the years, the Division has pioneered the implementation of many new diagnostic and therapeutic advances in respiratory diseases in Hong Kong, including fiberoptic bronchoscopy, oxygen concentrator for long-term home oxygen therapy, chemotherapy for small cell and nonsmall cell carcinomas, continuous positive airway pressure treatment for obstructive sleep apnoea, invasive and non-invasive home mechanical ventilation in chronic respiratory failure. The Division has also been the prime force in the formation of the first mutidisciplinary Lung Transplant Group with the establishment of a clinical protocol in preparation for lung transplantation in Hong Kong.

Through its long-standing record of excellence in patient care and continuous efforts in application of scientific advances in patient management, the Division is regarded as a leading respiratory referral center in Hong Kong.

EDUCATION

Undergraduate teaching of medical students and dental students is undertaken largely by our staff, with assistance from honorary lecturers. The modes of teaching include lectures, audiovisual teaching, bedside teaching, integrated sessions, tutorials and elective studentships. A book entitled Clinical Respiratory Medicine, targeting mainly at medical students, is in preparation.

The Division has been very active in postgraduate teaching. At the departmental level, we have been conducting regular journal clubs, seminars, joint radiology-respiratory rounds. For education and guidance of trainees, the Division has written and collated clinical guidelines, protocols and updated literature on respiratory and critical care

medicine. The Division has also built up educational material for staff use, such as minilibrary collections and imaging library collection on respiratory and critical care medicine.

At the inter-hospital and inter-disciplinary level, the Division has organized structured courses for medical trainees and nurses on respiratory and critical care medicine. Members have also participated regularly as teachers in various training programmes organized by other professional bodies or institutes, such as the Advanced Course in Surgery, Certificate Intensive Care Nursing Course, Respiratory Nursing Course, Bachelor of Nursing Degree Course and Hong Kong Association of Pharmacuetical Industry Training Programme.

The Division has played a key role in the formulation of postgraduate subspecialty training programmes for respiratory and critical care medicine of the Hong Kong College of Physicians. Members participate in the Basic Physician Training Programme and other teaching activities for local trainees.

At the international level, postgraduate fellows from China, Southeast Asian countries, United Kingdom, Canada and Macau have joined the Division for clinical training and research for higher degrees. We are the key academics establishing the first post-1979 linkage with respiratory physicians and academics in China.

On a more individual basis, staff members of the division have played active roles in the organisation of the MRCP examination in Hong Kong, in the examination of higher degree candidates. the formulation implementation of education and accreditation policies of the Hong Kong College of Physicians, in the participation in public health education through advisory committees or delivery of talks, interviews, and mass media programmes for lay public. They also are or have been editorial board members/reviewers of a number of medical journals including Journal of Hong Kong Medical Association, The Journal of Infectious Diseases, JAMA (SEA), Asia-Pacific Journal of Allergy and Immunology, Lung Cancer, and Respirology.

RESEARCH

Bronchial asthma & chronic airflow obstruction. Asthma and chronic obstructive airways are very common diseases. About 10% of children and 2-5% of adults in Hong Kong have bronchial asthma. Our research has focussed on the following areas.

- Studies on asthma mortality, qualitative and quantitative aspects of drug utilisation in asthma, patient inhalation techniques, therapeutic trends in Hong Kong, providing information on local epidemiology and guiding local strategies in management of asthma.
- Effects of anti-asthmatic drugs and acupuncture on exercise-induced, allergeninduced or nocturnal asthma; to elucidate the pathogenesis of asthma.
- 3. Inflammation and the role of steroid in chronic airflow obstruction.
- 4. Changes in regional ventilation during histamine bronchial challenge in stable asthma.
- Formaldehyde and colophony-induced asthma.
- 6. The effect of long-term inhaled steroids on calcium metabolism and bone mineral density in asthmatic patients.

Bronchiectasis. Although cystic fibrosis is not seen in the Chinese, bronchiectasis is a common respiratory disease in Hong Kong. Our research in collaboration with Departments of Microbiology and Biochemistry has included:

- Clinical and laboratory studies on various aspects of airway inflammation in bronchiectasis, including pulmonary function, bronchial responsiveness, inflammatory cells and mediators, and the effects of antibiotic and anti-inflammatory drug therapy.
- 2. Systemic effects of inflammation.
- Microbiology in exacerbations and choice of antibiotics: comparison of beta-lactams and quinolones.
- 4. The role of cellular modulation of proteoglycan metabolism in lung tissue destruction in chronic bronchial infections.

Lung cancer & cytotoxic chemotherapy. Lung cancer is the commonest cause of cancer deaths in both men and women in Hong Kong, accounting for over a quarter of all cancer deaths in recent years. Through a multidisciplinary approach, we pioneered studies in:

- 1. Cell typing by cytology versus histology via fibreoptic bronchoscopy (with Department of Pathology).
- Epidemiology: we identified that the mortality rate of lung cancer in our female patients is among the highest in the world, and that about 60% of the patients are nonsmokers and have adenocarcinomas. In collaboration with Departments Community Medicine, Pathology, Microbiology and Surgery of this University, TB & Chest Unit, Grantham Hospital, and the Department of Biology, HKUST, we have studied the following to elucidate the possible aetiological factors in our female patients:
 - a. environmentally-inhaled agents: passive smoking, incense burning, kerosene stove cooking
 - b. lung scarring from previous TB lesions
 - c. HLA antigens
 - d. K-ras oncogenes
 - e. p53
- 3. Use of L-myc and GST μ genotypes in predicting prognosis in non-small cell lung cancer (with TB & Chest Unit, Grantham Hospital, and Department of Biology, HKUST)
- 4. Use of beta-carotene in amelioration of side effects of chemotherapy and radiotherapy (with Department of Community Medicine and Institute of Radiotherapy and Oncology).
- 5. Cytotoxic chemotherapy protocols MACC, CAV and DDP-VP16 regimens for small cell lung cancer and FAM, DDP-VP16 regimens for non-small cell lung cancer. Most recently, we have studied high dose cytotoxic drugs (mitomycin-C, ifosphamide and cisplatinum) in the treatment of Stages III & IV non-small cell lung cancer in conjunction with recombinant human granulocyte-macrophage colony stimulating factor.

Respiratory infections (including tuberculosis). In Hong Kong, pneumonia is the fourth commonest cause of death and tuberculosis remains prevalent with a notification rate of about 110/100,000 population (compared to about 10/100,000 population in Western countries). As the Queen Mary Hospital is a referral centre for haemic malignancies, bone marrow, renal and liver transplant, we see in addition a large number of patients with opportunistic infections and pneumonia. Research studies have included:

Tuberculosis (with Department of Microbiology)

- 1. Diagnosis
 - role of fibreoptic bronchoscopy in sputum smear-negative TB
 - role of serological diagnosis for TB by assaying IgG Ab to PPD by ELISA technique
- 2. Clinical studies on endobronchial TB and unusual clinical and radiological features; unusual TB-drug toxicities
- 3. Prevalence in the non-HIV infected immunocompromised patients
- 4. Single sample acetylator phenotype test using isoniazid in Chinese patients with TB (with TB & Chest Unit, Grantham Hospital, and University of Wales, UK)

Other infections (with Department of Microbiology)

- 1. Pattern of bacterial isolates and their antibiotic susceptibility in chronic bronchitis exacerbations.
- Respiratory tract as major reservoir for EBvirus by detection of EBV DNA by dot hybridization in washed exfoliative cells from bronchial lavages of patients.
- 3. First report and epidemiologic study of melioidosis in Hong Kong and its antibiotic susceptibility.
- 4. Infections in immunocompromised hosts (neutropenic patients)
 - defining the most appropriate antimicrobial proplylaxis and treatment regimens for pneumonia and septicaemia
 - prediction and diagnosis of pneumonia in bone marrow transplant recipients

Miscellaneous

1. First reports of asbestos-related mesothelioma and asbestosis in Hong Kong.

- 2. First 9 cases of sarcoidosis reported in Hong Kong.
- 3. Drainage for pneumothorax: role of suction and time of tube removal.
- 4. Pulmonary physiology lung function in beta-thalassemia major, ankylosing spondylosis, scoliosis (with Department of Orthopaedics) and bone marrow transplant recipients.
- 5. Predicting post-operative pulmonary complications in oesophago-gastric cancer surgery (with Department of Surgery)
- 6. Sleep apnoea in Hong Kong Chinese and its incidence in Chinese hypertensive subjects (with Department of Psychiatry)
- Myasthenia gravis (with Division of Neurology and Department of Pathology): epidemiological, clinical and immunological studies of myasthemia gravis in Hong Kong Chinese.
- 8. Critical Care Medicine
 - evaluation of APACHE II method in predicting intensive care outcome (with Department of Surgery)
 - evaluation of cost-effective utilization of Respiratory Intermediate Care Area

FUTURE DIRECTIONS

- 1. Developing
 - a) ambulatory respiratory service in asthma, bronchiectasis, home ventilation support etc
 - b) high dependency (intermediate care) unit and critical care unit, with the ultimate aim of developing critical care medicine as a medical subspecialty
- 2. Implementing core and optional curricula for undergraduates and structured teaching for respiratory physician trainees
- 3. Developing more basic research in our established fields
- 4. Establishing closer links with China and overseas institutes e.g. we are in the process of establishing a formal exchange programme with the Department of Pulmonary & Critical Care Medical of the Boston University, USA

PUBLICATIONS (from 1985)

Bronchial asthma & chronic airflow

- †Burge PS, Harries MG, Lam WK, O'Brian IM, Patchett PA. Occupational asthma due to formaldehyde. Thorax 1985; 40: 255-260.
- So SY, Lam WK, Kwan S. Selective 5-HT2 receptor blockade in exercise-induced asthma. Clin Allergy 1985; 15: 371-376.
- So SY, Ip M, Kwan S, Lam WK. Changing concepts on pathogenesis of asthma. Asian Pac J Allergy Immunol 1985; 3: 217-220.
- So SY, Ip M, Lam WK. Calcium channel blockers and asthma: A review. Lung 1986; 164: 1-16.
- So SY, Lam WK. Twice daily administration of beclomethasone diproprionate dry powder in the management of chronic asthma. Asian Pac J Allergy Immunol 1986; 4: 129-132.
- *Chan JC, So SY. Towards more rational use of theophylline in reversible airflow obstruction. Bronchus 1986; 1: 7-11.
- Fung KP, Chow OKW, So SY. Attenuation of exercise-induced asthma by acupuncture. Lancet 1986; ii: 1419-1422.
- Ellul-Micallef R, Lam WK, Toogood JH, eds. Advances in the use of inhaled corticosteroids. Hong Kong: Excerpta Medica Asia Ltd, 1987.
- So SY, Ng MT, Ip M, Lam WK. Rising asthma mortality in young males in Hong Kong, 1976-1985. Respir Med 1990; 84: 457-461.
- "Ip M, So SY. Beta-agonists and asthma mortality Commentary from Southeast Asia. Med Prog 1991; 18: 17-18.
- Ip MSM, So SY, Lam WK, Yam L, Liong E. High prevalence of asthma in patients with bronchiectasis in Hong Kong. Eur Resp J 1992; 5: 418-423.
- "Ip M. Chronic bronchitis and emphysema: the role of bronchodilators. Bronchus 1992; 8: 2-4.
- Kumana CR, So SY, Lauder IJ, Ip M, Lam WK, Kou M. An audit of anti-asthmatic drugs inhalation technique and understanding. Asthma 1993; 30: 263-269.

- Ip MSM, So SY, Lam CLK, Lam WK, Chan JCK, Tse MHW. Trends in asthma therapy in Hong Kong, 1987-1992. Asthma 1993; 30: 475-483.
- *Yam LYC, Kumana CR, Lam WK, Critchley AJH. Audit of oxygen administration in Hong Kong Hospitals. J Hong Kong Med Assoc 1993; 45: 181-185.
- Ip MSM, Lam KSL, Yam LYC, Kung AWC, Ng M. Decreased bone mineral density in asthma patients on long term inhaled steroids. Chest 1994: 105: 1722-1727.
- †Whyte KF, Ip M, Kirby T, Muir AL, Flenley DC. Changes in regional ventilation during histamine bronchial challenge in stable asthma. Respiration 1994: 61: 68-73.
- *Ip M. COPD the role of drug therapy Commentary from Hong Kong. Med Prog 1994; 21: 30-31.
- *Ip M, Lam KSL. Inhaled steroids and bone metabolism in clinical perspective. HKMJ 1995; 1: 48-52.

Bronchiectasis

- Lam WK, Chau PY, So SY, Leung YK, Chan JCK, Ip M, Sham MK. Ofloxacin compared with amoxycillin in treating infective exacerbations in bronchiectasis. Respir Med 1989; 83: 299-303.
- †Adkins MO, Chan JC, Brodsky JB. Unsuccessful unilateral bronchopulmonary lavage for a patient with severe cystic fibrosis. J Cardiothor Anesth 1989; 3: 481-485.
- †Ip M, Lomas DA, Shaw J, Burnett D, Stockley RA. Effect of non-steroidal anti-inflammatory drugs on neutrophil chemotaxis an in vitro and in vivo study. Brit J Rheumat 1990; 29: 363-367.
- Ip M, Lam WK, So SY, Liong E, Chan CY, Tse KM. Analysis of factors associated with bronchial hyperreactivity to methacholine in bronchiectasis. Lung 1991; 169: 43-51.
- Ip M, Lam WK, Chan JC, Liong E. Systemic effects of inflammation in bronchiectasis. Respir Med 1991; 85: 521-525.
- Ip M, Liong E, Shum D. Sputum neutrophil activity in stable bronchiectasis. Med Science Resear 1992; 20: 739-740.

*Ip M. A pathophysiologic study of airway inflammation in bronchiectasis [MD Thesis]. Hong Kong: The University of Hong Kong, 1992.

Ip M, Lauder IJ, Wong WY, Lam WK, So SY. Multivariate analysis of factors affecting pulmonary function in bronchiectasis. Respiration 1993; 60: 45-50.

Ip M, Shum D, Lauder I, Lam WK, So SY. Effect of antibiotics on sputum inflammatory contents in acute exacerbations of bronchiectasis. Respir Med 1993; 87: 449-454.

Ip MSM, So SY, Lam WK, Shum D. Nedocromil sodium in the management of chronic bronchial infection. J Clin Pharm Therapeutics 1993; 18: 337-341.

*Ip MSM. Bronchiectasis - Current overview. HK Pract 1994: 16: 116-123.

Lung cancer & cytotoxic chemotherapy

Lam WK, So SY, Ip M, Yu DYC. Cyclic combination chemotherapy in advanced adenocarcinoma of the lung - comparison of two FAM schedules. Cancer Chemother Pharmacol 1985; 14: 282-283.

Kung ITM, Lui IOL, Loke SL, Aung Khin M, Mok CK, Lam WK, So SY. Pulmonary scar cancer - a pathologic reappraisal. Am J Surg Pathol 1985; 9: 391-400.

Lam WK, So SY, Kung TM, Ip M. High-dose 5-fluorouracil, adriamycin and mitomycin-C chemotherapy for advanced adenocarcinoma of the lung. In: Ishigami J, ed. Recent Advances in Chemotherapy: Anticancer Section. Japan: University of Tokyo Press, 1985: 1156-1157.

Lam WK. A clinical and epidemiological study of carcinoma of lung in Hong Kong [MD thesis]. Hong Kong: The University of Hong Kong, 1985.

Lam WK, Hawkins BR, Kung ITM, So SY. No association between HLA antigens and adenocarcinoma of lung in non-smoker female patients in Hong Kong. Brit J Dis Chest 1986; 80: 370-374.

Lam WK. Lung cancer international survey -Hong Kong. Lung Cancer 1986; 2: 196-198.

Lam WK, So SY, Kung TM, Sham MK, Ip Mary. 5-fluorouracil, adriamycin and mitomycin-C

(FAM) chemotherapy in advanced adenocarcinoma of the lung: comparison of two dosage schedules. Cancer Chemother Pharmacol 1987; 19: 269-271.

Lam TH, Kung TM, Wong CM, Lam WK, Kleevens JWL, Saw D, Hsu C, Seneviratne S, Lam SY, Lo KK, Chan WC. Smoking, passive smoking and histological types in lung cancer in Hong Kong Chinese women. Br J Cancer 1987; 56: 673-678.

*Lam WK. Experience of chemotherapy of advanced lung cancer, Queen Mary Hospital, Hong Kong. Proceedings of 10th Asia-Pacific Congress on Disease of the Chest, Taipei. 1987: 190-196.

*Lam WK, So SY, Ip Mary. Chemotherapy of advanced bronchial carcinoma - a Queen Mary Hospital experience. J Hong Kong Med Assoc 1987; 39: 59-61.

*Lam WK. The epidemiology of lung cancer in Hong Kong. Asian Med J 1987; 30: 347-352.

*Lam WK. Chemotherapy of advanced carcinoma of lung in Hong Kong - a review of eight years. Proceedings of Guangzhou Second Symposium on Lung Cancer Research, Guangzhou. Guangzhou: Guangzhou Research Centre for Lung Cancer, 1987: 98-101.

Lam WK, Du YX. Environmental inhaled agents and their relation to lung cancer. In: Loke J, ed. Pathophysiology and Treatment of Inhalation Injuries, in Lenfant C, ed. Lung Biology in Health and Diseases. New York: Marcel Dekker, 1988: 423-451.

Lam WK. The experience of chemotherapy of lung cancer in Hong Kong. In: Tjokronegoro A, Himawan S, Jusuf A, eds. Cancer in Asia and Pacific, Clinical Oncology. Indonesia: Yayasan Kanker Indonesia. 1988: 665-671.

†Law MR, Lam WK, Hodson ME. Post-operative intrapleural BCG in lung cancer. Eur J Cancer Clin Oncol 1988; 24: 1527-1528.

*Lam WK. Passive smoking and the lung. Bronchus 1988; 3: 7-10.

Kung ITM, Lam WK, Lam TH. Observer variability studies of the WHO classification of lung cancer (chapter). In: Hansen HH, ed. Basic and Clinical Concepts of Lung Cancer. Boston: Kluwer Academic Publisher, 1989: 53-69.

*Lam WK, Ip Mary SM. Lung cancer: epidemiology and chemotherapy of advanced disease. J Med Assoc Thai 1991; 74: 341-351.

*Lam WK. Carcinoma of bronchus. J Hong Kong Med Assoc 1992; 42: 203-214.

Lung M, Wong M, Lam WK, Lau KS, Kwan S, Fu KH, Cheung H, Yew WW. Incidence of rasoncogene activation in lung carcinomas in Hong Kong. Cancer 1992; 70: 760-763.

Lam WK, Ip Mary SM. Lung cancer: The Hong Kong perspective. In: Bovornkitti B, ed. Respiratory Malignancies. Bangkok: Uksornsmai Publishers, 1992: 709-725.

*Lam WK. Growth factors in lung cancer chemotherapy. Asian Cancer Bull 1995; 2: 1-4.

*Lam WK. Carcinoma of the lung in women of South China. JAMA (SEA) (in press).

Ngan HYS, Liang RHS, Lam WK, Chan TK. Pulmonary toxicity in patients with non-Hodgkin's lymphoma treated with bleomycin-containing combination chemotherapy. Cancer Chemother Pharmacol (in press).

Respiratory infections (including tuberculosis)

So SY, Chau PY, Jones BM, Wu PC, Pun KK, Lam WK, Lawton JWM. A case of invasive penicilliosis in Hong Kong with immunologic evaluation. Am Rev Respir Dis 1985; 131: 662-665.

Lung ML, Lam WK, So SY, Lam WP, Chan KH, Ng MH. Evidence that respiratory tract is major reservoir for Epstein-Barr virus. Lancet 1985; i: 889-892.

Ip MSM, So SY, Lam WK, Mok CK. Endobronchial tuberculosis revisited. Chest 1986; 89: 727-730.

Lam WK, Chau PY, So SY, Leung YK, Chan JCK, Sham MK. A double-blind randomized study comparing ofloxacin and amoxycillin in treating infective episodes in bronchiectasis. Infection 1986; 14 (Suppl 4): 290-292.

So SY. Melioidosis in Hong Kong. Int Med 1986; 2: 168-170.

So SY, Chau PY, Aquinas M. Gabriel M, Lam WK. Melioidosis - a serological survey in a tuberculosis sanatorium in Hong Kong. Trans R Soc Trop Med Hyg 1987; 81: 1017-1019.

Chau PY, Wan KC, Ng WS, So SY, Lau WY, Fan ST, Lee DKY. Enzyme-linked immunosorbent assay (ELISA) of antibodies to purified protein derivative (PPD) in the diagnosis of active tuberculosis: evaluation of its potential and limitation in a high prevalence area. Trop Geogr Med 1987: 39: 228-232.

Liang R, Yung R, Chau PY, Chan TK, Lam WK, So SY, Todd D. Imipenem/cilastatin as initialtherapy for febrile neutropenic patients. J Antimicrob Chemother 1988; 22: 765-770.

Lam WK, Humphries MJ, Teoh R. Extrapulmonary tuberculosis. In: Bovornkitti S, ed. Tuberculosis. Bangkok: Uksornsmai Publishing Co, 1989: 369-399.

Ip M, Chau PY, So SY, Lam WK. The value of routine bronchial aspirate culture at fibreoptic bronchoscopy for the diagnosis of tuberculosis. Tubercle 1989; 70: 281-285.

Chan JC, So SY, Lam WK, Ip MSM. High incidence of pulmonary tuberculosis in the non-HIV infected immunocompromised patient in Hong Kong. Chest 1989; 96: 835-839.

Ip M, Chen NK, So SY, Chiu SW, Lam WK. Unusual rib destruction in pleuropulmonary tuberculosis. Chest 1989; 95: 242-244.

Liang R, Yung R, Chan TK, Chau PY, Lam WK, So SY, Todd D. Ofloxacin versus co-trimoxazole for prevention of infection in neutropenic patients following cytotoxic chemotherapy. Antimicrob Agents Chemother 1990; 34: 215-218.

Liang R, Yung R, Chiu E, Chau PY, Chan TK, Lam WK, Todd D. Ceftazidime versus Imipenem-Cilastatin as initial monotherapy for febrile neutropenic patients. Antimicrob Agents Chemother 1990; 34: 1336-1341.

Yu YL, Lam WK. Cryptic miliary tuberculosis in the tropics. In: Sharma OP, ed. Lung Disease in the Tropics, in Lenfant C, ed. Lung Biology in Health and Disease. New York: Marcel Dekker, 1991: 371-381.

Lam WK. Antibiotic guidelines for specific clinical presentations in adults: chest infections. In: Kumana CR, Chau PY, French G, eds. Antibiotic Guidelines. Hong Kong: Adis Science Press, 1991: 65-72.

Ip M, Cheung WC, Cheng KP. Disseminated intravascular coagulapathy associated with rifampicin. Tubercle 1991; 72: 291-293.

†Chan JC, Raffin TA. Salmonella lung abscess complicating Wegener's granulomatosis. Respir Med 1991; 85: 339-341.

*Lam WK. Ofloxacin in adult lower respiratory tract infections. Penetration. Japan: Biomedis, 1992: 24-29.

Lam WK, Chau PY, Chan JCK, Ip MSM. Ofloxacin versus cefuroxime in the treatment of lower respiratory infections in moderately immunocompromised patients. Drugs 1993; 45: 416-417.

Humphries MJ, Lam WK, Teoh R. Non-respiratory tuberculosis. In: Davies PDO, ed. Clinical Tuberculosis. London: Chapman & Hall, 1994: 93-125.

Ip MSM, Yuen KY, Chiu EKW, Chan JCK, Lam WK, Chan TK. Pulmonary infections in bone marrow transplantation: the Hong Kong experience. Respiration 1995; 62: 80-83.

†Ip MSM, Lars G Osterberg, PY Chau, Raffin TA. Pulmonary melioidosis. Chest (in press).

Miscellaneous

Ip MSM, So SY, Lam WK. Respiratory problems in myasthenia gravis. Ann Acad Med 1985; 14: 442-445.

Ip MSM, So SY, Lam WK, Tang LCH, Mok CK. Thymectomy in myasthenia gravis during pregnancy. Postgrad Med J 1986; 62: 473-474.

Hawkins BR, Ip M, Lam KSL, Ma JTC, Chan-Lui WY, Young RTT, Dawkins RL. HLA antigens & acetylcholine receptor antibody in the subclassification of myasthenia gravis in Hong Kong. J Neurol Neurosurg Psychiatry 1986; 49: 316-319.

Fan ST, Lau WY, Yip WC, Poon GP, Yeung O, Lam WK, Wong KK. Prediction of postoperative

pulmonary complications in oesophago-gastric cancer surgery. Br J Surg 1987; 74: 408-410.

Fung KP, Chow OKW, So SY, Yuen PMB. Pulmonary function in thalassemia major. J Pediatr 1987: 111: 534-537.

Ip M, So SY, Lam WK, Ho E. The lungs in ankylosing spondylitis. J West Pac Orthop Assoc 1988; 25: 25-28.

Ip M, Wong KL, Wong KF, So SY. Lung injury in dimethyl sulphate poisoning. J Occup Med 1989; 31: 141-143.

Hawkins BR, Yu YL. Wong VCN, Woo E, Ip M, Dawkins RL. Possible evidence of a variant of myasthenia gravis based on HLA & acetylcholine receptor antibody in Chinese patients. Q J Med 1989; 70: 235-241.

*Ip M, So SY, Lam WK. Obstructive sleep apnoea syndrome - a rare entity in Hong Kong Chinese? J Hong Kong Med Assoc 1989; 41: 191-194.

*Yu YL, Hawkins BR, Wong V, Ip MSM, Woo E. The Hong Kong myasthenia gravis data bank. J Hong Kong Med Assoc 1989; 41: 259-265.

†Zheng H, Crowley JJ, Chan JC, Hoffman H, Hatherill JR, Ishizaka A. Attenuation of tumor necrosis factor-induced endothelial cell cytotoxicity and neutrophil chemiluminescence. Am Rev Respir Dis 1990; 142: 1073-1078.

†Lomas DA, Ip M, Chamba A, Stockley RA. The in vitro and in vivo effect of dexamethasone on human neutrophil function. Agents Actions 1991; 33: 279-285.

Chan PCK, Tam SCF, Robinson JD, Yu L, Ip MSM, Chan CY, Cheng IKP. Effect of phosphatidylcholine on ultrafiltration in patients on continuous ambulatory peritoneal dialysis. Nephron 1991; 59: 100-103.

Chan PCK, Wu PG, Tam SCF, Ip M, Fang GX, Cheng IKP. Factors affecting lymphatic absorption in Chinese patients on continuous ambulatory peritoneal dialysis. Periton Dialysis Internat 1991; 11: 147-151.

Chan PCK, Ip M, Pun KK. 1,25 dihydroxy-cholecalciferol and peritoneal macrophage

chemotaxis in patients on continuous ambulatory peritoneal dialysis. Nephron 1991; 59: 434-439.

†Zheng H, Crowley JJ, Chan JC, Raffin TA. Attenuation of LPS-induced neutrophil thromboxane B₂ release and chemiluminescence. J Cell Physiol 1991; 146: 264-269.

*Chan JC. Bone marrow transplant and the lung. In Bone Marrow Transplantation. Proceedings of the 1990 Norman Prize Lecture and Symposia, Hong Kong. Hong Kong: Excerpta Medica, 1991: 12-20

Yu YL, Hawkins BR, Ip MSM, Woo E, Wong VCN, Chang CM. Myasthenia gravis in Hong Kong Chinese: I. Epidemiology and adult disease. Acta Neurol Scand 1992; 86: 113-119.

*Lam WK. Practical approach to haemoptysis. HK Pract 1992; 14: 2225-2228.

*Ip MSM, Mok CK. Lung transplantation. J Hong Kong Med Assoc 1993; 45: 153-160.

Ip M, Wong M, Wong KL. Rheumatoid nodules in trachea. Chest 1993; 103: 301-303.

Wong BCY, Wong KL, Ip MSM, Wang E, Chan KW, Cheng LC. Sjogren's syndrome with amyloid-A presenting as multiple pulmonary nodules. J Rheumatol 1994; 21: 165-167.

Day GA, Upadhyay SS, Ho EKW, Leong JCY, Ip M. Pulmonary functions in congenital scoliosis. Spine 1994; 19: 1027-1031.

*M Ip. Resuscitation policy - continuing problems of decision-making. JAMA (SEA) 1995; 11: 11-12.

Chan WM, Ip M, Lau CS, Wang E, Peh WCG. Anti-Jo-I syndrome presenting as cryptogenic organizing pneumonia. Respir Med (in press).

- † Publications produced by staff whilst attached to or visiting other centres
- ‡ Publications produced by staff while employed at other centres before joining the Department
- * Publications in non-indexed journals

W.K. Lam, Mary S.M. Ip and Jane C.K. Chan

DIVISION OF RHEUMATOLOGY

Rheumatology is a developing sub-specialty both within the Department of Medicine and in Hong Kong. Currently, the team consists of one full-time academic staff, 2 honorary lecturers, 2 postmembership career trainees, one full-time technician and one research assistant.

Staff who have contributed to the achievements of the Division during the past decade include the following:

Current members

Physicians

Dr. R.W.S. Wong, MBBS, FRCP(E), FRCP(G), FHKCP,

FHKAM (Medicine)

Consultant and Chief of Division

Dr. C.S. Lau, MD (Hons), MRCP(UK), FHKCP, FHKAM (Medicine)

Lecturer

Trainees

Dr. K.W. Lee, MBBS, MRCP (UK)
Medical Officer

Dr. C.C. Mok, MBBS, MRCP (UK)
Medical Officer

Past members

Dr. K.L. Wong, MD, MRCP(UK), FHKCP, FHKAM (Medicine)
Dr. K.H. Chan, MBBS, FRCP(E), FHKCP, FHKAM (Medicine)

CLINICAL SERVICE

The Division is responsible for the investigation and management of patients with various rheumatic diseases on both in- and out-patient basis. There is one General Rheumatology Clinic in Tang Chi Ngong Hospital and one in Sai Ying Poon Polyclinic Hospital. The average patient attendance at each of these 2 clinics is 70 per week. In addition, there are 2 Rheumatology Clinics (Dr. RWS Wong) and one Special Rheumatology Clinic (Dr. CS Lau) in Queen

Mary Hospital. An average of a further 70 patients are seen at these 3 clinics each week. An alternate week Combined Orthopaedic and Rheumatology Ankylosing Spondylitis Clinic with an average attendance of 30 patients is also in place at the Duchess of Kent Hospital in Sandy Bay. A wide spectrum of rheumatological disorders ranging from soft tissue rheumatism to various forms of arthropathies, connective tissue disorders and vasculitides are seen at these clinics. For arthritis patients requiring surgical intervention, there is close collaboration with the orthopaedic surgeons. Thus, patients from the Tang Chi Ngong Clinic can be referred directly to Dr FK Ip of the Pamela Youde Nethersole East Hospital and those from the Sai Ying Poon are seen by University Orthopaedic Surgery staff in the same clinic.

In-patient treatment is based both at the Queen Mary Hospital and the McLehose Medical Rehabilitation Centre (MLMRC) in Sandy Bay. The MLMRC has a good setup for the multidisciplinary management of patients with chronic arthritis with facilities for physical therapy, occupational therapy and orthotic and prosthetic appliances. Help and advice from medical social workers, clinical psychologists and orthopaedic surgeons are also available.

As most rheumatic disorders are chronic and disabling, patient education is an essential part of their rehabilitation process. Public education is also needed to enhance the community's awareness of our patients' plights. Both are being accomplished through our Division's involvement in the various rheumatic disease patient self-help groups in Hong Kong. These include the Hong Kong Lupus Association, Hong Kong Rheumatoid Arthritis Association, Ankylosing Spondylitis Self Help Group and the Alliance for Patient's Mutual Help Organisation. There is also participation in public health exhibitions and lectures as well as contribution of published articles on related issues in the media

There are also close links between the Division

and the Hong Kong Society for Rehabilitation and staff members are advisors of the Society's recently set up Community Rehabilitation Network and Vocational Re-training Services for Physically Disabled Persons.

EDUCATION

Undergraduate clinical teaching in Rheumatology takes the format of regular lectures (one in Immunology and 6 in Rheumatology), small group tutorials and seminars as well as teaching at bedside and specialist clinics. In addition, there are 2 Integrated Teaching Sessions each year on AIDS and Management of Rheumatoid Arthritis. We also supervise elective medical students, local and overseas, in Rheumatology. Besides teaching undergraduate medical students, the Division also takes part in the teaching of undergraduate dental students (2 lectures), BSc (Immunology) students (2 lectures and 2 tutorials) and nurses (2 lectures).

Postgraduate training in Rheumatology has changed much over the last few years. There is active participation in the Basic Physician and Rheumatology Specialist Training Programmes of the Hong Kong College of Physicians (HKCP). Dr. RWS Wong is the chairman while Drs. CS Lau and KH Chan (Honorary Lecturer) are members of the College's Subspecialty Advisory Committee in Rheumatology. A quarterly Interhospital Rheumatology Meeting was set up in 1992 and other postgraduate teaching activities have since been in place. These include a weekly Rheumatology Round, combined Rheumatology/ Radiology Meeting, combined Rheumatology/ Histopathology Meeting, Clinical Immunology Meeting and Journal Club. These meetings are attended by physicians, clinical immunologists and rheumatology trainees from Queen Mary Hospital as well as other district general hospitals and contribute to part of their training accreditation. Other postgraduate teaching commitments include small group tutorials and bedside teaching for local HKCP/Royal College of Physicians (UK) diploma examination candidates. The Division also contributes questions for the written paper in this examination. There are also 3 regular lectures for licentiate doctors.

Through the Division's involvement in the Hong Kong Society of Rheumatology, we have been able to extend postgraduate rheumatology training to a broader group of doctors, notably private general practitioners. Regular meetings have been organised and renowned local and overseas rheumatologists were invited to speak at these meetings.

RESEARCH

Due to understaffing of academic members of the Division, research in rheumatology was relatively scarce in the 1980's. There is, however, improvement in recent years with support from the Department and successes in bidding for competitive research grants. Basic research directions are being established. Collaborative links with other clinical and pathology departments of the University as well as many rheumatology centres overseas have also been set up. Most of the projects are yielding encouraging results and have been selected for presentations at various major regional and international rheumatology conferences. Further expansion is envisaged. Research in rheumatology, past and current, is summarised below:

Systemic lupus erythematosus

Systemic lupus erythematosus (SLE) is an autoimmune disorder characterised by a profound disturbance of immune mechanisms. It typically affects female of reproductive age and may manifest with multi-organ involvement. Because of these, SLE has always stimulated interests from researchers of various disciplines.

Clinical features of SLE in Hong Kong have been studied. Thus, the annual incidence of this condition presenting to the Queen Mary Hospital and the Nethersole Hospital was estimated as 0.13%. The clinical pattern of this disease such as patients' initial presentation, course of illness, response to treatment and development of complications to treatment have been well documented. Particular emphasis was made on major organ complications of SLE. Prospective studies on the neurological manifestations, cardiac abnormalities and assessment using

advanced echocardiographic techniques, development of acute severe thrombocytopenia and clinical manifestations of patients who possessed the anti-phospholipid antibodies have been carried out. A study of the mechanism of thrombosis in patients with SLE and anti-phospholipid antibody syndrome was completed recently and evidence of vascular damage, abnormal plasma fibrinolysis, activated platelets and white cells were found in these patients. Correction of these abnormalities may improve prognosis.

Since SLE predominately affects young females, the outcome of pregnancy in these patients has been a major concern. A prospective study was therefore carried out and it showed low maternal and fetal morbidity and mortality rates can be achieved with close maternal monitoring and good neonatal supportive care.

Recent studies have concentrated more on the aetiology and pathophysiology of SLE. Immunogenetics of this condition were studied and HLA B5 was found to be associated with the presence of other autoimmune diseases while HLA DR2 was associated with the presence of anti-Ro antibody. Acetylator status and the development of SLE was studied but no significant association was found. An infective agent(s) has been suggested to play a role in the aetiology of SLE but such an agent(s) has remained elusive. Cytomegalovirus and Ebstein Barr virus were examined but neither was found to be associated with the onset or relapse of SLE. On the other hand, susceptibility to this condition may be linked to a deficiency state in mannose binding protein, a recently characterised lectin which is capable of activating the complement pathway. Results from this study have generated many follow-up projects which are currently underway. Other possible aetiological factors such as defective apoptosis are also under investigation.

Whatever the cause of SLE, there are widespread changes in the patient's immune system. Increased T-lymphocyte activity was suggested by the demonstration of increased interleukin-2 receptor expression on peripheral lymphocytes of these patients. The level of soluble interleukin-2 receptor in serum correlated with clinical disease

activity. The role of B-cells in SLE has also been studied. Results from a cross-sectional study on CD5+ve and CD5-ve B-lymphocytes suggested excessive production of pathogenic anti-dsDNA antibodies by CD5-ve B-cells may be due to diminished CD5+ve B-cell activity.

The pathogenic mechanism of complications of SLE is due mainly to auto-antibody production, immune complex formation, complement activation and consequent vasculitis. Measurement of complement degradation products and factor VIII von Willebrand factor antigen (vWF), an endothelial product, was assessed as markers of disease activity. Both showed significant correlation with fluctuation of disease activity but plasma vWF measurement appeared to be more clinically applicable.

Other ongoing SLE projects include a multicentre study on lupus nephritis therapy and prevention and treatment of steroid induced osteoporosis.

Raynaud's phenomenon and systemic sclerosis

Raynaud's phenomenon (RP) may be primary or secondary, mostly to connective tissue disorders. Patients characteristically complain of pain and blanching of fingers following cold exposure and emotional stress. Most of the related work aimed (1) to determine the pathophysiological role of the haemostatic systems in primary and secondary RP and (2) to explore the potential for treatment with manipulation of the arachidonic acid (AA) pathway in favour of anti-thrombotic and vasodilatory effects. Our previous studies clearly demonstrated the key aetiological role of abnormal haemostasis in RP, particulary those with the secondary form such as systemic These patients had endothelial sclerosis. dysfunction in addition to platelet and white cell activation which occurred in all RP patients. It was likely that most of these abnormalities were a consequence rather than a cause of RP. Nevertheless, such changes might worsen the condition by further decreasing digital blood flow. Correction of these changes can be achieved through manipulation of the AA pathway. The effects of direct intravenous infusion of prostacyclin, oral and intravenous administration

of prostacyclin analogues and thromboxane A2 receptor blockade were investigated. All were shown to have potential therapeutic value.

Rheumatoid arthritis

Rheumatoid arthritis (RA) is a chronic disabling inflammatory polyarthritis. Its incidence in Hong Kong was estimated as 0.12% in an earlier study. Susceptibility to this condition was shown to be linked to HLA DR allelic third hypervariable region sequences.

Once RA has declared itself, it may run a progressive relapsing and remitting course and a careful management plan is required to prevent deterioration and complications. The use of antirheumatic drugs remains the main stay of treatment for these patients. Dietary modulation of essential fatty acid intake has been studied and the use of eicosapentaenoic acid was shown to have anti-inflammatory effects. Newer antirheumatic drugs such as bucillamine and analogues for RA are also being studied in collaboration with the Department of Chemistry. Thunder God Vine (triptolide), a Chinese herbal medicine, is widely used for RA and SLE in Mainland China and Hong Kong. immunological effects of this agent have not been fully evaluated and a collaborative project with the Department of Chemistry has recently been set up to have these delineated. Preliminary results suggest this drug may have cytotoxicity effects.

Ankylosing spondylitis

There have been few studies in ankylosing spondylitis (AS). Current on-going studies include (1) HLA B27 tissue antigen sub-typing and (2) the clinical usefulness of facet joint deposteroid injection in patients with acute back symptoms.

Others

The Division is involved (Dr. CS Lau is Committee Member) in a recently set up World Health Organisation Study on Low Back Pain. This study aims to evaluate and compare different forms of clinical psychological and socio-economic assessments of patients with chronic low back pain.

FUTURE DIRECTIONS

There is an urgent need to expand Rheumatology both within the Department and in Hong Kong. Most rheumatic disorders are chronic and disabling. Some, such as SLE and the vasculitides, may be life-threatening. Rheumatic complaints account for a large proportion of the general practitioner's consultation. Wellstructured undergraduate and postgraduate teaching programmes are therefore needed to prepare our students and colleagues to deal with patients with rheumatic disorders. Improvement in the management of our patients will only come about with better understanding of these conditions, and this could only be accomplished by basic and clinical research. Our Division, with support from the Department, will continue to work hard to fulfil the above objectives and to lead in the development of Rheumatology in Hong Kong and the Region. Some ground work has been laid but much more needs to be done. This is especially so in research which requires much dedication. Work on SLE will continue to expand. However, the other major rheumatic disorders such as RA and AS have, in general, been relatively neglected. The current academic staffing level needs to be revised to cater for further expansion. Obviously, patients' eventual outcome is our ultimate concern and improvement in the provision of patient care has to continue. A Centre for Rheumatic Disorders with full facilities for patient counselling and education, treatment of in- and out-patient acute and chronic rheumatic complaints as well as basic and clinical research should not be something that we dream of but something that we will continue to strive for.

PUBLICATIONS (from 1985)

Systemic lupus erythematosus

Yeung CK, KL Wong, Wong RWS, Chan MK, Ng WL. Unusual transformations of renal involvement in systemic lupus erythematosus. Aust NZ J Med 1985; 15: 69-71.

*Chan KH, Wong WS, Wong KL. Lupus anticoagulant among Chinese patients in Hong Kong. J Hong Kong Med Assoc 1985; 37: 185-186.

Yeung CK, Ng WL, Wong RWS, Wong KL, Chan MK. Acute deterioration in renal function in systemic lupus erythematosus. Q J Med 1985; 56: 393-402.

†Asherson RA, Chan JKH, Harris EN. Anticardiolipin antibody recurrent thrombosis and warfarin withdrawal. Ann Rheum Dis 1985; 44: 823-825.

†Harris EN, Gharavi AE, Ticani A, Chan JKH. Affinity-purified anticardiolipin and anti-DNA antibodies. J Clin Lab Immunol 1985; 17, 155-162.

†Harris EN, Gharavi AE, Loizou S, Derue G, Chan JKH, Patel BM. Crossreactivity of antiphospholipid antibodies. J Clin Lab Immunol 1985; 16: 1-6.

Yeung CK, Wong KL, Wong RWS, Chan KH. B2-microglobulin and systemic lupus erythematosus. J Rheumatol 1986; 13: 1053-1058.

Wong KL, Tai YT, Loke SL, Woo EKW, Wong WS, Chan MK, Ma J. Disseminated zygomycosis masquerading as cerebral lupus erythematosus. Am J Pathol 1986; 86: 546-549.

†Mackworth-Young CG, Chan JKH, Harris EN. Complement fixation by anti-DNA antibodies in systemic lupus erythematosus: measurement by radioimmunoassay and relationship with disease activity. Ann Rheum Dis 1986; 45: 314-318.

†Mackworth-Young CG, Chan JKH, Harris EN. High incidence of anticardiolipin antibodies in relatives of patients with SLE. J Rheum 1987; 14:4, 723-726.

Wong RWS, Chan JKH, Wong KL. Lupus anticoagulant - A double misnomer. Asian Pac J Allergy Immunol 1987; 5: 161-165.

Woo J, Wong RWS, Wang SWS. The prevalence and incidence of systemic lupus erythematosus and rheumatoid arthritis among the Chinese population in Hong Kong. ASEAN J Clin Sci 1987; 7: 77-81.

Kwong YL, Wong KL, Kung ITM, Chan PCK, Lam WK. Concomitant alveolar haemorrhage and cytomegalovirus infection in a patient with systemic lupus erythematosus. Post Med J 1988; 64: 56-59.

Hawkins BR, Wong KL, Wong RWS, Chan KH, Dunckley H, Seyeantson SW. Strong association between the major histocompatibility complex and systemic lupus erythematosus in Southern Chinese. J Rheumatol 1987; 14: 1128-1131.

Liu HW, Wong KL, Lin CK, Wong WS, Tse PWT, Chan GTC. The reappraisal of dilute tissue thromboplastin inhibition test in the diagnosis of lupus anticoagulant. Br J Haematol 1989; 72: 229-234.

Chan PCK, Wong WS, Wong KL, Cheng IKP, Chan MK. Lupus nephritis patients on maintenance dialysis in Hong Kong. Int J Artificial Organs 1989; 12: 741-786.

Leung WH, Wong KL, Lau CP, Cheng CH, Wong CK. Cardiac abnormalities in systemic lupus erythematosus - a prospective M-mode, cross-sectional and pulsed Doppler echocardiographic study. Int J Cardiol 1990; 27: 367-375.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH, Tai YT. Doppler echocardiographic evaluation of left ventricular diastolic function in patients with systemic lupus erythematosus. Am Heart J 1990; 120: 82-87.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH, Tai YT. A Doppler-echo evaluation of left ventricular diastolic function in patients with mixed connective tissue disease. Cardiology 1990; 77: 93-100.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH, Tai YT. Echocardiographic identification of mitral valvular abnormalities in patients with mixed connective tissue disease. J Rheumatol 1990; 17: 485-488.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH, Liu HW. Association between antiphospholipid antibodies and cardiac abnormalities in patients with systemic lupus erythematosus. Am J Med 1990; 89: 411-419.

Kumana CR, Chan MMY, Wong KL, Wong RWS. Kou M, Lauder IJ. Lack of association between slow acetylator status and spontaneous lupus erythematosus. Clin Pharmacol Ther 1990; 48:208-213.

Wong KL, Woo EKW, Yu YL, Wong RWS. Neurological manifestation of systemic lupus erythematosus: a prospective study. Q J Med 1991; 81: 857-870.

Wong KL, Wong RWS, Hawkins BR. Immunogenetics in Chinese patients with systemic lupus erythematosus. Scand J Rheumatol 1991; 20: 110-114.

Wong KL, Chan FY, Lee CP. Outcome of pregnancy in patients with systemic lupus erythematosus: a prospective study. Arch Int Med 1991; 151: 269-273.

*Wong RWS. Drug treatment of systemic lupus erythematosus, Part II: Commentary from South East Asia. Med Prog 1991; 18: 46-47.

Wong KL, Wong RPO. Limitation of serum soluble interleukin-2 receptor in defining the activity in patients with systemic lupus erythematosus. Ann Rheum Dis 1991; 50: 706-709.

Wong KL, Liu HW, Ho K, Chan K, Wong R. Anticardiolipin antibodies and lupus anticoagulant in Chinese patients with systemic lupus erythematosus. J Rheumatol 1991; 18: 1187-1192.

Wong KL. Danazol in treatment of lupus thrombocytopenia. Asian Pac J Allergy Immunol 1991; 9: 125-129.

Wong KL. Systemic lupus erythematosus in Hong Kong [MD thesis]. Hong Kong: The University of Hong Kong, 1981.

Wong KL. Pattern of systemic lupus erythematosus in Hong Kong Chinese: a cohort study. Scand J Rheumatol 1992; 21: 289-296.

Leung WH, Wong KL, Lau CP, Wong CK. Purulent pericarditis and acute cardiac tamponade caused by nocardia asteroides in mixed connective tissue disease. J Rheumatol 1991; 17: 1237-1239.

Chen RYL, Wong KL, Lawton JWM, Ho FCS. Anti-nuclear antibody detection using streptavidin-biotin-peroxidase complex on Hep-2 cell substrate. Asian Pac J Allergy Immunol 1992; 10: 19-24.

Lau CS. Antiphospholipid syndrome. Vascular Med Rev 1994; 5: 33-45.

Jones BM, Lau CS, Wong RWS. CD5-positive and CD5-negative plaque-forming cells against

poly-l-lysine-treated sheep erythrocytes in patients with systemic lupus erythematosus. Autoimmunity 1994; 18: 189-194.

Mok CC, Lau CS, Poon SP. Primary nocardial meningitis in systemic lupus erythematosus. Br J Rheumatol 1995; 34: 178-181.

Mok CC, Lau CS. Transverse myelitis and antiphospholipid antibodies in mixed connective tissue disorders. Clin Neurol Neurosurg (in press).

Raynaud's phenomenon and systemic sclerosis

‡Lau CS, M McLaren M, Saniabadi A, Scott N and Belch JJF. The pharmacological effects of cicaprost, an oral prostacyclin analogue, in patients with Raynaud's syndrome secondary to systemic sclerosis - a preliminary study. Clin Exp J Rheumatol 1991; 9: 271-273.

‡Lau CS and Belch JJF. Raynaud's phenomenon - a vasospastic disorder. Curr Pract Surg 1991; 3: 170-175.

‡Lau CS, M McLaren M and Belch JJF. Factor VIII von Willebrand Factor antigen levels correlate with symptom severity in patients with Raynaud's phenomenon. Br J Rheumatol 1991; 30: 433-436.

‡Lau CS, Khan F, M McLaren M, Bancroft A, Walker M and Belch JJF. The effects of thromboxane receptor blockade on platelet aggregation and digital skin blood flow in patients with secondary Raynaud's syndrome. Rheumatol Int - Clin Exp Invest 1991; 11: 163-168.

‡Belch JJF, Lau CS, Forbes CD. Iloprost and risk of thrombo-embolism. Am J Med 1991; 91: 666-667.

‡Lau CS, O'Dowd A and Belch JJF. White cell activation in the Raynaud's phenomenon of systemic sclerosis and vibration induced white finger syndrome. Ann Rheum Dis 1992; 51: 249-252.

‡Lau CS, Bridges A, Muir A, Scott N, Bancroft A, Belch JJF. Further evidence of white cell activation in patients with Raynaud's phenomenon. Br J Rheumatol 1992; 31: 375-380.

‡Saniabadi AR, Fisher TC, Lau CS, Bridges A, Taylor J, Belch JJF, Forbes CD. Dipyridamole increases human red cell deformability. Clin Pharmacol 1992, 42: 651-654.

‡Lau CS. Haemostatic abnormalities in Raynaud's phenomenon and the potential for treatment with manipulation of the arachidonic acid pathway [MD thesis]. Dundee, Scotland: University of Dundee, 1992.

†Lau CS, Belch JJF, Madhok R, Cappell H, Herrick A, Jayson M, Thompson JM. A randomised double-blind group comparative placebo controlled study to assess the efficacy and tolerance of cicaprost, an oral prostacyclin analogue, in the treatment of Raynaud's syndrome secondary to systemic sclerosis. Clin Exp J Rheumatol 1993; 11: 35-40.

†Lau CS, M McLaren M, Walker M, Belch JJF. Increased whole blood platelet aggregation inpatients with Raynaud's phenomenon with or without systemic sclerosis. Scand J Rheumatol 1993; 22: 97-101.

†Lau CS, McLaren M, Walker M, Belch JJF. Baseline plasma fibrinolysis and its correlation with clinical manifestations in patients with Raynaud's phenomenon. Ann Rheum Dis 1993; 52: 443-448.

†Belch JJF, M McLaren M, Lau CS, Saniabadi AR, Bancroft A, McEwen J, Thompson JM. Cicaprost, an orally active prostacyclin analogue: its effects on platelet aggregation and skin blood flow in normal volunteers. Br J Clin Pharmacol 1993; 35: 643-647.

†Lau CS, Khan F, McCallum P, Belch JJF. Digital blood flow response to body warming, cooling and rewarming in patients with Raynaud's phenomenon. Angiol 1995; 46: 1-10.

†Belch JJF, Capell HA, Cook ED, Kirby JDT, Lau CS, Madhok R, Murphy E, Steinberg M. Oral iloprost as a treatment for Raynaud's syndrome. A double-blind multicentre placebo controlled study. Ann Rheum Dis (in press).

Rheumatoid arthritis

Woo J, Wong RWS, Wang SWS, Woo P. Patterns of rheumatoid arthritis and systemic lupus erythematosus in Hong Kong. Ann Rheum Dis 1987; 46: 644-646.

*Wong RWS, Wong B, Tai YT. Penicillamine induced polymyositis in rheumatoid arthritis. ASEAN J Clin Sci 1988; 8: 85-87.

Wong RWS. Biopsy proven lupus nephritis in a patient with erosive rheumatoid arthritis. ASEAN J Clin Sci 1990; 10: 97-104.

‡McLaren M, Lau CS, Forbes CD and Belch JJF. Seasonal variation in fibrinolysis in patients with rheumatoid arthritis. Fibrinolysis 1990; 4: 116-117.

‡Lau CS, Gallacher C, Ross P and Belch JJF. Rheumatoid arthritis - snake oil or fish oil?. Br J Rheumatol 1991; 30: 72-73.

Jones BM, Cheng IKP, Wong RWS. Aberrant Tregulation in rheumatoid arthritis and IgA nephropathy affects CD5+ve and CD5-ve B lymphocytes equally. Clin Exp Immunol 1991; 86: 212-218.

Seglias J, Li EKM, Cohen MG, Wong RWS, Potter PK, So AK. Susceptibility to rheumatoid arthritis is linked to HLA-DR allelic third hypervariable region sequences in Southern Chinese. Arthritis Rheum 1992; 35: 163-167.

Jones BM, Cheng IKP, Wong RWS, Kung AWC. CD5+ve and CD5-ve rheumatoid factor-secreting cells in IgA nephropathy, rheumatoid arthritis and Grave's disease. Scand J Immunol 1993; 38: 575-580.

M Ip Wong MP, Wong KL. Rheumatoid nodule in the trachea. Chest 1993; 103: 301-303.

†Lau CS, Belch JJF. The *in vitro* free radical scavenging effects of tenidap, a dual cyclo-oxygenase and 5-lipoxygenase inhibitor - a preliminary study. Mediators of Inflamm 1993, 1: 141-143.

†Lau CS, Morley KD, Belch JJF. Effects of Maxepa fish oil supplementation on non-steroidal anti-inflammatory drug requirement in patients with mild rheumatoid arthritis - a double blind placebo controlled study. Br J Rheumatol 1993; 52: 443-448.

†Lau CS, M McLaren M, Hanslip J, Kerr M, Belch JJF. Abnormal plasma fibrinolysis in patients with rheumatoid arthritis and impaired endothelial fibrinolytic response in those complicated by vasculitis. Ann Rheum Dis 1993; 52: 643-649.

†Lau CS, Saniabadi AR, Belch JJF. Reduced red blood cell deformability in patients with rheumatoid vasculitis: Improvement after in vitro treatment with dipyridamole. Arthritis Rheum 1995; 38: 248-253.

†Lau CS, M McLaren M, Belch JJF. Effects of fish oil on plasma fibrinolysis in patients with mild rheumatoid arthritis. Clin Exp J Rheumatol 1995; 13: 87-90.

Mok CC, Kwong YL, Lau CS. Secondary acute myeloid leukaemia with 7q-complicating azathioprine treatment for rheumatoid arthritis. Ann Rheum Dis (in press).

Miscellaneous Rheumatology

Wong RWS. Leprosy masquerading as nodular vasculitis. Br J Rheumatol 1987; 26: 398.

Leung WH, Wong KL, Lau CP, Wong CK, Cheng CH, So KF. Myocardial involvement in Churg-Strauss Syndrome - the role of endomyocardial biopsy. J Rheumatol 1989; 1: 828-831.

Tai YT, Fong PC, Ng WF, Fu KH, Chow WH, Lau CP, Wong WS. Diffuse aortitis complicating Bechet's disease leading to severe aortic regurgitation. Cardiol 1991; 79: 156-160.

*Wong RWS. Intralesional corticosteroids Part II: Their role in clinical rheumatology. Commentary from South-east Asia. Med Prog 1991; 18: 43-44.

Lau CS. Diseases of joints and bones. In: Forbes CD and Jackson WF, eds. A colour atlas and text of clinical medicine. Ayelsbury, England: Wolfe Publishing, 1993: 121-160.

Chan TM, Cheng IKP, Wong KL, Chan KW. Resolution of membrano-proliferative glomerulonephritis complicating angiofollicular lymph node hyperplasia (Castleman's disease). Nephron 1993; 65: 628-632.

Wong BC, Wong KL, Ip MS, Wang EP, Chan KW, Chan LC. Sjogren's syndrome with amyloid

A presenting as multiple pulmonary nodules. J Rheumatol 1994; 21: 165-167.

‡Keys J, Beardon P, Lau CS, Lang CC, McDevitt DG. General practitioner use of non-steroidal anti-inflammatory drugs in Tayside and Fife regions. J Roy Soc Med 1992; 85: 442-445.

Kung A, Lau CS, Wu PC. Graves' ophthalmopathy and relapsing polychondritis. Clin Exp J Rheumatol (in press).

Chan WM, Ip M, Lau CS, Wang E, Peh WCG. Anti-Jo-1 syndrome presenting as cryptogenic organizing pneumonia. Resp Med (in press).

Clinical immunology

†Gibson J, Wong KL, Basten A. Maternal autoimmune disease influences self-tolerance in offspring. Adv Exp Med Biol 1985; 186: 495-502.

†Basten A, Gibson J, Loblay RH, Wong KL, Fazeka de St Groth B. The role of memory suppressor T cells in self-tolerance: induction in utero and in athymic mice. Adv Exp Med Biol 1985; 186: 511-520.

Wong RWS, So SY, Ha SY, Chow L, Young R, Todd D. AIDS in a Hong Kong Chinese. Asian Pac J Allergy Immunol 1986; 4: 37-39.

Lok ASF, Liang RHS, Chiu EKW, Wong KL, Chan TK, Todd D. Reactivation of hepatitis B virus in patients receiving cytotoxic therapy. Report of a prospective study. Gastroenterol 1991; 100: 182-188.

Kung AWC, Lai CL, Wong KL, Tam CF. Thyroid functions in patients treated with interleukin-2 and lymphokine-activated killer cells. Q J Med 1992; 82: 33-42.

Chan TM, Cheng IKP, Wong KL, Chan KW, Lai CL. Crescentic IgA glomerulonephritis following IL-2 therapy for hepatocellular carcinoma of liver. Am J Nephrol 1991; 11: 493-496.

Jones BM, Lau YL, Wong KL. B cell and Tregulatory cell dysfunction in six Chinese children with hypogammaglobulinaemia. Eur J Paediatr 1993: 152: 409-413.

Other articles

‡Lang CC, Lau CS, Belch JJF and Struthers AD.

Effect of atrial natriuretic factor on platelet function in whole blood ex-vivo in man. Eur J Clin Pharmacol 1990; 39: 589-591.

‡Belch JJF, Lau CS, Shaw W and M McLaren M. Oxygen free radical generation following angioplasty for peripheral vascular disease. In: Palombo D, Brustia P, Domenico Palombo, Valle D'Aosta, eds. La Chirurgia Vascolare nella Communita Econmica Europea. 1991: 127-128.

‡Lau CS, Scott N, Shaw W and Belch JJF. Increased activity of oxygen free radicals during reperfusion in patients with peripheral arterial disease undergoing percutaneous peripheral artery balloon angioplasty. Int Angiol 1991; 10: 244-246.

- † Publications produced by staff whilst attached to or visiting other centres
- ‡ Publications produced by staff while employed at other centres before joining the Department
- * Publications in non-indexed journals

C.S. Lau and Raymond W.S. Wong

STAFF LIST

Professors	
Chan, T.K., MD. FRCP, FRCP(E), FRCP(G), FACP, FRCP, FRCPath, FAMS, FHKCP, FHKAM(Medicine), JP Chan, V.N.Y., BSc(Hons), MSc, DIC, PhD, FACB, FRCPath Kumana, C.R., BSc, MBBS, FRCPC, FRCP, FHKCP, FHKAM(Medicine)	陳 棣 光 陳 立 怡
Lam, S.K., MD. FRCP, FRCP(E), FRCP(G), FACP, FACG, FRACP, FHKCP, FHKAM(Medicine) Todd, D., KB, MD. DSc(Hon) HKU, DSc(Hon) CUHK, FRCP, FRCP(E), FRCP(G), FRCP(Ire), FRACP, FRCPath, FAMS(Hon), FHKCP, FHKAM(Medicine), JP	林兆 鑫 達 安 輝
Young, R.T.T., OBE, MD, DSc(Hon) HKU, FRCP, FRCP(E), FRCP(G), FRACP, FHKCP, FHKAM(Medicine), JP	楊紫芝
Readers	
Cheng, I.K.P., MBBS, PhD, FRACP, FRCP, FHKCP, FHKAM(Medicine) Lai, C.L., MD, FRCP, FRCP(E), FRACP, FHKCP, FHKAM(Medicine) Lam, K.S.L., MD, FRCP, FRCP(E), FHKCP, FHKAM(Medicine) Lam, W.K., MD, FRCP, FRCP(E), FRACP, FHKCP, FHKAM(Medicine) Lau, C.P., MD, FRCP, FRCP(E), FHKCP, FHKAM(Medicine) Liang, R.H.S., MD, FRCP, FRCP(E), FRCP(G), FHKCP, FHKAM(Medicine) Yu, Y.L., MD, FRCP, FRCP(E), FHKCP, FHKAM(Medicine)	鄭黎林林劉梁余被龍玲杰柏孫靈
Senior Lecturers	
Ip, M.S.M., MD, FRCP(E), FHKCP, FHKAM(Medicine) Kung, A.W.C., MD, FRCP(E), FHKCP, FHKAM(Medicine)	葉秀文襲慧慈
Lecturers	
Chan, D.T.M., MBBS, MRCP(UK), FHKCP, FHKAM(Medicine) Chan, J.C.K., MD, Dip Am Board, FHKCP, FHKAM(Medicine) Cheung, B.M.Y., MA, MB, BChir, MRCP(UK) Ching, C.K., MBChB. MD, MRCP(UK), FHKCP, FHKAM(Medicine) Ho, D.S.W., MBBS(Hons)(Syd), PhD(Syd), FRACP, FHKCP, FHKAM(Medicine) Ho, S.L., MD, MRCP(UK) Kwong, Y.L., MBBS, MRCP(UK), MRCPath, FHKCP, FHKAM(Medicine) Lau, W.C.S., MD(Hons), MRCP(UK), FHKCP, FHKAM(Medicine) Tan, K.C.B., MD(Wales), MRCP(UK)	陳陳張程何何鄺劉陳德真文自世樹沃澤俊
Honorary Clinical Lecturers	
Chan, A.S.C., MBBS(HK), Dip Ven, DipDerm(Lond), FRCP(G), FHKCP, FHKAM(Medicine) Chan, C.H., MBBS(HK), FRCP(E), FRCP(G), FHKCP, FHKAM(Medicine) Chan, C.K., MBBS(HK), Dip Am Board, FRCP(E), FHKCP, FHKAM(Medicine) Chan, K.H., MBBS(HK), FRCP(E), FRCP(G) Chan, L.C., MBB(Chir), MA(Camb), MRCP(UK), PhD(Lond), FHKCP, FHKAM(Path) Chang, C.M., MBBS(HK), FRCP(G), FRCP(E), FHKAM(Medicine) Chen, W.W.C., MBBS, MD(HK), MRCP(UK), FHKCP, FHKAM(Medicine) Cheng, C.H., FRCP(E), FRCP(G), FHKCP, FHKAM(Medicine) Cheung, K.L., MBChB(Leeds), FRCP(E), FHKCC, FHKCP, FHKAM(Medicine) Chim, J.C.S., MBChB(HK), MRCP(UK), FHKCP, FHKAM (Medicine)	陳陳陳陳張陳鄭張詹修焯志嘉立茲維俊敬楚治雄權何昌勱智豪龍生

Chiu, E.K.W., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	趙健華
Choa, B.H.G., MA(Cantab), MBBChir, MRCP(UK), FHKCP, FHKAM(Medicine)	蔡偉達
Chong, L.Y., MBBS(HK), DipDerm(Lond), MRCP(UK), DipGum(Lond), FHKCP, FHKAM(Medicine)	莊禮賢
Chow, J.S.F., MBBS(HK), FRCP(E), FHKCP, FHKAM(Medicine)	周斯富
Chow, S.L., MBBS(HK), MRCP(UK), FRACP, FHKCC, FHKCP, FHKAM(Medicine)	周 亮
Chow, W.H., MBBS(HK), FRCP, FHKCC, FHKCP, FHKAM(Medicine)	周榮興
Chu, L.W., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	朱亮榮
Fong, J.K.Y., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	方 嘉 揚
Huang, C.Y. MBE, BSc(Syd), MBBS(HK), MMed(Sing), FRACP, FHKCP, FHKAM(Medicine)	黃 震 遐
Hui, W.M., MD(HK), FRCP(E), FHKCP, FHKAM (Medicine)	許偉武
Kwan, W.K., MBBS(HK), FRCP(E), FHKCP, FHKAM(Medicine)	關偉強
Lai, C.F., MBBS(HK), DipVen, DipDerm(Lond), MRCP(UK), FHKCP, FHKAM(Medicine)	黎湛暉
Lai, K.C., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	黎錦泉
Lai, M.S., MBBS(HK), MRCP(Ire), FHKCP, FHKAM(Medicine)	黎滿勝
Lam, C.W., MBBS(HK), FRCP(G), FHKCP, FHKAM(Medicine)	林澤華
Lau, Y.K., MBBS(HK), Dip Am Board Internal Medicine, FHKCP, FHKAM(Medicine)	劉育港
Lee, S.W.L., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	李偉聯
Leung, W.H., MBBS(Hons)(HK), MD(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	梁永雄
Li, C.S., MBBS(HK), FRCP(E), FRCP(G), FHKAM(Medicine)	李俊生
Li, L.S.W., MBBS(NSW), MRCP(UK), FACRM, FAFRM(RACP), FHKCP	李常威
Lo, C.Y., MBBS(HK), MRCP(UK), FHKCP	盧 志 遠
Lo, K.K., MBBS(HK), DipDerm(Lond), MRCP(UK), FHKCP, FHKAM(Medicine)	盧 乾 剛
Lo, W.K., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	盧維基
Ng, M.M.T., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	吳馬太
Ng, N.S., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	吳鼐成
Ng, Y.Y., MBBS(HK), FRCP(G)	吳有容
So, S.Y., MBBS(HK), FRCP(E), FHKAM(Medicine)	蘇淳養
Teng, C.S., MD(HK), FRCP(E), FHKCP, FHKAM(Medicine)	鄧宗勝
Tsang, C.W., MBBS(HK), FRCP(E), FRCP(G), FHKCP, FHKAM(Medicine)	曾慶華
Tsang, M.T.S., $MBBS(HK)$, $FRCP(E)$, $FRCP(G)$, $FHKCP$, $FHKAM(Medicine)$	曾子恕
Tse, B.S.S., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	謝勝生
Tse, T.F., MBBS(HK), FRCP(E), FRCP(G), FACC, FHKCP, FHKAM(Medicine)	謝德富
Tso, S.C., MBBS(HK), FRCP(E), FRACP, FHKCP, FHKAM(Medicine)	曹紹釗
Wong, C.K., MBBS(HK), MRCP(UK), FHKCP	黃 卓 傑
Wong, C.P., MBBS(HK), MRCP(UK), FHKCP, MHA(UNSW), FHKAM(Medicine)	黃 春 波
Wong, K.H., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	黃 國 雄
Wong, K.O., MD(HK), FRCP(G), FHKCP, FHKAM(Medicine)	黃國安
Wong, R.W.S., MBBS(HK), FRCP(E), FRCP(G), FHKCP, FHKAM(Medicine)	黃煥星
Wong, S.P., MBBS(HK), FRCP(E), FHKCP, FHKAM(Medicine)	王壽鵬
Woo, E.K.W., $MBBS(HK)$, $FRCP(E)$, $FRCP(G)$, $FHKCP$, $FHKAM(Medicine)$	胡健維
Yam, L.Y.C., MBBS(HK), FRCP(E), FRCP(G), FHKCP. FHKAM(Medicine)	任燕珍
Yip, A.S.B., MBBS(HK), MRCP(UK), FHKCP, FHKAM(Medicine)	葉承標
Yu, D.Y.C., MD(HK), FRCP(E), FHKCP, FHKAM(Medicine)	余字超
Yu, R.Y.H., MD(HK), PhD(Lond), FRCP(E), FHKCP, FHKAM(Medicine)	余宇康
Honorary Senior Lecturer	
Chung, S.S.M., BSc(Oregon), PhD(Calif)	鍾森文

方國祥

Research Associates

Fang, G.X., MBBS(Guiyang Med Coll)

Staff list

Janus, E.D., MBChB, MD(Otago), PhD(Lond), FRACP, FRCPA, FACB, FCCP Wang, C.C.L., MD(HK), FRACP, MRCP(G)	汪重輪
Administrative Assistant	
Lam, I.S.T., BComm(Alberta), PCEd(HK), PGDLL(HK)	林淑棠
Technical Staff	
Chan, A. W. K. Chan, H. W. P. Chan, J. Y. Y. Fung, S. H. M. Ho, S. K. N. Kou, M. Kung, M. H. W. Kwok, E. N. L. Lau, K. S. Lau, K. M. K. Li, P. Lo, K. M. Ng, K. C. Pang, A. W. K. Shiu, S. W. M. Tam, S. P. Tong, T. M. F. Wong, D. C. H. Yeung, S. M. S. Yip, B. P. C. Young, J. L. P.	陳陳陳為阿爾爾斯爾斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯
Secretarial and Clerical Staff	17-t- /\
Chan K. S. W. Chik, H. S. C. Chiu, S. M. C. Ho, M. M. N. Lam, C. M. Lam, J. F. K. Law, K. S. Lee, J. W. L. Leung, Y. W. Ng, C. S. L. Pun, A. W. C. Siu, S. F. Tse, E. P. L. Watt Lam, J. W. H. Yim, S. S. C. Yuen, V. M. L.	陳植趙何林林羅李梁吳潘蕭謝林嚴袁少順美妙中鳳劍惠綺素惠素碧蕙淑妙中鳳劍惠綺素惠素碧蕙淑妙

General Practice Unit

Dr. Sun Yat-Sen Chair in General Practice

Dixon, A.S., MBChB(Leeds), FCCFP (Head of Unit)

Senior Lecturer

林露娟 Lam, C.L.K., MBBS(HK), FRCGP, FHKAM(Family Medicine)

Lecturer

林大邦 Lam, T.P., MBBS(W Aust), FRACGP

Honorary Clinical Lecturers	
Au Yeong, T.C.K., MBBS(HK), MRCP(UK)	歐陽志強
Badway, M., MBBS(Monash), FRACGP, FHKAM(Family Medicine)	
Bien, B.T.T., MBBS(NSW), FHKAM(Family Medicine)	
Bunting, V.M.G., B Med	
Campbell, D.S., MBChB(E), MRCGP	
Chan, H.C., MBBS(HK), FRACGP, FHKAM(Family Medicine)	陳 洪 昭
Chan, K.W., MBBS(HK), MRCGP, FHKAM(Family Medicine)	陳國維
Chan, P.H.W., BS(Quincy Coll), MBBS(HK), DCH(Ire)	陳鴻偉
Chan, P.K., MBBS(HK)	陳培光
Chan, P.Y.N., MBBS(HK), DCH(Lond), DCH(G), MRCP(UK)	陳育寤
Chan, S.L., MBChB(CUHK)	陳少玲
Chan, S.P., MBBS(HK), FHKAM(Family Medicine)	陳少斌
Chan, Y.K., MBBS(Melb)	陳元坤
Chen, S., MRCS(Eng), DTM&H, LRCP(Lond)	陳 紹 德
Cheng, M., MBBS(Aust)	
Cheung, A.K.Y., MBBS(HK), DCH(Lond)	張潔影
Cheung, P.W.K., MBBS(HK), FRACGP, FHKCGP	張偉強
Choi, C.W., MB(Taipei), LMC(HK), DCH(Lond)	蔡鎮華
Choi, K., MBBS(HK)	蔡堅
Chow, C.K., MBBS(HK), DCH(G), DCH(lre)	周振軍
Choy, C.K., MBChB(CUHK)	蔡志強
Chu, D.W.S., MBBS(NSW)	朱偉聲
Chuh, A.T.T., MBBS(HK), LRCP(E), LRCS(E), LRCPS(G), DCH(Lond), DpDerm(Wales)	許晏冬
Chui, S.H., BSc, MBChB(Manc), MRCP(UK)	徐兆恆
Chung, J.T.N., MBBS, DCH, LRCP(Lond), MRCS(Eng), MRCGP, FHKAM(Family Medicine)	鍾子能
Doo, C.H., MBBS(Aust), FHKAM(Family Medicine)	杜澄愷
Foo, S.K.S., MBBS(HK), FHKAM(Family Medicine)	傅鑑蘇
Fung, K.C., MBBS(HK), FRCS(E), FHKAM(Family Medicine)	馮啟祥
Harris, A.K., MBBS, DCH(Lond), DRCOG, DGM, MRCGP	夏健安
Hui, L.Y.F., MBBS(HK), FHKCGP, FRACGP	許燕芬

Lam, A.T., MBBS(HK), FRACGP(Aust), FHKCGP(HK) Lam, C.C., MBBS(HK), DCH(Ire), MRCP(UK)

Kwok, C.S., MBBS(HK), FHKCGP, FRACGP

Ip, K.K., MBBS(HK)

Kwok, A.K.H., MBBS(HK)

Kwok, K.C., MBBS(HK)

葉傑權

郭冠雄

郭智深

郭嘉祥

璨 林正財

林

Staff list

Lam, H., MBBS(HK)	林 慶
Lam, J.H., MBBS(HK), FRCS(E)	林祚興
Lam, T.N., MBBS(HK), DCH(Ire), LMC(Can)	林俊毅
Lau, C.M., MBChB(E)	劉仲文
Lau, F.Y.T., MBBS(HK), FHKAM(Family Medicine)	劉鈺棠
Lau, H.L., MBBS(HK)	劉浩濂
Lau, J.K.C., MBBS(NSW), DipObst(Auck), MRNZCGP	柳坤中
Lee, A., MBBS(Lond), DCH(Ire), FRACGP, FHKCGP	李大拔
Lee, G.K.L., MBBS(HK), DCH(Lond)	李嘉齡
Li, D.K.T., MBBS(HK), FHKAM(Family Medicine)	李國棟
Liu, W., MBBS(HK)	廖祭
Lo, R.C.H., MBBS(HK)	盧俊鴻
Lui, C.S., MBBCh(Dub)	温 及 傷 呂 全 信
Luk, W.L., MBBS(HK), DO(Ire), DipVen(Liv)	陸宏隆
Mak Chan, K.K.C., MBBS(HK), MRCGP, MICGP, FHKCGP, MHP(NSW)	陸湿隆
	馬兆龍
Marshall, I.B., MBBS(Newcastle-upon-Tyne), MRCGP, FRACGP, FHKAM(Family Medicine)	伍永強
Ng, A.W.K., MBBS(HK), DCH(Lond), MRCP(UK)	
Ngan, S.Y., MBChB(CUHK), DCH(Ire)	顏思遠
Salmond, N.C.N., MBChB(G)	華 左 日
Siu, P.C., MB(Taipei)	蕭炳昌
Stirling, D., BSc, MBChB(E), DObstRCOG, MRCGP	防急冷
Syed, A., MBBS(HK)	陳偉倫
Tam, T.Y.M., MBBS(HK)	譚裕棉
T'ang, J.S.F., MBBS(NSW), FRACGP	唐少芬
Ting, M.N., MBBS(NSW)	丁萬年
Tong, P.Y.W., MBBS(HK)	湯儒偉
Tong, S.M., MBBS(HK), DCH(Lond), DCH(Ire), FRACGP	湯兆敏
Tsang, L.C.Y., MBBS(NSW), FRACGP, FHKAM(Family Medicine)	曾昭義
Tsang, T.K.L., MBBS(HK)	曾廣力
Tse, E.Y.Y., MBChB(E), MRCGP, FHKAM(Family Medicine)	謝婉儀
Wong, H.C.W., MBBS(Q'ld), FRACGP, FHKAM(Family Medicine)	黄鎮華
Wong, H.W., MBBS(HK), FHKAM(Family Medicine)	黄鴻偉
Wong, J.K.H., MBChB(E), MRCGP	黄國豪
Wong, K., MB(Fujian Med Coll), LMCHK	王廣
Wong, P.P.S., MBBS(HK)	王必思
Woo, G.L.W., MBBS(HK), DCH(Lond), MRCP(UK)	胡立為
Wun, Y.T., MBBS(HK), FHKAM(Family Medicine)	溫煜讚
Yeung, C.W.K., MBBS(HK), DCH(Ire)	楊永健
Yip, Y.L., MBBS(HK), FRCS(G)	葉汝立
Yiu, Y.K., MBBS(HK)	姚玉筠
Yung, C.Y., MBBS(HK), MRCP(UK), FACCP	翁祖耀
Yung, G.S.W., MBBS(HK)	容世華
Other Staff	
Ho Li, M. M. C.	韓李美珍
Nam, T.	藍 達
Tsui, R. S. F.	徐淑芳

X03981413



610.95125 A17 m95

Achievements in medicine 1985-1995 / c1995.

